

# DiVAL+

**Safety & Supplies for Life**

## Restoration & Asbestos Abatement Catalog

*Devoted to the safety of your employees and committed to the bottom line of our clients!*



BARTELL  GLOBAL

Innovatech

 SPE

 CONTEC



Order by Phone:  
**800.343.1354**  
7am - 5pm EST Monday - Friday.



Order by Web:  
**www.DiValSafety.com**  
24 Hours a Day. Every Day.



Order by E-Mail:  
**orders@divalsafety.com**  
24 Hours a Day. Every Day.



Order by Fax:  
**716.874.4686**  
24 Hours a Day. Every Day.



Order by Mail:  
**DiVal Safety Equipment, Inc.**  
1721 Niagara Street, Buffalo, New York 14207

## Safety Outlet Store Locations

**Buffalo** Mon-Fri 7am-5pm ET  
1701 Niagara St. Sat 8am-12pm ET

**Rochester** Mon-Fri 7am-5pm ET  
845 West Ave.

## Table of Contents

## Pages

<i>Negative Air Machines</i> ..... 3-5,7	<i>Dirt Barriers</i> ..... 50-53
<i>Air Scrubbers</i> ..... 5-6	<i>Poly &amp; Tarps</i> ..... 52-53
<i>Ducting</i> ..... 7	<i>Staplers &amp; Adhesives</i> ..... 54-55
<i>Air Sampling</i> ..... 8-9	<i>Glove Bags</i> ..... 56
<i>Signage</i> ..... 9	<i>Carts &amp; Dollies</i> ..... 57-60
<i>Decon Systems</i> ..... 10-11	<i>Hoists &amp; Slings</i> ..... 60-61
<i>Trash Pumps</i> ..... 10	<i>Rope</i> ..... 62-63
<i>Water Filtration</i> ..... 10	<i>Pallet Trucks</i> ..... 64
<i>Debris Collectors</i> ..... 12-13	<i>Rollers</i> ..... 64
<i>Surface Prep</i> ..... 12-21	<i>Salvage Drums</i> ..... 65
<i>Vacuums</i> ..... 22-26,92	<i>Sorbents &amp; Spill Control</i> ... 66-70
<i>Dustless Attach.</i> ..... 26,28,31,33	<i>Clean Up Supplies</i> ..... 71-73
<i>Hand-Held Power Tools</i> ... 27-31	<i>Garbage Cans &amp; Bags</i> ..... 74-75
<i>Scrapers &amp; Chisels</i> ..... 32-33	<i>Coatings &amp; Cleaners</i> ..... 76-83
<i>Storage</i> ..... 34-36	<i>Dehumidifiers</i> ..... 84-86
<i>Protective Apparel</i> ..... 37	<i>Air Movers &amp; Blowers</i> ..... 87-88
<i>Respiratory</i> ..... 38-49	<i>Meters</i> ..... 89-90
<i>Respirator Fit Testing</i> ..... 47-49	<i>Thermal Imaging</i> ..... 90-91

## PAYMENT OPTIONS

We accept cash, check, charge, or account



*Pricing in this catalog may be subject to change at any time.*

## Protecting Workers from the Hazards of Asbestos-Containing Flooring Material Maintenance



Many resilient flooring tiles contain asbestos, a mineral fiber used in numerous building materials before its dangerous health effects were discovered. A hazard exists for workers who buff or wax flooring material containing asbestos. Any floor tiles installed prior to 1980 should be presumed to contain asbestos — unless confirmed to be asbestos-free by a laboratory — and the proper protective actions should be taken. The Occupational Safety and Health Administration (OSHA) has regulations to protect workers from asbestos.

### What is the hazard?

The equipment used during the care or maintenance of asbestos-containing flooring tiles has an abrasive pad which runs at high speeds, and can release tiny asbestos fibers into the air. The airborne fibers can then be inhaled by workers without knowing it, and become trapped in their lungs. Asbestos is a known human carcinogen and can cause chronic lung disease as well as lung and other cancers.

### How do I know if there is a hazard?

Airborne asbestos fibers are very small and cannot be seen by the naked eye. Flooring materials installed prior to 1980 should be presumed to contain asbestos and should be treated as such, unless a piece of the material is sent to a reputable laboratory and analyzed for asbestos by transmission electron microscopy and found to contain a concentration of less than 1.0%.

### What should be done to protect workers?

Workers caring for asbestos-containing flooring material (general industry) are protected by OSHA's Asbestos standard, 29 Code of Federal Regulations (CFR) Part 1910.1001. OSHA has separate asbestos standards for the construction and shipyard industries due to differing working conditions and asbestos exposures.

### Training elements of OSHA's Asbestos Standard

Initial and annual training must be provided in a manner and language that workers can understand. The training must include: health effects of asbestos; locations of asbestos-containing and presumed asbestos-containing materials; recognition of damage and deterioration of asbestos-containing materials; and the proper response to fiber release episodes. The following elements should be included in this training:

#### Care of Asbestos-Containing Flooring Materials

- Do not sand asbestos-containing flooring material;
- Use only low-abrasion buffing pads;
- Operate buffers only at speeds lower than 300 rpm;
- Use wet methods;
- If asbestos-containing flooring material has sufficient finish, brushing or dry buffing is permissible.

If these methods are properly implemented, personal protective equipment (PPE) should not be necessary.

#### Recordkeeping

A record of training and worker notification is necessary. If applicable, any exposure monitoring records and medical monitoring records must also be kept.



## Core Air 2000 Negative Air Machine

- Primarily set to negative pressure or recirculation mode
- Negative pressure condition is created in order to confine contaminated airborne particles
- This condition exists when the static pressure inside the room containing the unit is lower relative to the pressure of the environment outside the room
- The static pressure differential is created and maintained by continuously exhausting air out of a given room at a faster rate than air enters the room from all other sources
- The recirculation mode, all of the filtered air is exhausted back into the room containing the unit
- Multi-use air filtration machine is equipped with a pre-filter and a HEPA filter that are capable of filtering many airborne contaminants
- Incorporates a series of particulate filters which successively remove larger size to smaller size particles from the air
- Providing particulate and odor, vapor, gas filtration with final stage filtration through a High Efficiency Particulate Air (HEPA) filter



**Item #H2000DV \$925.00/EA**

### Duct

**#1225** Flexible Mylar 12" x 25' **\$18.75/EA**  
**#H201512** Lightweight Layflat 12" x 500' **\$67.75/RL**

## Replacement 24" x 24" Filters

**#NC242412HP2** 2000 CFM rated HEPA filter (with wood frame and rubber gasket) **\$183.60/EA**  
**#242411HEPA** 1100 CFM rated HEPA filter (with wood frame) **\$131.75/EA**  
**#24242PLCARB** Secondary pleated filter (carbon charcoal Carbotron) **\$28.75/EA**  
**#24242PL** Secondary pleated filter **\$5.15/EA**  
**#24242DH** Ring panel dust hawk filter **\$3.90/EA**  
**#24241/2** Pad Pre-Filter **\$0.95/EA**



## Core 600 Variable Speed Negative Air Machine

- Has the features of larger machines but designed for smaller work areas
- Offers versatility in that it can easily handle a wide range of jobs
- Ideal for asbestos and lead abatement, mold remediation or cleaning and restoration jobs
- Uses a 16" x 16" x 6" HEPA filter
- Dust filters can also be used for dust collection
- Activated charcoal filters can be used as an effective means of odor control
- Ships complete with filters
- 200 CFM to 600 CFM
- Draws 1.8 amps
- 24" L x 18" W x 17" H
- 47 lbs



**Item #9145DV \$845.00/EA**

## Replacement 16" x 16" Filters

**#16166HEPA** HEPA Filter **\$126.00/EA**  
**#16162DH** Ring Panel Filter **\$4.30/EA**  
**#16161/2** Pad Pre-Filter **\$0.75/EA**

### Duct

**#1225** Flexible Mylar 12" x 25' **\$18.75/EA**  
**#H201512** Lightweight Layflat 12" x 500' **\$67.75/RL**

## Aerospace America's Negative Air Machine

- Easily handles a wide range of jobs
- Ideal for asbestos and lead abatement, mold remediation or cleaning and restoration jobs
- Powerful one horsepower motor provides a consistent flow rate and utilizes all of the filter media area
- Uses standard 24" x 24" HEPA filters
- Positive lock prevents any filter movement to ensure complete filtration
- Dust filters can also be used which make the unit ideal for dust collection
- Activated charcoal filters can be used as an effective means of odor control
- Ships complete with filters
- 1950 CFM or 1350 CFM
- Draws 9.4 amps
- 33" L x 26" W x 26" H
- 4 casters, 4 handles
- 150 lbs



**Item #H2000EC**    *Neg Air Machine*  
**Item #200005**    *Single Intake*  
**Item #200005**    *Dual Intake*

**\$975.00/EA**  
**\$186.45/EA**  
**\$245.00/EA**

**#200005**  
**#180005**

**#200005**  
**#180005**



## Aerospace Aeroclean 2000 Full Feature Negative Air Machine

- Audio and visual alarms will indicate contaminated filters
- Made from aircraft grade aluminum for reduced weight (shipping weight 150 lbs.)
- Made in USA
- Hour meter (optional)
- Air capacity 1950 CFM high speed
- Air capacity 1300 CFM low speed
- Motor: 1.0 H.P. (two speed switch)
- 33" L x 26" W x 26" H
- Slide down door for E-Z accessibility
- Four (4) casters for E-Z mobility
- Four (4) handles
- 12" exhaust

### Filters:

- 1st Stage - 24" X 24" Pre-Filter
- 2nd Stage - 24" X 24" X 1" Ring Panel
- 3rd Stage - 24" X 24" X 11-7/8" H.E.P.A. Filter


**Item #H2000FULL**    *Neg Air Machine*  
**Item #200005**    *Single Intake*  
**Item #200005**    *Dual Intake*

**\$1,040.00/EA**  
**\$186.45/EA**  
**\$245.00/EA**



## Aerospace America Mighty Mite Negative Air Machine

- Slim unit for those hard to squeeze areas!
- The 1800 is only 18" wide but still produces over 1800 cubic feet per minute
- Made from aircraft grade aluminum for reduced weight (shipping weight 115 lbs.)
- Made in USA
- Air capacity 1850 CFM high speed
- Air capacity 1200 CFM low speed
- Motor: 1.0 H.P. (two speed switch)
- 33" L x 18" W x 26" H
- Slide down door for E-Z accessibility
- Four (4) casters for E-Z mobility
- Four (4) handles
- 2" exhaust



**Item #9180**    *Neg Air Machine*  
**Item #180005**    *Single Intake*  
**Item #180005D**    *Dual Intake*

**\$915.00/EA**  
**\$186.45/EA**  
**\$222.75/EA**

## Novair 2000 Portable Negative Air Filtration Machine

- Ideal for the mold remediation or cleaning and restoration jobs
- Great for use in abatement, hospitals, air scrubbing or anywhere dust is a concern
- Provides smooth, consistent airflow
- Compact horizontal design fits through standard doorways
- A powerful two-speed thermally protected 2.00 horsepower motor provides a consistent air flow rate and utilizes all of the filter media area
- 2000 cubic feet per minute air movement with all filters in place
- Polyethylene shell is leak proof and dust proof
- Lightweight, virtually indestructible and easy to clean and decontaminate
- Integrated molded carrying handles for easy transport
- Caster nest for stacking and integrated rib for strapping

**Item #NOVAIR2000 \$1,070.00/EA**



- 1000 - 2000 CFM
- Utilizes standard 24" x 24" x 11½" HEPA filters
- Additional HEPA filters available (F4010)
- 135 lbs. total weight
- 37" L x 26" W x 31" H

### Includes:

- 1 ring filter
- 1 HEPA filter
- 1½" pad

### Replacement 24" x 24" Filters

(see descriptions on page 3)

**#24242PL \$5.15/EA**  
**#24242DH \$3.90/EA**  
**#24241/2 \$0.95/EA**

### Duct (see descriptions on page 3)

**#1225 \$18.75/EA**  
**#H201512 \$67.75/RL**



## Novatek Novair 1000 Portable Negative Air Filtration Machine

- Ideal for the mold remediation or cleaning and restoration jobs
- Great for use in abatement, hospitals, air scrubbing or anywhere dust is a concern
- Smooth, consistent airflow
- Compact, upright design for tight spaces
- Two-speed thermally protected 1.00 horsepower motor
- 1000 cubic feet per minute air movement
- Polyethylene shell is leak proof and dust proof
- Lightweight, virtually indestructible and easy to clean and decontaminate
- "Hand Truck" configuration allows for easy transport by one operator
- 500 - 1.00 CFM
- Utilizes standard 16" x 16" filters
- 94 lbs. total weight
- 20" W x 23" D x 40" H

**Item #NOVAIR1000 \$995.00/EA**

### Replacement Filters

**#F4030 HEPA Filter \$125.00/EA**  
**#F4039 Carbon Charcoal Filter \$49.00/EA**  
**#16242DH Ring Panel Dust Hawk Filter, 16" x 24" \$4.40/EA**  
**#16241/2 Primary Filter, 16" x 24" x 1/2" \$0.75/EA**

### Includes:

- 1 ring filter
- 1 HEPA filter
- 1½" pad



## Nikro Mini Poly Air Scrubber, 600 CFM Variable Speed

- Light weight, dent and corrosion resistant portable mini air scrubber
- High performance unit
- Variable speed control
- 3 stage filtration with a 99.97% at 0.3 micron HEPA filter
- Filter monitoring gauge
- Hour meter
- 12" intake and exhaust flange
- Independent Safety Certification
- This unit is stackable and has the daisy chain capability to operate 4 units on one power cord
- Meets UL94HB flammability requirements for polymer cabinets housing energized electrical components
- 50 - 600 CFM (Free Air)
- 26" L x 18" W x 18¾" H
- 50 lbs
- 115v / 3 amps

**Item #PS600 \$945.00/EA**



### Replacement 16"x 24" Filters

(see descriptions on page 4)  
**#16242PL \$4.85/EA**  
**#16242DH \$4.40/EA**  
**#16241/2 \$0.75/EA**  
**#162411HEPA \$131.75/EA**

### Duct (see descriptions on page 3)

**#1225 \$18.75/EA**  
**#H201512 \$67.75/RL**

## Phoenix Mini-Guardian HEPA Air Scrubber System, 415 cfm

The Mini-Guardian HEPA System offers fully variable air flow. Maximum delivered air flow with 3-stage filtering in place is over 415 CFM and will clean one air change of a 14' x 14' room in less than four minutes while drawing less than two amps of power. This makes the Mini-Guardian perfect for smaller remediation projects where space is at a premium and reduced air flow essential. A template on the intake grill makes it possible to take air-flow measurements with the Phoenix Reed Meter.

- 2 amps
- Compact design
- Variable speed air flow
- Multiple ducting options
- Stainless steel cabinet
- Optional fourth stage carbon filter
- Wheeled cart design



**Item #4024774     \$1,395.00/EA**

## Phoenix Guardian HEPA Air Scrubber System, 1400 cfm



The Guardian HEPA System captures virtually all removable airborne particles. The true 1400 CFM capacity of the Phoenix Guardian HEPA System will clean one air change of a 12 x 14 foot room in less than a minute. The Guardian can be expected to control up to 21,000 cubic feet. The Guardian's high airflow and multiple ducting options allow for the combination of negative or positive air flow control of an area and containment air scrubbing at the same time. This provides the unique ability to continually filter the indoor air and depressurize the damaged site to prevent the spread of contamination simultaneously.



- Includes one 14" lay-flat duct ring, for 100% negative air operation, and two 10" lay-flat duct rings for a combination of negative air, air scrubbing or positive airflow
- 12 Amps, 110-120 VAC
- 25" x 39" x 25"

**Item #4024848     \$2,098.00/EA**

## DefendAir HEPA 500 Portable Air Scrubber, 250-500 cfm

The DefendAir HEPA 500 uses HEPA filter media with an efficiency rating of 99.97% against 0.3-micron oily aerosol particles. When used with the DOP 2nd stage filter, the HEPA 500 meets first-pass filtration requirements; however, DOP testing may be required on some jobs. The optional Activated Carbon Filter allows users to quickly and effectively attack smoke and other noxious odors in the environment.

- Advanced filtration technology
- Daisy chain capability - link up to 3 units on 1 power outlet
- Variable CFM on each unit - up to 1500 CFM per 15-amp circuit
- Stackable, lightweight, and easily transportable



**Item #F284     \$999.00/EA**

## Ermator A600 Portable Air Scrubber



- Constructed using a sturdy, compact cabinet
- Quiet operating air scrubber with two airflow speeds of 300 and 600 CFM with HEPA and pre-filter installed
- The airflow is directed upwards to avoid disturbing dust on surfaces
- Each HEPA filter installed in the model A600 is individually tested and certified at an efficiency rate of 99.99% at 0.3 microns
- A warning light indicates when the primary filter is 75% clogged and requires cleaning



**Item #200900061A     \$885.00/EA**

## Ermator A1200 Air Scrubber, 2-Speed



- Standard motor/blowers
- 28-inch HEPA filters
- Constructed with a unique motor/impeller and a wider HEPA filter producing a thin, light-weight cabinet
- Two super quiet speeds of 600 and 1200 CFM with HEPA and pre-filter installed
- A metal frame HEPA filter includes a steel mesh screen to protect filter media and allow cleaning of the media surface with vacuum and dust brush
- Each HEPA filter installed in the A1000 air scrubber is individually tested and certified at 99.97% efficiency at 0.3 microns
- 16" x 28" x 32"



- An indicator light warns when it is time to clean or replace both filters
- Equipped with two (2) locking wheels for superior transportation and stability

**Item #A1200     \$1,287.00/EA**

## Aerospace America MS2000 Negative Air Machine

- Designed to offer intake to ceilings and overhead containments more accessible
- Built in dolly allows for one person mobility
- Ideal for medium or large commercial/industrial projects
- Made from aircraft grade aluminum for reduced weight
- All inclusive scrubber contains a high powered 1.5 H.P. motor along with a four stage filtration system
- Captures indoor airborne contaminants such as mold spores, bacteria, dirt, dust and harmful gases
- Includes single intake
- Air capacity: 2200 high speed
- Air capacity: 1000 low speed
- Motor: 1.5 H.P.
- 115V
- 25" L x 24" W x 38" H
- 150 lbs

**Item #MS2000A** Neg Air Machine **\$2,450.00/EA**  
**Item #180005D** Dual Intake **\$222.75/EA**



## Plastic Single Inlet Manifold for H2000EC

- Allows machine to be placed out of the way
- Helps the air circulation to be placed directly on the job
- Requires attachment to machines
- Fits the H2000EC machine
- Use with 12" flexible tubing



**Item #H2080P** **\$210.00/EA**

## Extension Cords



- Professional quality
- 3 wire, 15 amps
- Cord color may vary
- Pro cords are extra flexible in temperatures well below freezing



<b>Item #C43100500R</b>	50'	10g	<b>\$62.00/EA</b>
<b>Item #C43101000R</b>	100'	10g	<b>\$92.50/EA</b>
<b>Item #C43120250R</b>	25'	12g	<b>\$25.50/EA</b>
<b>Item #C4312050LE</b>	50'	12g	<b>\$39.50/EA</b>
<b>Item #C4312100LE</b>	100'	12g	<b>\$67.25/EA</b>



## Ventilation Ducting

*Flex Source*

- Commonly used with air scrubbers or negative air machines on construction, asbestos, and restoration projects
- Various materials and sizes to fit your needs

## Flexible Mylar Tubing


<b>Item #825</b>	8" x 25'	<b>\$12.50/EA</b>
<b>Item #1025</b>	10" x 25'	<b>\$19.00/EA</b>
<b>Item #1225</b>	12" x 25'	<b>\$18.75/EA</b>
<b>Item #1425</b>	14" x 25'	<b>\$21.25/EA</b>
<b>Item #1625</b>	16" x 25'	<b>\$29.00/EA</b>

## Flexible Aluminum Tubing

<b>Item #AL1025</b>	10" x 25'	<b>\$27.10/EA</b>
<b>Item #AL1225</b>	12" x 25'	<b>\$32.90/EA</b>
<b>Item #AL1425</b>	14" x 25'	<b>\$37.10/EA</b>

## Lightweight Layflat Tubing

<b>Item #H201512</b>	12" x 500'	<b>\$67.75/RL</b>
<b>Item #H201514</b>	14" x 500'	<b>\$67.90/RL</b>
<b>Item #H201516</b>	16" x 500'	<b>\$74.75/RL</b>



#MARKII40.1



#A102



## Dwyer Model 40-1 Incline Manometer

- Ideally suited for air velocity and air filter gauge applications
- Capable of pressure measurements above and below the atmospheric as well as differential pressure measurements
- Range of .1-0 to 1.0 inches water column
- Use red A102 fluid (sold separately)
- Oil: .826 sp. gr. 4 oz

**Item #MARKII40.1** **\$119.00/EA**  
**Item #A102** **\$16.70/EA**



## Omniguard Pressure Recorder

- Differential pressure recorder in a completely self-contained package
- Not position sensitive and can be hung by a nail
- Accurate measurements continue even if the unit is dropped or moved
- Backlit graphics display
- Pressure is indicated with large easy to read characters
- Alarm setpoints are always displayed
- Screen icons show the monitoring, printer and audible alarm status
- Pressure readings are time stamped and logged into memory once containment has been established
- Audible and visual alarms activate whenever the pressure reaches the alarm set points
- Equipped with a thermal printer
- Includes: owner's manual, hose, a spare roll of paper and AC cord

Item #OMNIGUARD

**\$1,675.00/EA**

## BDX-II Air Sampling Pump

- 500-3000 cc/min
- Anti-tamper control covers
- Sealed internal components
- NiCd rechargeable battery pack with up to 10 hours of operation on a single charge
- Easy calibration
- UL approved for operation in hazardous areas
- Rugged and dependable construction
- Provides high performance economical alternative to higher-priced constant flow air sampling pumps
- Built-in rotameter monitors flow rates over the entire flow range of 0.5 - 3.0 LPM
- Sealed flow adjustment and on/off switch protect from moisture, dust and fibers
- Charger, tool kit and manual included

Item #BDX530

**\$365.00/EA**



# DIVAL+ Respiratory Products & Services

**We Not Only Supply Air Sampling Pumps & Pressure Recorders... We Service Them Too!**

- Air experts certified technicians will verify flow and functionality and provide you with a certificate of accuracy to ensure the equipment is functioning properly



- In-House + On-Site Service
- Loaner + Rental Units Available
- Quick Turnaround!

## Allegro T-101 Jarless Sampling Pump

- Lightweight and low maintenance, this rotary vane sampler has a sampling range of 0-30 LPM and is an excellent resource for sampling asbestos (25mm cassettes), lead (37mm cassettes) and mold
- This sampler is the best value in the market today, meets OSHA and AHERA standards and comes complete with six feet of vinyl tubing, inline filters, rubber feet for stability, handle and built-in switch
- Weight 10 lbs
- High Volume air sampling cassette stand (#P2450) sold separately



ALLEGRO  
INDUSTRIALS

Item #980188 Pump

**\$275.00/EA**

Item #P2450 Stand

**\$31.75/EA**



## 25mm Asbestos PCM Cassette

- Preloaded 25mm with 0.8 micron pore MCE filter material support pad
- 2" static conductive extension cowl
- Meets NIOSH 7400/7402 specifications
- Each cassette is marked with a unique serial number
- 50 per box

Item #322575 **\$49.60/BX**



## Lead Air Sampling Cassettes

- Pre-loaded 37 mm diameter filter cassette with 0.8 micron pore size filter support pad
- 50 per box

#322564 **\$88.00/BX**



## Zefon Z-Lite IAQ Air Sampling Pump

- Linear type pump is very small in size, but produces a high volume of vacuum airflow
- The Z-Lite is ideally suited for use with Air-O-Cell or A6 impactors at flow rates up to 30 LPM
- It is not recommended for use with any type of filter cassettes due to the high back pressure levels



Item #ZLITEIAQ

**\$204.75/EA**



## Zefon Air-O-Cell® Sampling Cassette

- Specifically designed for the rapid collection of a wide range of airborne aerosols including mold spores, pollen, insect parts, skin cell fragments, fibers (e.g. asbestos, fiberglass, cellulose, clothing fibers, etc.) and inorganic particulate (e.g. ceramic, fly ash, copy toner, etc.)
- Collects both viable and non-viable sample specimens, providing a much broader overview of potential allergens contaminants than conventional sampling techniques
- Can be used with any standard off-the-shelf area sampling pump capable of drawing 15 LPM open flow
- Compact size makes Air-O-Cell® suitable for use in confined or restrictive spaces



Item #AOC010 10/BX  
Item #AOC050 50/PK

**\$54.00/BX**  
**\$244.00/PK**

## Zefon Bio-Pump Plus Mold Sampling Kit

- Smallest and lightest portable battery powered IAQ sampling pump available
- Provides the simplest and most convenient way to sample with Air-O-Cell and Via-Cell cassettes at a flow rate of 15LPM
- Battery: Nickel Metal Hydride
- 4-1/3" W x 8" D 2-3/4" H
- 0.6 lbs

Item #ZBP200 **\$845.00/EA**


## PrimeGuard Value Grade Barricade Tape, "DANGER ASBESTOS HAZARD"

- Custom barricade tape
- Product is made from a lighter gauge film
- All rolls are 3"x1000' and packaged 12 rolls per case on a 3" core
- Product would be a good choice for general light duty usage such as home and retail style applications
- 2 mil thick material



Item #TT13995 Red Tape, 3" x 1000'  
Item #TT13996 White Tape, 3" x 1000'

**\$10.75/RL**  
**\$10.75/RL**



## "DANGER Asbestos" Sign, 11" x 17"




- Harris, "DANGER Asbestos" sign for abatement
- Meets OSHA 1910-1001 Standards for job site safety
- A highly visible sign printed red and black on pressure sensitive white stock paper
- 11" length x 17" width total size
- Alerts personnel to potential asbestos hazards
- Sold by the each
- 100 each per pack

Item #AS510P English Version  
Item #D395 Spanish Version

**\$0.55/EA**  
**\$0.55/EA**

## 3 Stage FR Disposable Shower Decontamination System

- Disposable 3 room decontamination shower
- Triple-flipped entrances, exits and walls made of solid double-wrapped by 6-mil fire retardant poly
- Shower has internal boot extending 12" up on each side
- Use individual rooms as airlock chambers for your permanent showers
- Set up complete shower in 12 minutes
- Dispose in 5 minutes
- Each room measures 36" x 36" x 77"



**Item #9000FR**

**\$200.00/PK**

## PVC Discharge Hose with Fittings, 50'

- Made of lightweight mildew resistant PVC material with polyester yarn reinforcement
- Resistant to oil, grease and many chemicals
- Rolls up flat for easy storage
- Equipped with male and female aluminum threaded fittings



**Item #11452X50PL** 2" Diameter **\$46.50/EA**  
**Item #11453X50PL** 3" Diameter **\$81.00/EA**  
**Item #11454X50PL** 4" Diameter **\$136.00/EA**

## Heavy Duty PVC Water Suction Hose, 20'

- Great for helping to get rid of unwanted liquids in any situation
- Made of lightweight mildew resistant PVC, with PVC Helix reinforcement
- Quick roll up allows for easy storage



**Item #12402X20PL** 2" Diameter **\$49.00/EA**  
**Item #12403X20PL** 3" Diameter **\$109.00/EA**  
**Item #12404X20PL** 4" Diameter **\$174.00/EA**

## Heavy Duty Contractor Water Hose

- Reflex Mesh® technology to eliminate kinks, twists and tangles
- Microshield® antimicrobial protection guards against mold and mildew
- Solid brass octagon coupling that provides a wrench tight no-leak connection
- Protective collar reduces kinking at the faucet
- Made with recycled materials
- Made in the USA



**Item #860525** 25' Green **\$23.75/EA**  
**Item #0010102014** 50' Black **\$44.00/EA**

## Collapsible Telescoping Shower

- Easily set up by two people in a matter of seconds
- Made from lightweight aluminum construction designed to allow a single worker to quickly transport to the jobsite
- 100 micron drain filter
- Removable curtain
- Two (2) handles for easy lifting
- Weight: 100 lbs.



### Dimensions:

- Open (31" x 30" x 83")
- Closed (31" x 31" x 48")



**Item #S5000T**

**\$895.00/EA**


## Two Stage Water Filtration Pump

- Deluxe enclosed aluminum frame
- Filter cartridges include 5 micron and 50 micron
- When used with S5000T 3 stages of filtration are utilized
- 12 gallon per minute pump
- 1/2 hp motor
- 36 lbs



**Item #S5200E**

**\$845.00/EA**



## Heavy Duty 2" Trash Pump

- Semi-vortex urethane rubber impeller with agitator suspends solids and allows for pumping of sand and stringy material
- Highly efficient, continuous duty air filled, copper wound motor with Class B insulation
- Built in thermal motor protection prevents motor failure due to overload and accidental dry-run conditions
- Double inside mechanical seals with silicon carbide faces
- Double shielded, permanently lubricated, high temperature C3 ball bearings
- 2" discharge
- 11452X50PL hose sold separately




**Item #HS24S62**

**\$255.00/EA**

## Tsurumi Trash Pumps

- Powered by Honda gas engines with oil sensor alert
- High chromium impeller
- Cast iron volute casing
- Stainless steel wear plate around the inside of the casing for extra durability
- Galvanized steel hose couplings for longer thread life
- Rubber vibration cushions to buffer stress and wear when pump is in operation



5.5 hp GX-120 Engine, 80 lbs.

**Item #EPT350HA** **\$1,350.00/EA**

8 hp GX-240 Engine, 136 lbs.

**Item #EPT380HA** **\$1,525.50/EA**



COLLAPSED VIEW



**KONTROL KUBE**  
Mobile Containment. Simplified.

## Kontrol Kube® Advanced Enclosure System, 10'

- The most advanced containment enclosure available
- Durable, flexible, and functional synthetic fabric enclosure is over 3X stronger than traditional vinyl enclosures
- Detachable flanges (Anteroom and Multi-Unit) for larger containment
- 12" Negative Air Port compatible with the Kontrol Kube Negative Air Machine and other negative air machines
- Bolt action poles adjust down to 7'
- Collapsible design
- 30" x 60"
- 10' advanced enclosure

### Advanced Enclosure System Includes:

- Aluminum frame
- Wheel base
- Synthetic fabric enclosure


Item #6551K

**\$4,395.00/EA**

### ① Kontrol Kube® Aluminum Frame

- Durable yet adjustable frame
- Bolt action poles with ratcheted height adjustments
- 10' total size
- Each pole is equipped with spring loaded locking mechanisms that fit securely into rubber gaskets to give the Kontrol Kube superior flexibility with uneven ceiling surfaces

Item #6540 **\$1,660.00/EA**



# Fiberlock

TECHNOLOGIES



### ② Kontrol Kube® Wheel Base

- A solid reinforced aluminum platform able to support over a quarter of a ton
- Provides great mobility in mobile containment solutions
- Four locking, non-skid casters enable the unit to be moved from point to point

Item #6543 **\$855.00/EA**

### ③ Kontrol Kube® Synthetic Fabric Enclosure

- Advanced synthetic fabric enclosure
- Over three times stronger than traditional vinyl enclosures
- Advanced fabric meets NFPA 701 and California Fire Marshal fire rating

Item #6547 **\$1,850.00/EA**

### Additional Components:

#### ④ Kontrol Kube® AirBase

- Aluminum air base attaches easily to locking wheel base
- Allows for complete mobility of all equipment and most portable negative air machines

Item #6542 **\$540.00/EA**

#### ⑤ Kontrol Kube® Negative Air Machine

- Negative Air Machine with variable speed
- Up to 500 CFM
- Includes DOP compliant 3 stage HEPA filtration
- Lightweight, durable rotomolded construction, filter change indicator light, UL/C-UL rated, passes UL94 flammability rating
- 5' flex duct

Item #6560 **\$1,045.00/EA**

#### Kontrol Kube® Carbon Filter

- High quality activated carbon filter restores negative air machines to full efficiency
- Replace regularly to ensure maximum performance
- Order cabin filter separately

Item #6563 **\$67.50/EA**



**RENT ME!**

## Module 350® Mobile Shotblaster

The MODUL 350 offers the ultimate in mobile, dust free blast cleaning. It is the most versatile and effective surface preparation system available in it's class. The unique design and high powered blast motor, combine for superb performance making it ideally suited for very hard concrete, coatings, also for steel decks, bridges and tanks.

- Compact design ensures easy transport
- Exclusive "Travel Mode" that prevents damage to dust skirt during transportation, loading and unloading
- Long service life on consumables, reduces operation and consumable cost
- Simplified maintenance
- Order recommended Dust Collector with bag filter (R2D2US) and shot blast pellets separately

**Technical Data:**  
 Working Width: 14"  
 Motor: 23 hp  
 Voltage: 460 V, 3 phase, 36 Amps  
 Dimensions: 42" x 69" x 22"  
 Weight: 882 lbs

**Item #MODUL350US \$39,125.00/EA**

## R2D2 Dust Collector

An extremely robust and powerful dust collector. Compressed air is rigorously and automatically pulsed through the filter cartridges, continually cleaning them to ensure optimum performance. Engineers from Contec took convenience to the max when designing this unit by constructing the R2D2 as a two component system.

- Features simplified transportability, yet while on your job site the units are easily linked together to establish a single rolling component
- The power unit is home to all the electronics and components such as the ventilator, motor and compressor
- Filter unit includes 5 long life filter cartridges and the dust containment system of your choice
- Filter unit available in two distinct versions
- The basic version uses a wheelbarrow concept available in two different sizes
- The second version collects the dust in buckets, allowing those to be lined with disposable bags

**Technical Data:**  
 Voltage: 460 V, 3 Phase, 10.2 Amps  
 Motor: 9 hp  
 Dimensions: 58" x 40" x 20"  
 Weight: 353 lbs.  
 Airflow Max: 1,342 cu ft/min  
 Depression Max: 101.5 mbar

**Item #R2D2US \$24,300.00/EA**



**RENT ME!**



**PELLETS LLC**

## AMASTEEL Cast Steel Shot Blast

- Steel shot can be used with the HORNET, ELEPHANT and MODUL 350 floor surface machines
- Fast, efficient method for paint removal from concrete
- Effective in cleaning concrete and contaminant build-up on concrete floors
- With shot blasting you are able to remove mill scale, dirt, rust, other surface contaminants, or paint removal from concrete to restore surfaces to their original state
- 50 lb bag

**Item #S390SHOT \$53.35/BG**  
**Item #S460 \$55.00/BG**

## ELEPHANT® Mobile Shotblaster

For dust free surface preparation of areas with restricted or limited access. The ELEPHANT is safe and simple to operate with lightweight and compact dimensions. It is ideal for smaller contracts which normally cannot be blasted economically. Specifically engineered to blast close to the wall, minimizing handwork and edging, especially in the corners.

- Compact design ensures easy transport
- Can be used where only single phase power is available, both residentially and commercially: restaurants, garages and offices
- Low machine height for working under racking, scaffolding, and work benches
- Dustless operation with a standard industrial vacuum
- Order recommended Dust Collector with HEPA filter (CDC3000H) and shot blast pellets separately

**Technical Data:**  
 Working Width 8"  
 Voltage: 230 V, Single Phase,  
 22 Amps  
 Motor: 5 hp  
 Dimensions: 33" x 35" x 12"  
 Weight: 177 lbs



Item #ELEPHANT230US

**\$10,740.00/EA**

## HORNET® Shotblaster

The HORNET is a tenacious, yet highly versatile shotblasting machine. Since it only requires a 110 volt, single phase, 20 ampere circuit, it is extremely well suited for applications where power requirements are a concern. The unit is lightweight and highly maneuverable yet still capable of delivering a properly prepared surface.

- Powered by a long life, industrial strength grinder motor
- Utilizes soft start technology, allowing the use of a more powerful motor
- Height adjustable handle ensures operator comfort
- Clear, concise ampere meter helps ensure consistency

**Technical Data:**  
 Working Width: 8"  
 Motor: 2.1 kW  
 Voltage: 110 V, Single Phase, 20 Amps  
 Dimensions: 33" x 57" x 13"  
 Weight: 114 lbs



Item #HORNETUS

**\$7,720.00/EA**

## CDC 3000 Dust Collector

Whether fine dust or coarse materials, the Contec dust collection systems outperform others in a wide range of applications. Several models are engineered with the contact free system which utilizes disposable bags to ensure that dust can no longer escape into the environment at any stage of the removal process. Dust free handling is especially important when working in sensitive and hazardous environments. Applications for the Contec dust collectors include:

- Industrial plants - Paint chip, dirt and dust suppression/removal
- Construction industry - Superior dust control for planers, scarifiers, grinders, saws, shotblasters and other tooling
- Builders for cleaning - removing sand and rough material generated by hand tools
- Maintenance companies - to remove litter and much more

**Technical Data:**  
 Voltage: 220 V  
 Motor: 5 hp  
 Dimensions: 62" x 26" x 33"  
 Weight: 150 lbs  
 Filter Surface: 20 sq ft  
 Airflow Max: 300 cu ft/min  
 Depression Max: 210 mbar  
 Dust Ports: 2.76"  
 Capacity: 26 gal



Item #CDC3000H

**\$5,300.00/EA**

**RENT ME!**



## 24" Magnetic Sweeper with Release

- Push-type sweeper
- 24" sweeping width
- 48" sturdy handle
- 6" diameter rubber wheels
- Quickly drop collected scrap metal by pulling back on the release handle
- Incredibly strong and well built

Item #1118991

**\$194.25/EA**

## **BW Chassis Mid-Sized Ride-On Surface Preparation Machine, Standard Model**

- Features a removable dust containment box with wheels for ease of dumping
- One handed operation controls for raising and lowering heads, grinder speed and diamond/shot engagement
- Interchangeable heads give you the mobility and versatility to switch applications in minutes
- The Tier 4 diesel engine is in compliance with emission standards in all 50 states

### **Specifications:**

- Non-marking tires
- 24.8 hp Kubota D902-E3B Tier 4 diesel engine
- Hydrostat drive
- Manual steering
- 4.5 CFM compressor
- 1480 CFM vacuum
- 3.8 cubic ft collector capacity
- 54" blastable/aisle width min.
- 81" L x 35" W x 54" H
- 1200 lbs total weight (Chassis Only)

### **Interchangeable head options:**

- (BH12) Shotblast
- (DG25) Diamond grinder/polisher
- (SC12) Scarifier
- All head attachments sold separately



**Item #SCB1200K \$37,490.00/EA**



## **BW Shotblast Head Attachment for SCB-1200 Surface Prep Machine**

- Delivers a feathered blasting edge which enables each successive path to overlap without excessive penetration, omitting the "striping effect"
- The finished surface is ideal for thin-set applications, clear coatings, as well as having the power to give you an aggressive blast profile when needed
- Easy blast wheel replacement eliminates costly down time
- Ideal for applications such as: industrial floors, line stripes, bridge decks, airport runways and hangers, parking decks, steel decking and highways

### **Specifications:**

- Production capacity - 1800 to 2200 SFH
- Cleaning path - 12"
- Width with attachment - 36"
- Weight - 375 lbs
- Aisle width min - 54"
- Order (SCB1200K) Chassis floor machine separately

**Item #BH12 \$6,925.00/EA**



## **BW Scarifier Head Attachment for SCB-1200 Surface Prep Machine**

- Self-leveling, automatically adjusting itself to different contours of the floor or pavement
- You will achieve an accurate removal of thin mill coatings to 1/4" overlays
- With quick change cages you can go from steel to carbide cutters as well as different cage widths in minutes
- Faster production rates, and a vacuum collector system that eliminates dust and removes all material from the scarified surface
- Ideal for applications such as: rubber membrane removal, concrete milling, line striping and bridge and parking decks

### **Specifications:**

- Production capacity - 500 to 1000 SFH
- Cleaning path - 4" to 12"
- Width with attachment - 40"
- Weight - 420 lbs
- Aisle with min. - 54"
- Order (SCB1200K) Chassis floor machine separately

**Item #SC12 \$7,725.00/EA**



## **BW Diamond Grinder/Polisher Head Attachment For SCB-1200 Surface Prep Machine**

- Designed for coating removal to high gloss polishing on totally dry concrete
- A floating grinding head and specially designed shroud keeps the machine virtually dust free when connected to the SCB-1200, while removing all material off the surface and reducing clean-up costs and effort
- With twin, one piece 16" rubber mounted grinding heads that are adjusted up and down using air pressure, giving you infinite adjustability
- The diamond segments can easily be interchanged from coarse diamonds for coating removal to fine resin pads for polishing
- Ideal for applications such as: repair uneven concrete, garage floors, industrial floors, coating removal and concrete polishing

### **Specifications:**

- Production capacity - 1400 to 2000 SFH
- Cleaning path - 25"
- Width when attached to machine - 52"
- Weight - 450 lbs
- Diamond life - 6000 to 14000 SF
- Order (SCB1200K) Chassis floor machine separately

**Item #DG25 \$8,998.00/EA**

## CONTEC Omega Floor Grinder

The OMEGA combines impressive high performance with low weight. Grinding concrete is no problem. The simplistic design of the OMEGA ensures easy operation. The handlebar can be quickly adjusted for operator comfort and control. Noise and vibration levels are minimal during normal operation. The compact dimensions and low weight of the OMEGA allow it to pass through all doors and be easily transported to every floor level, even balconies. Great for edge grinding, eliminating the need for angle grinders. The OMEGA can grind within a few millimeters of a wall. Operating the OMEGA with a suitable dust collector ensures dust free operation.

- Grinding of concrete, steel, asphalt and more
- Removal of paint and coatings
- Edging work in buildings
- Cleaning and maintenance of form work
- Cleaning of floors
- Preparation of concrete

### Technical Data:

Max Working Width: 11.4"  
 Motor: 5 hp  
 Voltage: 230 V, Single phase, 21 Amps  
 Dimensions: 38" x 30" x 13"  
 Weight: 143 lbs

Item #OMEGAUS **\$5,030.00/EA**



## EDCO Magna-Trap™ 7" Turbo / Edge Grinder



- Three-position articulating frame adjustment for left angle, right angle or straight position grinding
- Four-position dust shroud allows flush grinding against any vertical surface in the left angle, right angle or straight position
- Multiple-position handle assembly allows the operator to work behind the unit for edge grinding or in front of the unit and control the amount of grinding pressure applied
- Adjustable tubular handle construction provides operator maximum grinding flexibility and allows for complete clearance of any vertical surface
- Available with 5.5 HP gasoline engine or with 2.0 HP electric motor
- Comes standard with Flex Head Assembly, but is also available with optional Rigid Head Assembly for doing gutter work
- New and improved tapered roller bearings provide less maintenance and longer life



Item #57200 **\$2,785.00/EA**

## Lackmond Cup Wheel

The SPP Series Double Row Cup Wheels are an excellent cost performance value and are designed for grinding concrete, masonry and a variety of other applications. The double row configuration provides a smoother finish and more stable platform than traditional single row cup wheels.




- Configuration: Double Row
- Application: Concrete, Brick, Block
- Equipment: Hand Grinder; Floor Grinder
- Wet/Dry: Wet / Dry



Item #SPPGC4SN	4"	7/8" - 5/8"	<b>\$33.90/EA</b>
Item #SPPGC4DN	4"	5/8"-11 Thread	<b>\$36.90/EA</b>
Item #SPPGC4.5SN	4 1/2"	7/8" - 5/8"	<b>\$43.55/EA</b>
Item #SPPGC4.5DN	4 1/2"	5/8"-11 Thread	<b>\$54.45/EA</b>
Item #SPPGC5SN	5"	7/8" - 5/8"	<b>\$57.45/EA</b>
Item #SPPGC5DN	5"	5/8"-11 Thread	<b>\$60.50/EA</b>
Item #SPPGC7SN	7"	7/8" - 5/8"	<b>\$76.80/EA</b>
Item #SPPGC7DN	7"	5/8"-11 Thread	<b>\$97.95/EA</b>

## EDCO® Dyma PCD with Backing Segment Left-Hand

- 7" Quick-Change Turbo Grinder Disc for extremely aggressive removal
- Ideal for digging through industrial strength coverings, water-proofing membrane, and thick epoxies
- Magnetic backing for use on both 7" and 10" quick-change multi-accessory discs



- Leaves a textured concrete surface

Item #QCPCD1 **\$199.00/EA**

## EDCO® Diamond Cup Wheel, 7"

- 40-50 Grit
- Wet or dry grinding
- Feather edging sidewalks, curbs, and gutters
- Grinding away heaved, cracked areas of gutters and curbs to allow proper gutter drainage
- Cup wheels can be used with the Rigid Head or Flex Head Assembly



- Grind concrete and or remove coatings

Item #72030 **\$325.00/EA**

## Dynamic Diamond PCD Cup Wheel, 7"

- 6 third (1/3) round PCD segments for aggressive grinding
- Highly effective for removal of various coatings such as epoxy, glue, mastic, acrylic, residues of adhesives and screed



#CWPCD6 **\$245.00/EA**

# **+** Floor Grinders & Extension Cords

## CONTEC Alpha Floor Grinder Machine, 110V, Single Phase



Dust free due to an integrated dust port. Removable dust shroud grinds up to the wall. There are replaceable diamond segments and handles folds within seconds, ensuring ease of transportability. It features flexible drive coupling and a wide variety of tooling available for cutting and coating removals.

- Dust free due to an integrated dust port
- Flexible drive coupling
- Wide variety of tooling available for cutting and coating removal

**Technical Data:**  
 Max Working Width: 9"  
 Motor: 1.5 hp  
 Voltage: 110 V, 60 Hz, 15 Amps  
 Dimensions: 20" x 24" x 30"  
 Weight: 93 lbs

**Item #ALPHAUS \$2,850.00/EA**

## Inserts Accessories for CONTEC Floor Grinder



#1821PKDPR

Very long lasting PCD diamond used for scraping removals



#1821PKDS

Very aggressive PCD diamond used for fast cutting



#1821VS1

Excellent all purpose diamonds, using a combination of 48 to 60 grit to obtain superior cutting power and longevity

- Metal Bond: Very hard
- Coating removals and grinding
- Heavy adhesive build-ups
- Thin adhesive build-ups
- Thick epoxies
- Thin epoxies
- Heavy sealers
- Thinset
- Hard concrete

- Metal Bond: Medium
- Grit Size: 6-8
- Coating removals and grinding
- Thin adhesive build-ups
- Thin epoxies
- Paint and stains
- Light sealers
- Thinset
- Hard concrete
- Soft concrete

- Metal Bond: Soft
- Grit Size: 49-60
- Coating removals and grinding
- Thin adhesive build-ups
- Thin epoxies
- Paint and stains
- Light sealers
- Hard concrete
- Polishing prep

**#1821PKDPR \$235.00/EA**

**#1821PKDS \$200.00/EA**

**#1821VS1 \$95.00/EA**



**RENT ME!**



## GFCI Power Cords

- Ground Fault Circuit Interrupter (GFCI)
- Protect people and equipment from sudden ground faults or sudden equipment restarts after power failure
- UL, CUL
- NEMA 5-15 plug and receptacle



- 30338024 Specs:**
- Triple Tap
  - 2" length
  - 125V/15A
- GFP93Y Specs:**
- Right Angle
  - 2" length
  - 5-15R, 125V/15A

**Item #30338024 Triple Tap \$22.80/EA**  
**Item #GFP93Y Right Angle \$20.50/EA**

## Extension Cords



- Professional quality
- 3 wire, 15 amps
- Cord color may vary
- Pro cords are extra flexible in temperatures well below freezing

**Item #C43100500R 50' 10g \$62.00/EA**  
**Item #C43101000R 100' 10g \$92.50/EA**  
**Item #C43120250R 25' 12g \$25.50/EA**  
**Item #C4312050LE 50' 12g \$39.50/EA**  
**Item #C4312100LE 100' 12g \$67.25/EA**



## 12/3 Extension Cord



- Professional quality
- #12 gauge, 3 wire, 12/3
- 2 foot length
- Triple tap, 3 outlet extension cord
- Color may vary



**Item #A3612002RD \$8.65/EA**

## IDEAL EZ Check Plus GFCI Tester



- No-slip ergonomic design maximizes comfort
- Premium neon lamps prevent false readings
- Tough, impact-resistant case
- Convenient "push-pull" shape
- Super-bright indicator lights
- Tests GFCI receptacles for proper operation

Tests for correct wiring:

- Open ground
- Reverse polarity
- Open hot
- Open neutral
- Hot on neutral
- Hot and ground reversed with open hot
- Ground fault interruption in 3-wire 125VAC circuits



**Item #61051 \$49.60/EA**



## Magna-Trap® Dual-Disc Floor Grinder

- The need for wooden wedges goes away with EDCO's NEW Magna-Trap® Slide-On Tooling
- Adjust the machine's height, use a wide range of accessories, and truly grind level
- Level grinding is quicker, smoother, easier on the operator, and increases accessory life
- Heavy-duty Velcro Dust Shroud makes dust prevention easier, readjust the shroud according to the height of the accessory being used
- Built-in weight tray accepts up to 80 lbs of extra weight
- Multi-Vac port for use with 2" or 3" vacuum hose
- 22" working width will grind approximately 400-500 sq ft per hour at 1/32" with EDCO Dyma-Serts
- Includes 2 magnetic multi-accessory discs, which accept Dyma-Serts, Strip-Serts and all other Magna-Trap® grinder accessories
- Counter-rotating discs prevent machine from pulling side to side and give operator greater control
- 6 grinding accessories required per loading
- Gas and electric power options available

**Item #59200E** Electric Grinder **\$5,495.50/EA**  
**Item #59300** Gas Grinder **\$6,790.00/EA**  
**Item #A150** Tool Box Kit **\$1,650.00/KT**



## SCRAPE-R-TACH® Floor Coatings Removal Kit

The SCRAPE-R-TACH® System has proven to be the most popular, cost effective and environmentally friendly solution available for a wide cross section of coatings removal applications.

- Quickly removes mastics, urethanes, epoxies, paints and other materials from concrete surfaces
  - Replaceable tungsten Carbide inserts each feature eight wear edges for unmatched ROI
  - Pivoting head design increases material removal rates while providing dynamic stability that minimizes any damage to the cap surface
  - For use with popular General®, EDCO® plus other single and dual head surface grinders
- Kit includes:**
- Six SCRAPE-R-TACH units
  - One set of replacement inserts
  - Installation/removal tools
  - All stored in a heavy-duty, steel tool box

**Item #SG241900KIT** **\$1,085.00/EA**

## Contec 3-Phase Floor Planer, 480 Volt

- Made for the absolute toughest applications and floors
- Precision aligned, heavy duty bearings ensure low maintenance and trouble free operation of the machine
- The CT 320 is equipped with a variable speed drive unit
- The ergonomically damped handle bars ensure reduced operator fatigue
- An extensive range of cutting tools make this an extremely versatile machine
- The CT 320 is capable of cutting depths down to 25mm
- If deeper depths are necessary, the CT 320 can be ordered in the low chassis version, enabling cutting depths of 40mm

**Item #CT320US** **\$16,395.00/EA**

**Technical Data:**  
 Max Working Width: 12.6"  
 Motor: 23 hp  
 Voltage: 480 V, 60 Hz, 3 phase, 26 Amps  
 Dimensions: 43" x 43" x 24"  
 Weight: 507 lbs Without Drum



**Item #19105508** Diamond Blade 300mm **\$124.40/EA**  
**Item #19105510** Diamond Drum No blades or Spacers **\$1,724.35/EA**  
**Item #19105515** Diamond Drum 3mm Spacer **\$5.95/EA**  
**Item #9510320K** Drum with Carbide Tipped Cutters **\$2,996.40/EA**  
**Item #95108020K** Drum with Milling Cutters **\$5,370.85/EA**



## MasterCraft® Deluxe Floor Prep Machine

**Mastercraft**

Designed for mastic and coating removals, and concrete floor profiling. MD17E-MAS provides a productive, economical and environmentally-safe method for concrete preparation process.

- Oversized handle grips for operator's comfort
- All steel triple-planetary gear system permanently lubricated, operates at 175 RPM with a 1.5 HP motor, 120V, 15 amps
- Brush size 17", brush speed 175 RPM
- 50' power cord, 3-wire, safety yellow with water-resistant jacket
- Adjustable dust shroud for airborne fiber containment
- Heavy-duty switch set in a die cast aluminum switch box, which won't chip or rust
- Flexible dual triggers for left or right hand operation
- Non-conductive, built-in safety lockouts for accidental startup prevention
- 5" heavy-duty reinforced six-point cast aluminum wheel support system




**RENT ME!**

<b>Item #MD17EMAS</b>	Floor Machine	<b>\$1,450.00/EA</b>
<b>Item #921501202</b>	15" Diamabrush™ Coating Removal Tool	<b>\$360.25/EA</b>
<b>Item #921701202</b>	17" Diamabrush™ Coating Removal Tool	<b>\$456.40/EA</b>
<b>Item #941501202</b>	15" Diamabrush™ Floor Prep™ Plus Tool	<b>\$679.05/EA</b>
<b>Item #941701202</b>	17" Diamabrush™ Floor Prep™ Plus Tool	<b>\$715.00/EA</b>
<b>Item #ZMSTBLD25R6</b>	Replacement Blade Kit, 6 per Pack	<b>\$217.40/PK</b>

## Diamabrush™ by Malish Coating Removal Tool

**DIAMABRUSH™**  
By Malish

- Diamond abrasive floor preparation system for concrete floor polishing, mastic removal and hardwood prep
- Designed to remove stubborn coatings from concrete, such as mastic, carpet or tile adhesive, thin-set and thin mil coatings like urethane or paint
- Mounts to any standard floor buffer or auto scrubber
- Diamond coated blades to grind tough coatings away




<b>Item #921501202</b>	15" Diameter	<b>\$360.25/EA</b>
<b>Item #921701202</b>	17" Diameter	<b>\$456.40/EA</b>

## Diamabrush™ by Malish Concrete Prep Plus

**DIAMABRUSH™**  
By Malish

- Mechanically etch and prepare bare concrete floors to receive a coating creating superior coating adhesion
- Prepare and profile old, worn, dirty floors using standard 110 volt single disc flooring machines



<b>Item #941501202</b>	15" Diameter	<b>\$679.05/EA</b>
<b>Item #941701202</b>	17" Diameter	<b>\$715.00/EA</b>

## Replacement Coating Removal Blade Kit, 25 Grit

<b>Item #ZMSTBLD25R6</b>	6 Blades/Pk	<b>\$217.40/PK</b>
--------------------------	-------------	--------------------

## Mastercraft 16" 1760 RPM Floor Machine

**Mastercraft**

The multi-purpose machine is designed for surfacing concrete floors, restoring or preparing wood decks and hardwood floors. Unique belt drive, three-head system is designed for smooth operation with superior results. Counter-rotating head makes this machine easy to operate and control with no sliding. Equipped with 6" transport wheels and vacuum port.

- Flexible dual triggers for left or right hand operation, non-conductive with built-in safety lock-out to prevent accidental startup
- Heavy duty switch set in die cast aluminum switch box won't chip or rust
- Handle and frame constructed of heavy-duty steel for strength and durability
- Handle has a quick disconnect for transport
- Outer bowl assembly made of spun steel with lift handles, vacuum ports and inner bowl made of cast aluminum
- Heavy duty power cord with 3 wire grounded, with water resistant jacket
- 16" machine is equipped with a 30' 12/3 power cord
- Heavy duty motor with dual capacitors, 16" is equipped with 1.5 HP motor
- Adjustable bottom dust skirt
- Solution 4 gallon tank, dispenses liquid for diamond cutting (On wet machines only)



<b>Item #MTHC16ELR</b>	Floor Machine	<b>\$4,830.00/EA</b>
<b>Item #491691</b>	20 lbs. Resurfacing Weight	<b>\$140.00/EA</b>
<b>Item #492353</b>	6.5" Carbide Scarifier	<b>\$892.00/EA</b>
<b>Item #492361</b>	Replacement Scarifier Set	<b>\$410.00/EA</b>

**RENT ME!**



## ETC Floor Stripping Pads

- Heavy duty stripping for machines operating at 175 to 350 RPM
- Open web construction enables easier dirt pick-up and permits faster pad cleaning under running water
- All pads are usable on both sides with equal effectiveness

**Item #20009** 15" Dia. **\$5.50/EA**  
**Item #20011** 17" Dia. **\$6.85/EA**



## Nexstep Maxiplus® Pad Driver

- Maxiplus 16" short trim pad driver holder with Maxiplus® plastic clutch plate
- MaxiClean short trim pad drivers with .040" blue poly bristles, 1/2" trim and 1-1/2" built-in riser
- Fits most machines including Mastercraft models
- Effectively holds pad in place for fast polishing, buffing, scrubbing or stripping
- High impact PCW HDPE block with 5" center hole, additional center hole sizes available upon request
- Order pads separately



**Item #62016** **\$71.75/EA**

## Nexstep MaxiPlus® Stripping Rotary Wire Brush


- 15" rotary wire wheel for Mastercraft floor machines
- Sharp bristles cut through the heaviest soils; excellent for special stripping/scrapping tasks
- High impact PCW HDPE block with 5" center hole, 1/4" built-in riser and larger shower feed holes
- Includes plastic clutch plate, riser and wire wheel
- Case is 17" x 17" x 4"



**Item #58278** **\$86.75/EA**

## Heavy-Duty Tungsten Carbide Floor Stripping Abrasive Disc

- 17" grinding disc removes paint, epoxy, urethane, wax, tile, and carpet adhesive
- Double-sided and can be cleaned and reused
- Mounts on a 1-1/2 HP, 175 RPM buffer using a rubber mounted drive plate
- 17" x 17" x 0.5"



**Item #42180017** **\$245.00/EA**

## Hexplate™ with Superclutch™, 15" Wheel

- Super Clutch™ will disengage if the Hexpin® Plate hits an obstruction (i.e. bolts)
- Super Clutch™ is self resetting
- Manually resetting torque locks (red tabs) inside clutch housing will keep clutch from disengaging
- Protects operator from injury, protects buffer from damage and keeps buffer coupler from breaking
- Simply turn off buffer and restart - less downtime
- Easy manual disengagement



**Item #HEX1764CLT** **\$1,691.75/EA**  
with 6 Diamond Segmented Pads

**Item #HEX17CBD3CLT** **\$1,120.00/EA**  
with 12 Carbide #3 Cutter Pins

## 3M™ Floor Stripping Pads

- Maintains consistent high performance throughout the life of the pad
- 20" diameter
- Order 62016 pad driver separately
- 175 to 600 max RPM speed

### 7200 Black Stripper Pad


- Designed to remove all finish, sealer and contaminants from the floor surface

**Item #34682** **\$8.45/EA**

### 5100 Red Buffer Pad


- Designed to remove light soil and other contaminants including black heel marks from the floor surface
- Designed for spray buffing, cleans when damp and buffs when dry

**Item #33472** **\$8.95/EA**



## Diamabrush™ by Malish Hardwood Prep Tool

- Six 50-grit diamond inserts, is the first step to rejuvenated hardwood floors
- 15" wheel is designed to remove polyurethane and carpet adhesives from hardwood floors, effectively preparing the floor for refinishing
- Ideal for the toughest removal jobs on hardwood floors
- Cutting surface remains free of melted or gummed up coatings and retains its sharp cutting points throughout the life of the tool
- No more wasted time or money changing caramelized sandpaper
- Will not gouge wood or leave heavy scratches on floor surfaces
- Designed to fit a variety of rotary floor machines



- Low-profile design enables the tool to travel seamlessly over heat registers carved out in the floor
- Loosen two screws and replace bad blades
- Replaceable/additional blades, order (#ZWDBLD50R6) separately

**Item #931501212** 15" Diameter **\$389.35/EA**

### Replacement Wood Blade Kit

**Item #ZWDBLD50R6** 6 Blades/Kit **\$171.00/KT**

## The BULL Floor Stripper/Scraper Machine

The BULL excels at floor covering removals due to its superior engineering, refined design, and combination of weight, power, and ram action. Its ability to remove floor coverings seems limitless. Commercial carpets, sheet goods, VCT, hardwood, and parquet, rubber flooring, coatings, membranes, sport surfaces and most ceramic tile are well within The BULL's capabilities. Our engineers have designed this machine for superior performance, while focusing on the longevity of all working components.


- Unique self propulsion can be used either manually or in automatic mode
- Ram action is a direct drive application
- Brushless motors
- Height adjustable and vibration dampened handle maximize operator comfort
- Stable, balanced lifting point
- Inboard weights are adjustable to three positions, ensuring maximum blade pressure for difficult removals
- Removable weights and well balanced design enhance transportability

**Technical Data:**  
Max Working Width: 14"  
(Available): 17.7"  
Motor: 1.5 hp  
Voltage: 110 V, 60Hz, 16.4 Amps,  
3,530 rpm  
Dimension: 43.3" x 35.4" x 15"

**RENT ME!**



Item #BULL US **\$13,900.00/EA**



### Blades For Bull US



Designed specifically for use with The Bull floor scraper/stripper. Great for removing some or all of these floor coverings: glued down carpet, sheet goods, rubber flooring, Luxury Vinyl Tile (LVT), Vinyl Asbestos Tile (VAT)/Vinyl Composition Tile (VCT), hardwoods and parquet. Order (#BULL US) The Bull Floor Stripper/Scraper separately.

### CONTEC U-Shape Sharp Bull Blade

Sharpened wings eliminate pre-cutting of floor covering being removed. Sharpened edge down. Designed for removals over softer sub-floors.

- Great For Removing:
- Glued Down Carpet
  - Sheet Goods
  - Rubber Flooring and LVT

Item #27358015US  
13.78" x 3.2" x 0.06" **\$20.00/EA**

### CONTEC Bull Blade 27-45-80-25

Increased width blade, 17.7". Designed for increased production rates on less difficult removals.

- Great For Removing:
- Glued Down Carpet
  - Sheet Goods
  - Rubber Flooring and LVT

Item #27458025  
17.7" x 3.2" x 0.098" **\$36.00/EA**

### CONTEC Bull Blade 27-75-03-062-US

Narrow width blade. An excellent all around blade. Designed for tougher removals when used on The BULL.

- Great For Removing:
- Glued Down Carpet
  - Sheet Goods
  - Rubber Flooring and LVT
  - VCT/VAT
  - Hardwoods and Parquet

Item #277503062US  
7.5" x 3" x 0.062" **\$14.90/EA**



### Accessories For Bull US

#### CONTEC Tile Chisels

These tile chisels are used in conjunction with the Chisel Holder (#27101800). Used for removing floor covering, hardwoods/parquet, and ceramic type materials. The 2" Tile Chisel (#27086950) is a wider chisel great for regular and difficult jobs. The 1" Power Tile Chisel (#27086924) is for extremely difficult jobs. For use with THE BULL Floor Scraper/Stripper, sold separately.

Item #27086924 (1" Power Tile Chisel) **\$31.00/EA**  
Item #27086950 (2" Wide Tile Chisel) **\$44.00/EA**

#### CONTEC Chisel Holder

Designed specifically for use with The Bull floor scraper/stripper. This Chisel Holder Adapter is designed to hold the Tile Chisel (#27086950) and the Power Tile Chisel (#27086924). Replaces the top blade jaw of The BULL.

Item #27101800 **\$209.20/EA**

#### CONTEC Dust Extraction Set

This dust extraction complete set, for The Bull, attaches to separate external dust collector. The dust port mounts directly over the blade jaw of The Bull.

Item #27101750 **\$175.30/EA**

#### CONTEC Transport Wheel Attachment

This transport wheel attachment, for The BULL, replaces the upper blade jaw of The BULL to simplify transportation.

Item #27100000 **\$141.35/EA**

## EDCO® 8" Crete-Planer™

- 9HP, 2150 RPM
- 8" working width will scarify approximately 350-500 sq. ft. per hour at Depth Per Pass of 1/8"
- Removes traffic lines at 800-1,000 lineal ft. per hour
- Power source over drum to eliminate vibration and maximize surface contact
- Front-mounted lifting handle makes loading and unloading easy
- Vacuum port equipped
- Optional water misting system
- Optional edger attachment allows the CPM-8 to get within 1 3/4" of any vertical surface
- Ideal use for sidewalk trip hazard repair, concrete and coatings removal, floor cleaning and/or preparations, creating non-slip surfaces, and traffic line and markings removal

**Item #79300A201** Scarifier Unit Gas **\$4,325.00/EA**  
**Item #79500A201** Scarifier Unit Electric **\$4,150.00/EA**  
**Item #65050** 8" Replacement Drum **\$580.00/EA**  
**Item #20156** 6 point Carbide Cutter **\$6.80/EA**



## MAXIMUM RECOMMENDED CORD LENGTH FOR EDCO EQUIPMENT

(FLA) FULL LOADED AMP'S MAY VARY

	SINGLE PHASE			THREE PHASE						
	115V 1½ 2HP	230V 1½ 2HP	230V 3, 5HP	230V 5HP	460V 5HP	230V 7½HP	460V 7½HP	230V 10HP	460V 10HP	460V 15HP
12 Gauge	25'	150'	50'	150'	300'	100'	100'	50'	200'	200'
10 Gauge	50'	200'	100'	200'	N/A	150'	150'	100'	300'	250'
8 Gauge	100'	300'	150'	300'	N/A	250'	250'	150'	N/A	300'

## Innovatech™ Terminator T3000EI Ride On Floor Scraper

- Most productive batter ride-on floor scraper on the market
- Redesigned frame
- Sleek, low-profile
- Extremely high removal rates
- Up to 80-90% of coverings removed on first pass
- Fits through any standard doorway or elevator
- Zero emissions
- Limited maintenance
- Zero memory batteries
- Forklift channels for quick and easy battery maintenance
- Delivers 6 to 7 hours of solid flooring removal work between battery charges

**Technical Data:**  
 Working Width: up to 26" (66cm)  
 Length: 66" (168cm)  
 Width: 27" (690 mm)  
 Height: 47" (120cm)  
 Weight: 2784lbs (1263kg)  
 Extra Weight Pack: 1250lbs (547kg)  
 Battery: 48VDC 415AH



**Innovatech**  
BARTELL GLOBAL

**Item #980026** **\$35,200.00/EA**

**Pullman-Holt 45 HEPA Dry Vacuum, 10 gallon, 2HP *PULLMAN-HOLT***



Equipped with a powerful 2 HP motor and an extra large capacity HEPA filter system, the model 45 offers the air flow efficiency of vacuums costing three times as much. The model 45 is manufactured to the same high standards as large industrial HEPA vacuums, so it will withstand years of hard use. Designed for professional cleaning in abatement, restoration and construction job sites, the model 45HEPA is compact and portable. It also meets the latest EPA regulations for recovering lead dust (RRP). Includes a full assortment of attachments.

- High efficiency 'Drop-in' style HEPA filter is individually tested and certified to have a minimum efficiency of 99.97% at 0.3 microns (based on 1EST-RP-CC001 particle count test method)
- Includes Pullman-Holt's exclusive 'never-clog' dacron bag for superior pre-filtration

- Blow molded poly canister with low center of gravity design prevents tipping
- Positive locking, full swivel hose connection system for easy handling and operation
- Low noise allows for use in sound sensitive areas
- 50' power cord
- 3 labels to choose from: HEPA, Asbestos and Lead

**Includes tool kit:**

- Crush proof hose assembly
- Steel double bend wand
- Floor brush
- Crevice tool
- Dusting brush

**Item #B160414 \$585.00/EA**

**Pullman-Holt Model 86 HEPA Wet/Dry Compact All-Steel Vacuum with Tool Kit**

- Designed to work in tight areas, on scaffolding or any job site where a rugged steel compact vacuum is required
- Easy to carry and transport
- Air seal gasket between the motorhead and tanks forms a positive lock fit
- Heavy gauge steel tank with powder coated finish
- High efficiency 'Drop-in' style HEPA filter individually certified to have a minimum efficiency of 99.97% at 0.3 microns (based on 1EST-RP-CC001 particle count test method)
- Dacron filter bag covers the entire spacer sleeve and HEPA filter for three-stage filtration
- Dacron material sheds dust to maintain maximum vacuum efficiency, 25 ft. power cord
- Includes: crushproof hose assembly, steel double bend wand, floor brush, squeegee tool, crevice tool and dusting brush



***PULLMAN-HOLT***

**Item #86ASB54C 5 Gallon \$918.00/EA**

**Professional Abatement Model 102 HEPA Wet/Dry Vacuum**

- Heavy duty asbestos vacuum designed for wet or dry pick-up
- A true work horse for heavy duty use in professional abatement work
- 2 HP, 2 stage by-pass motor
- Polyester pre-filter is located on the bottom of the HEPA filter
- Dacron filter bag covers the entire spacer sleeve
- HEPA filter for three-stage filtration
- Complete tool kit: 10' hose, floor brush, metal wand, floor squeegee and round brush
- 11.1 AMPS
- 105" Waterlift
- 110 CFM
- 25' power cord



**#102ASB12P**

***PULLMAN-HOLT***

**Item #102ASB12P Vacuum \$1,125.00/EA**  
**Item #B160009 Plastic HEPA Filter \$279.00/EA**  
**Item #B524253 Replacement Bags \$4.35/EA**  
**Item #K29 Tool Kit \$125.00/EA**

**Pullman-Holt HEPA Big Red Drum Wet/Dry Vacuum, 55 Gallon**

***PULLMAN-HOLT***

- Big Red Drum Vacuum comes complete with drum and dolly
- Equipped with a 2-stage, 2 HP bypass motor, the Big Red Wet/Dry Vacuum is ideal for heavy-duty service with fast pick-up of most dirt, litter, soot and liquids
- Popular commercial 2HP, 2 stage long life motor sits atop an all steel drum to create the ultimate in vacuum recovery

- 55 gallons in wet recovery
- 7.2 bushels of dry capacity
- 25 foot power cord

**Includes tool kit:**

- Crush proof hose assembly
- Steel double bend wand
- Floor brush
- Crevice tool
- Dusting brush

Each part sold separately

**Item #B160447 Drum Adapter, 2HP Motor \$1,410.00/EA**  
**Item #B160009 HEPA Filter \$279.00/EA**  
**Item #B000379 Drum Adapter for 55 Gallon \$72.50/EA**  
**Item #55GLOPEN 55 gal. Drum with Lid \$42.50/EA**  
**Item #140121 55 gal Steel Drum Dolly \$78.00/EA**





**S26 HEPA Concrete Dust Extractor, Single Phase, 120V**

Unlike low cost homeowner vacuums, Ermator HEPA Dust Extractors are equipped with tested and certified HEPA filters that trap the most dangerous-to-breathe dust particles and prevents them from being released in the air. A HEPA Dust Extractor not only exhausts perfectly clean air, it is far more efficient for the fast recovery of bulk dry dust, debris and other building materials found on every construction, abatement and restoration job site. They can also be connected to electrical power tools to extract the freshly cut and friable concrete dust, considered to be the most hazardous to construction workers. It's time for you to stop using an ordinary vacuum and step-up to the innovation, performance and the power of a Ermator HEPA Dust Extractor.

The S26 is a powerful dust separator suitable for applications involving fine dust. It can handle building, grinding, plaster and concrete dust. It is equipped with a fine filter (flushable) and an H13 filter which meets the asbestos requirements. An hour counter and vacuum meter for filter control are standard.

Like all Ermator Dust Extractors, model S26 is equipped with Jet Pulse filter cleaning, "drop-down" dust collection in Longopac at 20 m plastic bags, and tested and certified HEPA filters. The wheels are of the "non-marking type", puncture tree and lockable at the front. Supplied complete with cleaning equipment and transport protection.

**Item #200900059A \$2,770.00/EA**



**Pullman Ermator W70P Slurry Vacuum w/ Pump**

- Powerful wet cleaner with a 15 gallon tank and evacuation pump
- Emptying is carried out via a valve
- The oil-cooled pump can handle concrete sludge, oils and cutting fluids
- Equipped with a coarse separation basket and wet suction bag
- The combined filter/float system protects the motor
- Pumping out can take place at the same time as suction
- Equipped with a large bottom valve for simple cleaning
- The wheels are of the "non-marking type", puncture-free and lockable at the front



**Item #201000032C \$2,770.00/EA**



**Ermator S13 Single-Phase HEPA Dust Extractor**

- 120V single motor HEPA Dust Extractor can be connected to electrical, hand-operated power tools to extract freshly cut, friable concrete dust
- The model S13 is also an effective all-around construction vacuum for picking-up a wide range of building materials and debris
- Comes with 16-foot, 1.5" hose, wand and floor tool
- Includes a 6 mil, 10-gallon disposable poly bag for dust-free handling and disposal



**Item #200900058A \$1,490.00/EA**

**Pullman-Holt Wet/Dry HEPA Vacuum with Power Tool Outlet, 120V**

**PULLMAN-HOLT**

- Single motor HEPA vacuum with plug for power tool
- Includes electric auto filter shaking system, and suction power is adjustable
- Wet and dry HEPA vacuum with dual, individually tested and certified HEPA filters, 99.99% at 0.3 microns
- Outlet for power tools
- Vacuum will start and stop on demand from the power tool
- 7-second delay on the vacuum shut-off ensures that all dust is emptied from the hose
- Variable speed on the vacuum motor allows the operator to adjust the amperage and suction power according to circuit breaker capacity
- Automatic filter shaking system. A sensor indicates if a filter is clogged and starts shaking the filter immediately after the vacuum shuts off
- Compact design makes it easy to transport, carry and to store in vans and trucks



**Item #200800018A** S25 7 Gallon Tank **\$631.40/EA**  
**Item #200800094A** S50 14 Gallon Tank **\$726.95/EA**

**EDCO® 200 CFM Dust Control Vacuum System w/ Connector**

- Electric 110 volt 16 amp dual motor with 3.2 HP
- 13 sq. ft. of micro clean filter area
- 3 year filter guarantee
- Cast-composite material guaranteed for life
- 2" x 25' hose
- Comes standard with wand kit for floor cleaning
- For use indoor and outdoor working environments
- Collects dust and debris from construction equipment
- Dust control in wood, welding shops, drywall contractors, powder paint booth systems, etc.
- Lead paint removal
- 35" H x 20" W x 32" L
- Meets and exceeds OSHA respiratory standards



**Item #ED333125K** 9 Gallon Tank **\$3,125.00/EA**

**Omega HEPA Abatement Vacuum**

- Works great for cleaning pipe dust, content work (fire), mold remediation, vacuuming off suites after decon job, removing silicone dust from cement jobs after drilling, environmental testing, forensic work and core sampling
- Filter changes easy, clean and safe
- Complete with all accessories shown
- Features a self-contained HEPA filter system that captures hazardous particles as small as 0.3 microns at 99.97% efficiency
- Hose and filter plugs for safety
- Powerful, portable and quiet 1,000 hour motor
- Features over-heat protection



**ATRIX INTERNATIONAL INCORPORATED**

**Item #VACOMH** **\$329.00/EA**

**HydraMaster Portable Water Extractor**

- Power Cord: 25 ft., 12 gauge, 3-wire hospital grad plug
- Power Consumption: 13 Amps
- Recovery Capacity: 9 gallon
- Vacuum Intake Hose: 2" x 25'
- Vacuum Motors: Two 3-stage vacuums
- Waterlift/CFM: 100"/170 CFM
- Air Watts: 520 AW (in operational range)
- Overflow Protection: Electronic float I Auto ON/OFF
- Discharge Pumps: Two diaphragm bilge pumps
- Discharge Hose: One 3/4" x 50'
- Discharge Rate: 10.5 GPM
- Filter System: One 80 micron polyester mesh strainer at the water inlet to the recovery tank
- Two 50 mesh S/S filters in recovery tank
- Two 50 mesh S/S screens in-line

**HydraMaster**

**Available Colors:**

- Blue
- Red
- Black
- Green



**#FLOODKING**

**Item #FLOODKING(color)** **\$1,710.00/EA**

**HydraMaster 2" Flood Extractor Evolution Wand**

- Lightweight design with a built-in glide holder and Delrin™ acetal glide, reducing fatigue on the operator
- 2" diameter, light weight vacuum is designed to fit the 2" vacuum hose
- Durable, yet lightweight

**#FEW16**



**Item #FEW16** **\$775.00/EA**



## PULLMAN-HOLT

### Pullman-Holt Dry Canister Vacuum w/ Tools, 4 Gal

- 4-gallon, dry only canister style vacuum with low profile providing greater mobility and stability
- Excellent for cleaning commercial buildings and offices with the power and performance only available from a canister vacuum
- Quiet two-stage 1.5HP long-life motor with foot activated on/off switch
- Durable stainless steel tank with convenient on-board tools and power cord storage
- 4-gallon disposable paper filter bag
- Electric power head receptacle, 25-foot power cord



Item #390ASB **\$445.00/EA**

### Euroclean Dry Canister HEPA Vacuum



- Euroclean GD930 4 gallon vacuum
- 6' hose assembly with bent wand
- Telescopic wand
- Different nozzle attachments including nozzles for hardwoods, carpets, furniture and scratch sensitive surfaces
- HEPA filter reusable cloth bags
- Outstanding durability with sturdy steel container
- High quality components
- Excellent sound level
- High filling capacity of 15 liters
- HEPA filter for the best filtration
- 1000 watt motor



Item #UZ930H **\$625.00/EA**

### Pullman-Holt Dry Back Pack Vacuum

## PULLMAN-HOLT

- For elevated and hard to reach areas
- Features heavy duty steel tank with powder coated finish
- High efficiency drop in style HEPA filter individually certified to have a minimum efficiency of 99.97% at 0.3 microns
- Includes 10' crush proof hose and dusting brush
- Top fill design allows for maximum capacity
- 50' power cord



Item #30ASB **\$977.20/EA**

### Mastercraft 15 Gallon Wet/Dry HEPA Vacuum



- 2 HP by-pass motor
- 11 amp
- 2 year motor warranty
- 15 gallon polyethylene tank with drain valve
- 8" rear wheels
- 2-1/2" swivel front casters
- Deluxe swivel hose connector
- Comes with 6 bags and 1 HEPA filter
- K29 tool kit sold separately
- Replacement 384496 bags sold separately
- 238015 intermediate filter sold separately
- AF16 replacement HEPA filter sold separately



Item #P41512BWF **\$1,085.00/EA**



### Vacuum Tool Kit



- Commercial heavy duty 1-1/2" diameter vacuum tool kit
- 10' hose (B000311)
- Wand (B521007)
- Dust brush (B000394)
- Floor squeegee (B527094)
- Floor brush (B527095)
- Crevice tool (B702362)
- Scallop rug brush (60583)
- Upholstry brush (B702609)

Item #K29 **\$125.00/EA**



#B000311



#B000309

### Vacuum Hose

- Ideal for a number of applications including dry and wet-dry commercial vacuums
- Accepts 1-1/2" threaded end cuffs and fittings

Item #B000311 Gray, 10' **\$33.25/EA**  
 Item #B000309 White, 15' **\$37.50/EA**

# **+** Vacuums & Dust Shroud Attachments

#VAC090A



#VAC140A

## **Bosch Dust Extractor Vacuums with Automatic Filter Clean**



- Automatic filter cleaning cleans filter every 15 seconds to maintain maximum suction power
- L-BOXX integration instantly creates a mobile workstation
- Power tool activation allows power tool's switch to turn vacuum on and off
- Power Broker™ dial for allocating power between vacuum and connected power tool, also allows suction control for specialty applications
- EPA lead Related Renovations Repair and Painting (RRP) rule compliant when accessory VF120H filter is used
- High suction force - high CFM for excellent dust extraction capabilities
- Flat filter design maximizes canister capacity
- Push handle for easier transportation of vacuum
- Vacuum hose wrap keeps hose secure and out of the way during storage or transportation
- Cord wrap for convenient storage of cord
- On-board accessory storage for easy access to optional wands, nozzles, and other accessories
- Wet vacuuming water level sensor automatically shuts down vacuum when water reaches a maximum height to protect motor
- Rugged construction / polypropylene tank is durable and rust free
- Metal frame, rubber wheels and locking caster built to withstand the demands of a job site

<b>Item #VAC090A</b>	9 Gallon Vacuum	<b>\$718.40/EA</b>
<b>Item #VAC140A</b>	14 Gallon Vacuum	<b>\$793.75/EA</b>
<b>Item #VB000P</b>	10 pack Disposable Bag	<b>\$44.10/EA</b>
<b>Item #VF120H</b>	Flat HEPA Filter	<b>\$124.65/EA</b>
<b>Item #VF100</b>	Flat Paper Filter	<b>\$31.60/EA</b>
<b>Item #VX120</b>	Vacuum Adapter	<b>\$21.90/EA</b>

## **Bosch SDS Drilling Hammer Dust Collection Attachments**

- Provides for dust collection and suction for dust removal
- Rubber seal maintains suction on working surface
- Great for dust removal on multiple surfaces
- Attaches to vacuum hose

<b>Item #HDC100</b>	SDS-plus drilling and chipping attachment	<b>\$92.50/EA</b>
<b>Item #HDC200</b>	SDS-max drilling dust attachment	<b>\$67.50/EA</b>
<b>Item #HDC250</b>	SDS-max core bit dust attachment	<b>\$67.50/EA</b>
<b>Item #HDC300</b>	SDS-max spline dust attachment	<b>\$107.50/EA</b>
<b>Item #HDC400</b>	1-1/8" hex chiseling dust attachment	<b>\$143.05/EA</b>



## **Bosch Surface Grinding Dust Extraction Attachment**

- Bosch dust collection guard for surface grinding designed for 4" to 5" Bosch grinders
- Dust collection reduces clean-up time and provides cleaner, safer air for user
- Removable nose piece quickly removes for flush surfacing
- Replaceable brush ring
- Completely tool free and compatible with all 4", 4-1/2" and 5" small angle grinders



- Plug and play without using adapters

**Item #18SG5E \$67.50/EA**

## **Bosch Concrete Dust Extraction Guard**

- Dust collection reduces clean-up time and safer air for user
- Large durable foot plate greatly increases stability during use for clean and accurate cuts
- Single screw depth adjustments quickly adjusts and maintains desired depth of cut
- It is completely tool free and compatible with all Bosch 1800 series 4-1/2" and 5" small angle grinders



- Plug and play without using adapters
- Compatible with Bosch AIRSWEEP™ Vacuum

**Item #18DC5E \$58.00/EA**

## **Bosch 7" Angle Grinder Concrete Surfacing Attachment**

- Dust collection - reduces clean-up time and provides cleaner, safer air for user
- Removable nose piece - quickly removes for flush surfacing
- Replaceable brush ring
- It is completely tool free and compatible with all Bosch 1800 and 1900 series large angle grinders (used only with 7" cup wheel)
- Compatible with Bosch AIRSWEEP™ Vacuum



- Plug and play without using adapters

**Item #18SG7 \$122.05/EA**

## **Bosch 7" Dust Guard for Angle Grinder**

- Dust Collection: Reduces clean-up time and provides cleaner, safer air for user
- Large, Durable Foot Plate: Greatly increases stability during use for clean and accurate cuts
- Single screw depth adjustments: Quickly adjusts and maintains desired depth of cut
- Compatible with Bosch AIRSWEEP™ Vacuum



- Plug and play without using adapters

**Item #19DC7 \$195.30/EA**

## Metabo® Corded 1400 Watt Angle Grinder with Quick Change System, 6"

Grinding Disc Ø: 150 mm / 6"  
No-Load Speed: 9600 RPM /min  
Torque: 3.9 Nm / 35 in-lbs  
110-120 V / 60 Hz



- Highest service life for extreme applications: robust, powerful angle grinder with greatest power density in its class for quick work progress
- New, patent-pending Metabo Long-life motor with up to 50% more torque and up to 20% higher overload capacity for quicker material removal and longer service life
- Tacho-Constamatic (TC)-Full Wave Electronics: fast work progress by means of constant speed under load
- Now even faster: M-Quick System for tool-free disc change at the touch of a button by means of M-Quick flange nut
- Tool-free adjustable guard; twist-proof
- Side handle Metabo VibraTech (MVT) handle vibration damping for convenient continuous operation
- Metabo S-automatic Torque Limiting Clutch: minimizes kick-back when the disc jams to the lowest level on the market - for maximum user protection and swift progress
- Electronic overload protection, soft start and restart protection
- Gear housing can be mounted turned in 90° steps for left-handed operation or cutting
- Auto-stop carbon brushes to protect the motor

Item #WE14150QUICK **\$249.00/EA**

## M18 FUEL™ 4-1/2" / 5" Grinder, Paddle Switch No-Lock Kit

- 18V, 8,500 RPM, 5.8 lbs
- POWERSTATE™ Brushless Motor: for maximum power
- REDLINK PLUS™ Intelligence provides optimized performance, electronic clutch, and overload protection
- REDLITHIUM™ XC 4.0 Battery Pack provides 2X more run-time
- Cordless grinder with corded performance
- 100% tool free: Make changing accessory and guard adjustments quick and easy
- Paddle-switch design: increases comfort and ease-of-use when operating in various positions



Item #278022 **\$458.10/EA**

## 11 Amp 4½" Small Angle Grinder Paddle

- Powerful 11 Amp, 11,000 RPM Motor: Provides maximum performance and durability
- Tool-Free Accessory Change: Easily change "All Accessories" without a wrench
- Tool-Free Adjustable Guard: Provides quick guard installations and adjustments
- 2-wire, 8' cord
- Advanced Airflow System: Maximizes airflow and reduces debris ingress, improving motor life and performance
- Debris Baffles – protect internal components by deflecting damaging debris out of the airflow at the intake vents



Item #614730 *Lock on* **\$90.40/EA**  
Item #614731 *No lock* **\$90.40/EA**

## Bosch 4-1/2" Angle Grinder, 10 amp, 120V



The Bosch GWS10-45 4½" Angle Grinder delivers more power than previous-generation models with the same size tool - 10 amps and 11,500 RPM. It has directed air flow that diverts dust away from vital components, and it has direct-motor cooling, giving it higher overload capabilities. For operator comfort and control, it sports a two-position Vibration Control™ side handle, making it less shuddering to run. It has a burst-protection quick toolless adjustable guard and a large spindle lock for a convenient disc change. The Service Minder™ brushes stop the grinder when preventative maintenance is required.



- Powerful motor – 10 A and 11,500 RPM
- Carbon brushes – more durable than previous generation brushes
- Direct-motor cooling for higher overload capabilities
- Two-position Vibration Control™ side handle for more user comfort
- Directed air flow diverts dust from vital components
- Toolless, burst-protection adjustable guard for user protection
- Service Minder™ brushes – ensure preventative maintenance
- Includes: backing flange, lock nut, spanner wrench, grinding guard, vibration control side handle

Item #GWS1045 **\$99.00/EA**

## Metabo® Corded 800 Watt Angle Grinder with Wheel Guard, 4½"

- 8 amps, 10,000 RPM
- Die-cast aluminum gear housing
- Metabo S-automatic torque limiting clutch for protection against kick-backs which can occur if the bit jams
- Spindle lock
- Additional Metabo VibraTech (MVT) handle for vibration damping
- Adjustment of protective cover without tools
- Ergonomic shape for fatigue-proof rough grinding
- Versatile applications through the extensive range of accessories



- Metabo winding protection grid deflects harmful airborne debris away from armature windings
- Auto-stop carbon brushes

Item #W8115 **\$126.25/EA**

## Tilt-Lok™ Circular Saw with Case, 7¼" Blade

- TILT-LOK™ soft grip main handle, adjusts to the work or most comfortable work position
- 10.4 lbs net weight
- 15 amp, 3.25 HP motor
- Wide, clear sight line
- 9' cord
- Spindle lock
- 7¼" blade
- Tool free bevel
- Blade can bevel to a max 50°



Item #639021 **\$159.15/EA**

## **Pullman Ermator Dust Shroud Hand Grinder, 5"**



- The attachment collar with multiple rings supplied with shroud allow the dust shrouds to be attached to every common hand grinder
- Easily slide the appropriate spacer ring onto the grinder, then slide the shroud onto the spacer
- Set your height and tighten the clamp and you're ready to go
- Point of origin dust shrouds are ideal for all industries where dust collection is needed
- They comply with EPA regulations covering lead paint removal and silica dust control



- After years of testing and certifications, workers from renovation contractors to masons are using our dust control systems that include shrouds and hoods

**Item #201300447     \$80.25/EA**

## **Pullman Ermator Dust Shroud Hand Grinder, 7"**



- Can be attached to every common hand grinder
- Installs in seconds
- Complies with EPA regulations covering lead paint removal and silica dust control
- Comes with steel reinforced edge for long life and a flip up hinge for wall work



**Item #201200010     \$98.25/EA**

## **DustBuddie™ Dust Control Grinder Shroud, 7"**



- 7" clear polycarbonate visor improves visibility
- Fits most 6" to 9" grinders
- Brush skirt for better performance on textured surfaces
- Removable front edge for grinding close to walls or edges
- Floating spring mounted adjustments
- Unit includes hose and spacers



**Item #D1850     \$79.95/EA**

## **Dust Muzzle Ultra Universal Dustless Guard**



- Flexible, transparent, lightweight
- For over 1200 electric and pneumatic angle sanders
- Flexible down to -20 degrees
- The most efficient design available for right angle sanders
- The side-mounted vacuum pickup uses the centrifugal forces created by the grinding wheel to send the pollutants out the exhaust port
- This method requires much less vacuum power than top mounted designs



- Made from rugged polypropylene
- Excellent for wet or dry grinding and polishing
- Installs in minutes
- Up to 99% efficient

**Item #DMU5CS     4-5"     \$36.00/EA**

**Item #DMU8CS     7-8"     \$39.00/EA**



## **Pullman Ermator Premium Deluxe Dust Shroud, 5"**

- Attachment collar with multiple rings supplied allow the dust shrouds to be attached to most hand grinder
- Installs in seconds
- Slide the appropriate spacer ring onto the grinder
- Then slide the shroud onto the spacer
- Set your height and tighten the clamp
- EPA regulations covering lead paint removal and silica dust control
- Swivel for easy attachment of 1.5" and 2" hoses
- Replaceable wear plates and a flip up wall hinge

**Item #201500381     \$199.00/EA**

## **Pullman Ermator Deluxe Dust Shroud, 7"**



- Dust shrouds fit most hand grinders
- The attachment collar with multiple rings supplied with shroud allows the dust shrouds to be attached to every common hand grinder
- Easily slide the appropriate spacer ring onto the grinder, then slide the shroud onto the spacer
- Set your height and tighten the clamp and you're ready to go
- Point of origin dust shrouds are ideal for all industries where dust collection is needed
- They comply with EPA regulations covering lead paint removal and silica dust control



- After years of testing and certifications, workers from renovation contractors to masons are using these dust control systems that include shrouds and hoods
- Features a swivel for easy attachment of 1.5" and 2" hoses, replaceable wear plates and a flip up wall hinge

**Item #201400584     \$189.00/EA**

## **Pullman Ermator Dust Hood**



- Captures dust when cutting with an angle grinder
- Most commonly used in the masonry and concrete industries
- From tuck pointing to crack chasing, these accessories are designed to control harmful dust exposure
- Aerodynamic, ergonomic shape allows full visibility when cutting
- Unique and patented design for maximum particle capture



- Easy to remove cover to change blades
- Designed to work efficiently with S13 (one operator) and S26 (two operators)
- Brush end to control "Blow By"
- Made for tuck pointing, crack chasing and joint cutting

**Item #201400311     125mm 4-5" Grinder     \$116.25/EA**

**Item #201400312     230mm 6-7" Grinder     \$143.25/EA**

**DIAMABRUSH™**  
By Malish 



## Diamabrush™ by Malish Removal Hand Tool

- Diamond abrasive technology prevents caramelizing or clogging of tool
- Removes gummy mastics up to 10x faster than the competition
- No harsh chemicals needed
- Works on standard electric hand grinders
- Ideal for areas close to walls and corners where a rider or swing machine can't reach
- Replacement blades are simple to assemble onto the Diamabrush™ hand tool

**Item #924562201** 4.5" **\$119.00/EA**  
**Item #927062201** 7" **\$164.00/EA**

## Sait C24N Concrete Grinding Wheels

- Specially formulated with a unique silicon carbide grain
- These grinding wheels are excellent for grinding masonry, concrete, stone, cast iron, and other ferrous metals
- Reinforced with the highest quality fiberglass for maximum safety and performance
- Soft bond for fast stock removal
- Depressed center
- Type 27



13,300 Max RPM's, 4 1/2" x 3/32" x 7/8"  
**Item #22025** **\$2.00/EA**

13,000 Max RPM's, 4 1/2" x 1/4" x 7/8"  
**Item #20061** **\$2.45/EA**

13,300 Max RPM's, 4 1/2" x 3/32" x 5/8-11"  
**Item #22125** **\$2.85/EA**

8,500 Max RPM's, 4 1/2" x 1/4" x 5/8-11"  
**Item #20161** **\$2.95/EA**

8,500 Max RPM's, 7" x 1/4" x 7/8"  
**Item #20082** **\$3.35/EA**

6,600 Max RPM's, 9" x 1/4" x 7/8"  
**Item #20092** **\$4.25/EA**

8,500 Max RPM's, 7" x 1/4" x 5/8-11"  
**Item #20087** **\$4.70/EA**

6,600 Max RPM's, 9" x 1/4" x 5/8-11"  
**Item #20097** **\$5.75/EA**



## DI VAL+ Rental Equipment



- Air compressors
- Air and hydraulic powered tools
- Air movers, blowers and dryers
- Grade "E" portable breathing/supplied air systems
- Compaction equipment
- Confined space and ventilation equipment
- Concrete surface prep equipment
- Core drilling equipment
- Electric hammer drills and tools
- Fall protection equipment
- Gas detection and specialty instruments
- Pumps and generators
- Material handling and material/personnel lifts
- Lighting equipment
- Pressure washers and airless sprayers
- Saws - wet/dry/gas/electric



### We repair:

- Power tools: electric and battery powered
- Pneumatic tools: staplers, nailers, rivet busters, pavement breakers
- Hydraulic tools: crimpers, cutters, chain saws, breaker hammers
- Gas equipment: generators, compressors, pressure washers, water pumps, trash pumps
- Gas & powder actuated tools: framing nailers, .25/.27 caliber powder actuated tools

### We service:

- All brands and makes with a Quick Turnaround!
- Milwaukee, Hitachi, and STIHL as a factory authorized warranty repair center

## DI VAL+ Tool Repair

## DI VAL+ CAN-DO Service Can



### Be Safe

- Ensure equipment is working properly

### Save Time

- We will pick it up and drop it off

### Save Money

- Extend the life of your equipment with DiVal

### Increase Productivity

- Less down time for your equipment and personnel

## Bosch Corded SDS-Max® Rotary Hammer with Case



- Unmatched power to weight ratio with 13 Amps, 6.8 ft-lbs Impact energy and 8.1 lbs.
- Active Vibration Control with vibration reduction in the hammer mechanism and the grip area provides maximum user comfort for extended periods of work
- One-Hand™ SDS-Max® system makes changing bits easier
- Constant Response Circuitry that maintains speed under load and overload protection
- Turbo™ Power delivers 20% more power in hammer only mode



- Vario-Lock™ rotates and locks chisel into 12 different positions
- Auto-Max™ variable speed dial ensures maximum speed every time the tool is on

**Item #11264EVS \$615.00/EA**

## Bosch Corded SDS-plus® BULLDOG Xtreme Rotary Hammer with Case

- 7.5 0-1, 300 RPM; 0-5, 800 BPM
- HammerHook® allows quick tool storage during the job
- The multi-function selector has 3 modes of operation, rotation only, rotary hammer and hammer-only mode
- Vario-lock® positioning rotates and locks the chisel into 36 different positions to optimize working angle
- Rotating brush plate provides equal power in forward and reverse
- Cord turret has a 35° pivot for added flexibility and longer cord life
- D-handle is ideal for overhead and downward drilling applications



- SDS-plus® bit system allows for tool-free bit changes with automatic bit locking, dust protection and maximum impact energy transfer rate
- Integral clutch helps minimize torque reaction

**Item #11255VSR \$199.00/EA**

## Bosch SDS-Max Demolition Hammer

- Power to weight ratio - 13 amp, 9.6 ft-lbs
- Impact energy and 13.6 lbs
- Active vibration reduction in the hammer mechanism and the grip area provides maximum user comfort
- Constant response circuitry, maintains speed under load and overload protection
- Patented cord turret reduces cord wear


- Vario-Lock™ positioning rotates and locks chisel into 12 different positions
- Auto Max variable speed dial ensures maximum speed every time the tool is turned on
- Service minder light indicates when preventative maintenance is required
- Power light ensures operator that power feed is live



**BOSCH**



**Item #11321EVS \$599.00/EA**



**BOSCH**



**BOSCH**

## Bosch SDS Scaling Chisels

- Bosch offers a full assortment of SDS-max® hammer steel points and chisels
- SDS-max® shank ensure a tight grip for the toughest jobs
- Heat-treated steel construction provides strength and durability
- For masonry and concrete demolition
- Designed for use with SDS-max® hammers
- High-quality hammer steel for durability

## Bosch SDS Speed Clean™ Adapters & Extract Bits

#DXSMAX	Max® adapter	35mm	<b>\$18.85/EA</b>
#DXSPLUS	Plus® adapter	35mm	<b>\$18.85/EA</b>
#DXS2104	Plus® extract bit	5/8" x 10"	<b>\$103.65/EA</b>
#DXS2114	Plus® extract bit	11/16" x 12.5"	<b>\$114.65/EA</b>
#DXS2124	Plus® extract bit	3/4" x 12.5"	<b>\$114.70/EA</b>
#DXS5034	Max® extract bit	3/4" x 12.5"	<b>\$216.50/EA</b>
#DXS5044	Max® extract bit	7/8" x 15"	<b>\$223.40/EA</b>
#DXS5048	Max® extract bit	13/16" x 15"	<b>\$259.90/EA</b>
#DXS5054	Max® extract bit	1" x 17.5"	<b>\$282.20/EA</b>
#DXS5062	Max® extract bit	1-1/8" x 20"	<b>\$361.65/EA</b>
#DXS5082	Max® extract bit	1-3/8" x 25"	<b>\$376.40/EA</b>
#HCD2074	Plus® extract bit	7/16" x 7.5"	<b>\$73.85/EA</b>
#HCD2084	Plus® extract bit	1/2" x 7.5"	<b>\$76.60/EA</b>
#HCD2094	Plus® extract bit	9/16" x 10"	<b>\$95.80/EA</b>

Scaling chisel w/ SDS+ shank, 10" x 1-1/2"  
**Item #HS1425 \$35.95/EA**

Scaling chisel w/ SDS+ shank, 10" x 2-1/2"  
**Item #HS1427 \$39.65/EA**

Scaling Chisel SDS-max® Hammer Steel, 3" x 12"  
**Item #HS1910 \$28.90/EA**

Flat Chisel SDS-max® Hammer Steel, 1" x 18"  
**Item #HS1912 \$20.70/EA**

Bull Point SDS-max® Hammer Steel, 1" x 12"  
**Item #HS1913 \$16.95/EA**

Bull Point SDS-max® Hammer Steel, 18"  
**Item #HS1914 \$19.00/EA**

Scaling Chisel SDS-max® Hammer Steel, 2" x 14"  
**Item #HS1917 \$23.55/EA**



## Super Sawzall® Recip Saw, 15 Amp

- 15 Amp Milwaukee motor with the highest overload protection that prevents motor burn up or failure
- Constant power technology maintains constant speed under load for unmatched cutting performance
- Patented gear protecting clutch extends gear and motor life by absorbing high impact forces caused by sudden blade lock ups
- Counter balanced mechanism makes it the smoothest running, lowest vibrating reciprocating saw
- Variable speed trigger and dial speed control allows for maximum speed control
- Quik-Lok™ Blade clamp system provides fast and easy blade changes
- 18-3/4" length, 120 V AC. Keyless adjustable shoe. Keyless blade clamp. Orbital Action. 1-1/4" stroke length. 1 Carrying Case.

**Item #653821 \$219.99/EA**



## LENOX Reciprocating Saw Blades

- Power Blast Technology™ increases blade life
- High speed blasting along the cutting edge strengthens the blade to reduce breaks and increase durability
- Taller and thicker blade profile prevents bending during cutting and provides maximum control
- T2™ Technology reduces cutting forces on each tooth and optimizes chip removal to allow efficient cutting in the widest range of materials
- Taller blade profile delivers straighter cuts and longer life in the most demanding metal cutting applications
- 25 blades per pack

	TPI	L x W x Th	
#20514B6606R	6	6 x 1 x .062	<b>\$2.75/EA</b>
#20485B106R	6	12 x 1 x .062	<b>\$3.85/EA</b>
#20177B9110R	10	9 x 1 x .042	<b>\$3.30/EA</b>
#20179B9114R	14	9 x 1 x .035	<b>\$3.30/EA</b>
#20175B6118R	18	6 x 1 x .035	<b>\$2.75/EA</b>
#20181B9118R	18	9 x 1 x .035	<b>\$3.30/EA</b>
#20191B12118R	18	12 x 1 x .042	<b>\$4.05/EA</b>
#20529B618R	18	6 x 3/4 x .035	<b>\$3.05/EA</b>
#20487B818R	18	8 x 3/4 x .035	<b>\$3.40/EA</b>



## Milwaukee 12 Amp Sawzall® Recip Saw Kit

- 12 amp motor
- 0-3,000 strokes per minute
- 1-1/8" stroke length provides maximum cutting speed
- Gear protecting clutch
- Counter weighted mechanism provides reduced vibration for smoother operation
- QUIK-LOK™ blade clamp provides fast, tool-free blade changes
- 19" length, 120V AC, 7.1 lbs

**Item #651931 \$123.50/EA**



## Milwaukee 13 Amp Orbital Sawzall® Recip Saw

- 13 amp Milwaukee built motor
- 0-2,800 strokes per minute
- Keyless blade clamp with adjustable shoe allows user to easily change blades
- Orbital cutting action
- Exclusive gear protecting clutch
- 18 3/4" length, 120V AC, 8.8 lbs, 8' cord

**Item #652021 \$169.00/EA**

## SawBuddie Reciprocating Saw Dust Shroud



- Clear flexible rubber shroud with fast and easy Velcro installation
- 2 1/2" bristled snout with line-of-sight gap for an unobscured view of blade for precise cutting
- Captures 99% of airborne dust
- Fits a wide variety of reciprocating saws and rotates to match blade installation
- Complies with EPA and RRP regulations
- Includes: universal dust shroud, 18" connection hose, and zip tie
- Economical, durable reciprocating saw dust shroud



**Item #D2415 \$89.00/EA**



## Desco Reciprocating Dust Shroud

- Reciprocating dust shroud for Milwaukee 6520-21 saw
- Heavy-duty metal shroud with vacuum port

**Item #400.002 \$499.00/EA**

**DIVAL+**  
Safety & Supplies for Life



## Heavy Duty Steel Tile Popper & Blades

- Heavy duty steel tile popper
- Unique design provides great mobility with no mechanical breakdowns
- 63" length x 1" diameter solid steel construction
- Up to 80,000 PSI tensile strength
- "T" handle provides a great grip and exceptional leverage
- Heat treated extra sharp chrome vanadium steel blades are pre-sharpened and are easy to install and remove
- Order blades separately (TSCR35, and TSCR60)

**Item #TBAR63** T-Bar Tile Popper **\$44.75/EA**  
**Item #TSCR35** 3½" Blade **\$8.65/EA**  
**Item #TSCR60** 6" Blade **\$15.25/EA**

**UNGER**



## Unger® Brute 12" Hand Held Scraper w/ Carbon Steel Blades

- 12" long handle and a no-slip grip for added comfort and safety
- Reversible, carbon steel blade
- The other half of the blade has a razor sharp edge, ideal for scraping tape and paint
- Half of the blade has a blunt edge, which is perfect for precise cement or stucco work
- Protective cap for the blade is included

**Item #SH25C** Scraper **\$18.00/EA**  
**Item #RB30C** 4" Blades (10/PK) **\$11.25/PK**

## Razor-Back® Industrial Grade Forged Head Scraper

• 54" Handle • Socket Pattern • 7" x 6" Blade  
**Item #78202** **\$26.85/EA**

## Multi Purpose Forged Head Ice Scraper

• 48" Handle • 6" x 5" Blade  
**Item #1646200** **\$21.65/EA**

## Heavy Duty Forged Head Ice Scraper

• 54" Handle • 4" x 9" Blade  
**Item #81104** **\$22.40/EA**

## Heavy Duty Forged Ice Scraper

• 54" Handle • 7" x 9" Blade  
**Item #81109** **\$24.75/EA**

For more info please visit [www.DiValSafety.com](http://www.DiValSafety.com)



**UNGER**



## Unger® Heavy Duty Floor Scraper

- Sturdy, galvanized steel handle with ergonomic grips
- Handle extends from 3' to 5' to reduce bending and back pain
- 8" zinc alloy scraper head is angled for increased strength and control
- Great for stripping floor tiles, removing carpet, and removing adhesives
- Dual sided blades accommodate a variety of applications
- Handle has a hanging hole for easy storage

**Item #HDSCO** 60" Length **\$81.50/EA**  
**Item #HDSBO** 8" Blades (10/PK) **\$24.50/PK**

**CRAIN**



## Crain Carpet Removal/Tearout Stand-Up Cutter Tool

- Slices glued down carpet into strips
- Weighs 3 lbs
- Gives a rough cut, of carpet off the roll
- Features a sharp, hardened point that lifts the carpet into the blade
- The point rides on the subfloor, pre-cutting the material, which extends blade life
- Heavy-duty handle is adjustable in length and double-locks for safety
- Order #266 replacement point separately



- Replacement blade #03012 utility knife blades or serrated heavy duty #RT0004 blades

**Item #265JP** **\$129.00/EA**

**RAZORBACK**  
PROFESSIONAL TOOLS





## EDCO® ALR Air-Powered Chisel Scaler w/ 4" Steel Chisel

- Air-Powered EDCO Chisel Scalars eliminate hammers, chisels and hand labor!
- Removes up to 200 sq. ft. per hour of 4" ceramic tile set in standard thin-set
- Ergonomic design lets operator stand upright eliminating backaches
- Provides 2,500 hits per minute
- High-strength tubular handle and soft foam hand grips for operator comfort
- Quick-change, hardened steel tool chuck accepts dozens of accessories
- Requires only 6-8 CFM at 80-90 PSI

<b>Item #C10309A</b>	24"	5 lbs	<b>\$930.00/EA</b>
<b>Item #C10301</b>	60"	16 lbs	<b>\$980.00/EA</b>
<b>Item #C10342</b>	66"	18 lbs	<b>\$995.00/EA</b>



## Air-Powered Chisel Scaler Accessories



EDCO® 4" Steel Chisel Scaler For ALR Chisel Scaler

**Item #C10302 \$59.00/EA**

LR-4 2" Steel Chisel to Fit All EDCO ALR's Chisel Scalars

**Item #C10303 \$59.00/EA**

EDCO® 5 Point Scabblers Head For ALR Chisel Scaler

**Item #C10312 \$140.00/EA**

EDCO® 3" Steel Chisel For Big Stick Chisel Scaler

**Item #27031 \$89.00/EA**

EDCO® BS-3 Steel Chisel for Big Stick Chisel Scaler, 3"

**Item #27033ED \$89.00/EA**

EDCO® Display Stand For ALR & Big Stick Chisel Scalars

**Item #27035 \$32.50/EA**

EDCO® 2" Angled Scaler Blade For ALR Chisel Scaler

**Item #C10321 \$11.50/EA**

EDCO® 4" Angled Scaler Blade For ALR Chisel Scaler

**Item #C10322 \$11.50/EA**

EDCO® Bushing Head Tool For ALR Chisel Scaler

**Item #C10336 \$97.50/EA**



## EDCO® Big Stick Air-Powered Chisel Scaler w/ 3" Steel Chisel

- Air-Powered EDCO Chisel Scalars eliminate hammers, chisels and hand labor!
- Remove up to 300 sq. ft. per hour of 4" ceramic tile set in standard thin-set
- High-strength tubular handle and soft foam hand grips for operator comfort
- Provides 3,500 hits per minute
- Extra large piston for harder hitting action
- Quick-change, hardened steel tool chuck accepts Big Stick accessories
- Big Stick made in heavy-duty steel
- Requires 12-15 CFM at 90 PSI

**Item #27100 57" 24 lbs \$1,525.00/EA**



## Heavy-Duty Pneumatic Needle Gun

- All air pistol grip needle gun
- 12.4 CFM required at 85 PSI. 4500 strokes per minute
- Includes 28 3mm needles
- Please order JEX 28DS dust shroud separately

**Item #JEX28 \$499.00/EA**



## Dust Shroud Attachment for JEX28 Needle Gun

- Dust shroud for JEX28 needle gun
- Perfect fit with 1 1/4" vacuum hose port
- Designed for use only with JEX28 needle gun

**Item #JEX28DS \$136.00/EA**



## Replacement Needles for JEX28

**Item #BINB043MM 3 mil 100/BX \$24.50/BX**  
**Item #JEX05450 4 mil 50/BX \$75.60/BX**



## Justrite® Sure-Grip® EX Flammable Liquid Self-Close Safety Cabinets



Protect workers, reduce fire risks, and improve productivity by storing flammable fuels and chemicals in code-compliant safety cabinets. Designed to meet OSHA and NFPA standards, Sure-Grip® EX cabinets are constructed of sturdy 18-gauge (1-mm) thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance.

- High-performance, self-latching doors close easily and securely for maximum protection under fire conditions
- Fail-safe closing mechanism ensures three-point stainless steel bullet latching system works every time
- For added security, U-Loc™ handle comes with a cylinder lock and key set or accepts an optional padlock
- Haz-Alert™ reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight

- Patented SpillSlope® galvanized steel shelves direct spills to back and bottom of a leakproof 2" (51-mm) bottom sump
- Shelves adjust on 3" (76-mm) centers for versatile storage

- Dual vents with flame arresters
- Four adjustable self-leveling feet
- Grounding connector
- Trilingual warning label
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance

- Self-close doors shut and latch automatically when a fusible link melts at 165°F (74°C) under fire conditions
- Unique, concealed self-closing mechanism offers obstruction-free access to contents
- All door styles meet OSHA and NFPA 30
- Self-close door styles also meet NFPA Fire Code 1 and the International Fire Code



#893020



#894520



#899020

<b>Item #893020</b>	1 Adjustable Shelf	30 Gallons	44" x 43" x 18"	<b>\$836.85/EA</b>
<b>Item #894520</b>	2 Adjustable Shelves	45 Gallons	65" x 43" x 18"	<b>\$1,017.75/EA</b>
<b>Item #899020</b>	2 Adjustable Shelves	90 Gallons	65" x 34" x 34"	<b>\$1,732.05/EA</b>

## Flammable Liquid Storage Cabinets



- Sure-Grip EX Safety Cabinets for flammables
- Flush mounted U-Loc™ handle with double key set also accepts an optional padlock for added convenience and security
- Includes rounded safety doors
- 3-point stainless steel bullet latching system for positive closure
- Twin vents with flame arresters
- Durable powder paint finish
- OSHA and NFPA, FM approved
- 10-year warranty

- Haz-Alert™ reflective labels burst with high visibility in the dark
- Firefighter friendly zoned positioning helps rescue personnel quickly isolate volatile liquids
- SpillSlope® shelves safely drain leaks to back and bottom of leaktight 2" sump
- Constructed of sturdy 18-gauge double wall, welded steel with 1-1/2" of insulating air space for more resistance



#25300



#25450



#25600

<b>Item #25300</b>	1 Adjustable Shelf	30 Gallons	44" x 43" x 18"	<b>\$754.45/EA</b>
<b>Item #25450</b>	2 Adjustable Shelves	45 Gallons	65" x 43" x 18"	<b>\$919.60/EA</b>
<b>Item #25600</b>	2 Adjustable Shelves	60 Gallons	65" x 34" x 34"	<b>\$1,107.40/EA</b>

## Justrite Document Storage



Keep important manuals and papers secure and readily available to users while protecting them from moisture and dirt with Justrite Document Storage products.

- Weather resistant polyethylene cases
- Smooth area to add your own labels for easy identification of contents
- Bright red color is highly visible
- Handy for portable document storage
- Storage boxes feature easy snap latches and lock holes for padlocks and zip ties
- Durable and rustproof
- Storage tubes come with heavy duty double sided tape for easy installation
- Gasketed closure
- For easy identification of contents in the storage box equipped with four yellow labels, two blank, one MSDS label and one instruction manual label
- Instruction manual included with each label pack



#23303

#23304



#23310

**Item #23310**  
(Box Label Pack)  
**\$5.30/EA**



#23305



#23306

**Item #23303 \$43.25/EA**  
Box Type with Top Opening,  
Interior Size: 11-1/2" x 8-3/4"

**Item #23305 \$27.10/EA**  
Tube Type with Twist Opening,  
Interior Size: 12" H x 3" Diam.

**Item #23304 \$49.50/EA**  
Box Type with Top Opening,  
Interior Size: 12-1/4" x 8-5/8"

**Item #23306 \$57.30/EA**  
Box Type with Front Opening,  
Interior Size: 13-1/4" x 10-3/4"

## Type I Steel Safety Cans

- Designed with single spout for filling and pouring
- Sealed lid features automatic positive pressure relief vents between 3 and 5 psig to guard against rupture or explosion
- Made from high-grade coated steel, each can is tested to guarantee 100% leakproof construction
- Tough powder-coat finish resists chemicals and stands up to demands of rigorous use
- Equipped with a stainless steel flame arrester which dissipates heat to stop flashback ignition
- 1.58" fill and pour hole
- Yellow cans used to designate the storage of diesel fuel
- Meets OSHA and NFPA requirements, is certified by FM, UL and ULC
- Justrite Ten-Year Warranty



Item #	Capacity	Handle Type	Price
<b>10301</b>	1 Gallon	Trigger	<b>\$43.80/EA</b>
<b>10501</b>	2 Gallons	Swing	<b>\$37.35/EA</b>
<b>10555</b>	2-1/2 Gallons	Swing	<b>\$40.10/EA</b>
<b>10801</b>	5 Gallons	Swing	<b>\$41.00/EA</b>
<b>10811</b>	5 Gallons	Swing	<b>\$46.45/EA</b>
<b>11200</b>	Polypropylene	Funnel	<b>\$6.60/EA</b>

## Smokers Cease Fire™

- Self-extinguishing design safely collects unsightly cigarette butts and reduces the risk of fire
- Made of flame-retardant, sturdy polyethylene, this low maintenance smoker's friend won't rust, dent, or crack
- Unique rain bonnet opening keeps rain out and discourages other trash
- Simply lift off lid to empty big galvanized steel pail inside
- Tie-down notches offer security and greater stability under severe weather conditions
- In high humidity environments, unique "drip-lip" internal construction prevents tar condensation from escaping
- 4 gallon capacity
- 16.5" W x 38.5" H



<b>Item #26800</b>	Gray	<b>\$56.00/EA</b>
<b>Item #26800B</b>	Beige	<b>\$56.00/EA</b>
<b>Item #26800D</b>	Black	<b>\$56.00/EA</b>

## Accuflow™ Type II Steel Safety Can

- Leaktight, self-closing spouts provide temporary storage of gasoline
- Automatic-vent feature protects against rupture or explosion
- Flame arrestors protect contents from external ignition sources
- Galvanized steel models feature an ergonomic, all-steel handle and chemical-resistant, high-gloss powder-coat finish
- Meets OSHA and NFPA Code 30 standards, CARB compliant
- Flexible metal hose for smooth, accurate, spill-free pouring into small openings
- FM, UL, ULC approved



Item #	Capacity	Hose Diameter	Price
<b>Item #10728</b>	2-1/2 Gallons	5/8"	<b>\$78.30/EA</b>
<b>Item #10828</b>	5 Gallons	5/8"	<b>\$79.25/EA</b>
<b>Item #10327</b>	1 Gallon	1"	<b>\$76.50/EA</b>
<b>Item #10527</b>	2-1/2 Gallons	5/8"	<b>\$77.40/EA</b>
<b>Item #10721</b>	3 Gallons	1"	<b>\$78.30/EA</b>
<b>Item #10821</b>	5 Gallons	1"	<b>\$79.25/EA</b>

## Type II Steel Safety Can For Diesel w/ Metal Hose

- Safe-Squeeze® trigger provides you the means to regulate the flow rate when handling flammable liquids
- Fill port with ergonomic lift lever
- Flexible 9" long metal hose spout helps control the pour
- Made from high-grade coated steel, each can is pressure tested to ensure quality
- The tough powder-coat finish resists chemicals and stands up to demands of rigorous use
- Stainless steel flame arrester dissipates heat to stop flashback ignition
- Sealed lid features automatic positive-pressure relief that vents between 3 and 5 psig to protect against explosion
- Large label ID zone provides writing space to identify contents, department location, or individual user name
- Extra capacity for adding two-cycle engine oil or other additives
- Ergonomic lift lever opens the self-closing spout wide for easy filling



<b>Item #10832</b>	5 Gallon Can	<b>\$85.35/EA</b>
--------------------	--------------	-------------------

## Replacement Flex Hose

<b>Item #11077</b>	9" x 1"	<b>\$20.45/EA</b>
<b>Item #11078</b>	9" x 5/8"	<b>\$22.85/EA</b>

## Replacement Flex Hose

<b>Item #11077</b>	9" x 1"	<b>\$20.45/EA</b>
<b>Item #11078</b>	9" x 5/8"	<b>\$22.85/EA</b>

## Greenlee Storage Units



### Heavy-Duty Slant Top Storage Box

- Large capacity storage with traditional slant-top design
- Features recessed and concealed lock protectors that provide maximum security against drilling and cutting locks
- Channel reinforcements on lid, lock side panels into lid for added security when closed
- Hinged lower shelf enables storage of larger items
- Angled 3½" high support skids feature threaded holes for easy caster installation
- Angled handle recess prevents pinch points
- Patented, ergonomically designed fold-down recessed handles
- Recommended #1 and #5 Masterlock® padlocks or equivalent
- Casters available for increased mobility
- All casters sold separately
- 314 lbs total weight
- 34 cubic feet capacity

**Item #3648** 36" x 30" x 34" **\$1,190.70/EA**

### Storage Chests

- Mobile tool storage chests are ideal for any application that requires frequent transporting
- Provides storage for both large and small items
- Larger items can be placed in the bottom
- Storage for smaller items is available in a storage tray

**Item #1332** 32" x 14" x 19" **\$473.95/EA**

**Item #2448** 24" x 48" x 24" **\$585.90/EA**

**Item #3048** 30" x 48" x 48" **\$769.00/EA**

### Storage Chest

- Recessed and concealed lock protectors for maximum security against drilling and cutting lock
- Enhanced lid bolster provides added support and durability
- Finger-groove lid handle for easy opening
- Convenient storage tray on back wall for small items
- Steel support arms to hold lid in open position
- Heavy-duty piano hinges with non-removable pin
- Patented, ergonomically designed fold-down recessed handles

**Item #2460** 60" x 25" x 24" **\$741.75/EA**

### Heavy-Duty Utility Cabinets

- Recessed and concealed lock protectors for maximum security against drilling and cutting lock
- Flush mount doors with finger groove door handles
- Front door storage and large lower storage for bigger items
- Ergonomically designed fold-down recessed handles
- Weather resistant
- Three angled 3-1/2" high support skids feature threaded holes for easy caster installation
- All casters are sold separately, available for increased mobility
- Recommended #1 and #5 Masterlock® padlocks or equivalent

#### Specs for #5660L

- 389 lbs total weight
- 46 cubic feet capacity
- 60" L x 24" W x 56" H

#### Specs for #5660LH

- 375 lbs total weight
- 46 cubic feet capacity
- 56" L x 24" W x 60" H
- Has open storage for shovels, picks, brooms and other long handled tools

**Item #5660L** 60" x 24" x 56" **\$1,786.05/EA**

**Item #5660LH** 56" x 24" x 60" **\$1,914.10/EA**



### Heavy-Duty Flat Top Storage Boxes


- Heavy-duty, industrial grade
- Flat-top design provides more storage capacity for tall, bulky items, plus a large work surface for jobsite plans
- Recessed and concealed lock protectors for maximum security against drilling and cutting locks
- Angled 3-1/2" high support skids feature threaded holes for easy caster installation
- Lock side panels into lid for added security when closed
- Double hinge cover folds up and out of the way
- Channel reinforcements on lid
- Patented, ergonomically designed fold-down recessed handles
- Recommended #1 and #5 Masterlock® padlocks or equivalent
- Casters available for increased mobility
- All casters sold separately
- 256 lbs total weight
- 34.5 cubic feet capacity
- 33" L x 60" W x 30" H

**Item #3360GR** **\$1,256.85/EA**

## MICROCHEM by AlphaTec 1500 Coveralls

- High quality three layer breathable SMS fabric which helps to reduce the risk of heat stress
- Proven protection from airborne and solid particulates, limited protection against liquid spray
- Coveralls are proven to filter 100% of particles larger than 3 microns
- Its three thread overlocking serged seams offer an excellent balance of a strong seam with a good particle barrier
- Two way front zipper with stormflap
- Ideal for applications such as general maintenance, manufacturing, insulation laying, and asbestos abatement
- 3 piece respirator fit hood (MG1528 and MG1514 only)
- Elastic wrists and ankles (EWA)
- 25 per case

### Serged Seams



**MICROCHEM**  
by AlphaTec™


<b>Item #MG1517(size)</b>	MD-XL	EWA	<b>\$74.50/CS</b>
<b>Item #MG1528(size)</b>	LG-XL	EWA, Hood	<b>\$85.30/CS</b>
<b>Item #MG1514(size)</b>	MD-XL	EWA, Hood, Boots	<b>\$96.25/CS</b>

Available at additional cost 2XL-5XL

## MICROCHEM by AlphaTec 2000 Coveralls

- Great to wear for applications such as paint spraying, pharmaceuticals, mining, pesticides
- These coveralls offer exceptional particle and liquid spray protection
- Features elasticated waist, wrists, and ankles, finger loops, a two way front zipper closure with a resealable stormflap
- Optimized body fit improves wearer comfort and safety
- Tested according to ASTM 1671 for resistance to penetration of blood and bloodborne pathogens
- 3 piece respirator fit hood (MG2028 and MG2014 only)
- Low linting
- Anti-static treated
- Bound seams
- 25 per case

### Bound Seams



**MICROCHEM**  
by AlphaTec™

<b>Item #MG2012(size)</b>	LG-XL	EWA	<b>\$112.10/CS</b>
<b>Item #MG2028(size)</b>	MD-XL	EWA, Hood	<b>\$121.00/CS</b>
<b>Item #MG2014(size)</b>	LG-XL	EWA, Hood, Boots	<b>\$129.50/CS</b>

Available at additional cost 2XL-5XL

## Sol-Vex® 13" Flock Lined Nitrile Gloves

- High performance nitrile compound provides an outstanding combination of chemical resistance and strength
- Offers superior snag, puncture and abrasion protection over rubber or neoprene gloves
- Suitable for heavy-duty cleaning applications
- High levels of flexibility, comfort and dexterity
- Won't swell, weaken or degrade, and does not promote contact dermatitis
- Comply with FDA food handling requirements (21 CFR 177.2600)
- Sold by the pair

**Ansell**



**Item #37175(size)ANS** 6-11 **\$2.05/PR**

## AlphaTec® AquaDri® Nitrile Foam Gloves

- Two-layer construction keeps hands dryer for longer and greater comfort and performance
- An inner soft foam coating with proprietary AquaDri® technology offers unrivaled moisture absorption
- Nitrile film gives advanced chemical protection
- The reversed-lozenge finish provides improved grip in wet and dry conditions
- Offers superior snag, puncture and abrasion protection compared to rubber or neoprene
- A foldable cuff gutter prevents dripping on the forearm



**Ansell**



**Item #58330(size)** MD-XL **\$3.75/PR** • ANSI Abrasion rating 5



#76008A



#5400



#76008AW



#550030



#770030

#BP1002



**North 7600/5400 Full Face Series & 7700/5500 Half Face Series Respirators**

- 7600 full face and 7700 half face respirators are made of 100% silicone which offers better fit, comfort
- 5400 full face and 5500 half face respirators are made of TPE material which reduces the using costs without sacrificing any protection ability
- Keeping most of the features of the 7000 Series, these economical 5000 Series masks also conform to NIOSH standard
- 7600 and 5400 masks can also be used with PAPR or supplied air respirators to fit different using environments
- Specially designed oral/nasal cup lessens "dead space", reduces fogging, avoid re-breathing in of exhaled CO2 and reduce the working fatigue of wearers
- 7600 series also offers a speaking diaphragm to amplify voices and make communication easier
- Dual facial seal design offers better seal on the face and satisfy various demands of different facial types
- Center-fixing harness on the head enhances the stability which can provide perfect seal even during vigorous exercises
- Full face masks provide a 200° filed of vision to avoid any visual obstacles during climbing or descending
- Polycarbonate lens meets ANSI standard for high impact so the users do not have to wear extra glasses
- \*Cartridges and filters sold separately

**North 7600 Series Full Face Mask**

Item#76008A Standard **\$211.75/EA**  
 Item#76008ASM Small **\$211.75/EA**

**North 5400 Series Full Face Mask**

Item#5400ML Standard **\$115.60/EA**  
 Item#5400SM Small **\$115.60/EA**

**North 7700 & 5500 Half Face Series Respirators**

Item #770030(size) SM-LG **\$26.60/EA**  
 Item #550030(size) SM-LG **\$12.75/EA**

**North Full Face Welding Respirator**

- Welding shield is made of a FR thermoplastic material
- Locking hinge window gives a wide angle view
- 2" x 4" filter plates and protective lens sold separately

Item #76008AW 7600 Mask w/ Weld Kit **\$288.00/EA**  
 Item#8405 Weld Kit for 5400 Full Face Mask **\$152.50/EA**

**North Backpack Adapter**

Item #BP1002 Fits Full & Half Face Masks **\$88.00/EA**

**North Full Face Replacement Windows**







Item #80836A 15 per pack **\$22.50/PK**

## N Series Gas and Vapor Cartridges

**Honeywell**

**NORTH**

OSHA's Standard for Respiratory Protection, 29 CFR 1910.134, requires Employers to implement a change schedule for all vapor and gas cartridges when there isn't an end-of-service life indicator on the cartridge. This schedule must be site specific and take into consideration worksite humidity, worker breathing rate as well as contaminant concentrations.







	<b>Organic Vapor Cartridge</b>	Protects against certain Organic Vapors	<b>#75001</b> <b>\$9.80/PR</b>
	<b>Acid Gas Cartridge</b>	Acid Gases, AG (chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride and chlorine dioxide) and formaldehyde cartridge	<b>#75002</b> <b>\$10.80/PR</b>
	<b>Organic Vapor / Acid Gas Cartridge</b>	Organic Vapors/ Acid Gases OV/AG (chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride and chlorine dioxide)	<b>#75003</b> <b>\$10.00/PR</b>
	<b>Ammonia / Methylamine Cartridge</b>	Protects against Ammonia / Methylamine	<b>#75004</b> <b>\$10.40/PR</b>
	<b>Defender™ Multi-Purpose Cartridge</b>	Organic vapors, ammonia, methylamine, formaldehyde and acid gases (chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide [escape], hydrogen fluoride and chlorine dioxide)	<b>#75SC</b> <b>\$10.00/PR</b>
	<b>Mercury Vapor and Chlorine Cartridge</b>	Mercury vapor and chlorine cartridge Includes end of service life indicator (ESLI)	<b>#750052</b> <b>\$31.50/PR</b>

## Combination Gas and Vapor Cartridges with P100 Particulate Filters

**Honeywell**

**NORTH**

Gas and Vapor Cartridges with a P100 Particulate Filter, 99.97% filter efficiency for all particulates. OSHA's Standard for Respiratory Protection, 29 CFR 1910.134, requires Employers to implement a change schedule for all vapor and gas cartridges when there isn't an end-of-service life indicator on the cartridge. This schedule must be site specific and take into consideration worksite humidity, worker breathing rate as well as contaminant concentrations.

	<b>Organic Vapor Cartridge</b>	Protects against certain Organic Vapors	<b>#750081</b> <b>\$20.30/PR</b>
	<b>Acid Gas Cartridge</b>	Acid Gases, AG (chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride and chlorine dioxide) and formaldehyde cartridge	<b>#750082</b> <b>\$21.50/PR</b>
	<b>Organic Vapor / Acid Gas Cartridge</b>	Organic Vapors/ Acid Gases OV/AG (chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride and chlorine dioxide)	<b>#750083</b> <b>\$20.30/PR</b>
	<b>Ammonia / Methylamine Cartridge</b>	Protects against Ammonia / Methylamine	<b>#750084</b> <b>\$21.50/PR</b>
	<b>Defender™ Multi-Purpose Cartridge</b>	Organic vapors, ammonia, methylamine, formaldehyde and acid gases (chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide [escape], hydrogen fluoride and chlorine dioxide)	<b>#75SCP100</b> <b>\$21.50/PR</b>
	<b>Mercury Vapor and Chlorine Cartridge</b>	Mercury vapor and chlorine cartridge Includes end of service life indicator (ESLI)	<b>#75852P100</b> <b>\$51.50/PR</b>

## P100 Particulate Filter

- North P100 Particulate Filter (99.97% minimum filter efficiency) for all particulates

**Item #75008 \$7.80/PR**

## Filter Retainer

- North Safety Seal Check and Filter retainer
- Can be used with just 7506 series filters or when adding filters to 75 series cartridges

**Item #750027 \$3.70/PR**

## Honeywell

**NORTH**



**#75008**



**#750027**

## Low Profile P100 Filters

Low Profile (Pancake) Particulate Filter (99.97% minimum filter efficiency) for all particulates.

- Filter available with odor relief from nuisance levels of organic vapors, acid gases & ozone
- NIOSH approved
- Adapter for assembly of Low Profile (Pancake) P100 Filters to gas and vapor cartridges, (except Defender™ Cartridge)

**Item #75FFP100**

**Item #75FFP100NL**

**Item #N750035**

Low Profile Filter

Filter w/ Odor Relief

Low Profile Adapter

## Honeywell

**NORTH**



**#75FFP100**  
**#75FFP100NL**



**#N750035**

**\$6.10/PR**

**\$9.10/PR**

**\$13.00/PR**

## 3M™ 6000 Series Full Facepiece Respirator

When used with approved 3M Cartridges and Filters, helps provide respiratory protection from a variety of gases, vapors and particulate hazards at concentrations up to 10 times the Permissible Exposure Limit (PEL). Quantitative Fit Test provides 50 APF with this product.

- Unique center adapter to direct exhaled breath and moisture downward and helps reduce debris in the valve
- Large lens
- 3M Cool Flow Valve
- Silicone face seal
- Use with 3M 6000 Series Cartridges
- 3M 2000, 2200, 7000 or 5000 Series Filters
- 3M Dual Airline Systems
- Protects against a variety of gases, vapors and particulate hazards according to NIOSH approvals
- Not for use in environments that are immediately dangerous to life or health (IDLH)



<b>Item #6700SM</b>	Small	<b>\$132.75/EA</b>
<b>Item #6800MD</b>	Medium	<b>\$132.75/EA</b>
<b>Item #6900LG</b>	Large	<b>\$132.75/EA</b>

## 3M™ Rugged Comfort 6500 Series Half Facepiece Reusable Respirator

- 3M rugged comfort 6500 series half facepiece reusable respirator
- Silicone face seal provides comfort and stability with a soft but firm face seal
- Keeps its shape in high-heat environments
- Cool flow valve allows for enhanced comfort by reducing heat and moisture
- Easier breathing with unique valve design
- Adjustable head harness assembly
- Not for use in environments that are immediately dangerous to life or health (IDLH)
- Compatible with all bayonet style 3M cartridges, filters and welding/grinding shields



<b>Item #6501SM</b>	Small	<b>\$18.75/EA</b>
<b>Item #6502MD</b>	Medium	<b>\$18.75/EA</b>
<b>Item #6503LG</b>	Large	<b>\$18.75/EA</b>

## 3M™ 6000 Series Half Facepiece Reusable Respirator

When properly fitted and used with approved 3M Cartridges and Filters, helps provide respiratory protection from a variety of gases, vapors and particulate hazards at concentrations up to 10 times the Permissible Exposure Limit (PEL).

- Use with 3M 6000 Series Cartridges
- 3M 2000, 2200, 7000 or 5000 Series Filters
- 3M Dual Airline Systems
- Protects against a variety of gases, vapors and particulate hazards according to NIOSH approvals
- Comes with reclosable storage bag
- Not for use in environments that are immediately dangerous to life or health (IDLH)



<b>Item #6200(size)</b>	SM - LG	<b>\$12.55/EA</b>
-------------------------	---------	-------------------

## Deluxe Reusable 7500 Series Half Mask

When properly fitted and used with approved 3M Cartridges and Filters, helps provide respiratory protection from a variety of gases, vapors and particulate hazards at concentrations up to 10 times the Permissible Exposure Limit (PEL).

- Easy breathing, comfortable and durable respiratory protection
- Made with advanced silicone material
- 3M Cool Flow Valve
- Dual-mode head harness
- Solid exhalation valve cover
- Not for use in environments that are immediately dangerous to life or health (IDLH)



<b>Item #7501</b>	Small	<b>\$25.75/EA</b>
<b>Item #7502</b>	Medium	<b>\$25.75/EA</b>
<b>Item #7503</b>	Large	<b>\$25.75/EA</b>

## 3M™ Rugged Comfort Half Facepiece Reusable Respirator w/ Quick Latch

When properly fitted and used with approved 3M Cartridges and Filters, helps provide respiratory protection from a variety of gases, vapors and particulate hazards at concentrations up to 10 times the Permissible Exposure Limit (PEL).

- Proprietary quick latch design
- One-hand touch drop-down mechanism
- Putting the facepiece on and/off is made easy
- Great while moving in and out of contaminated areas



<b>Item #6501QLSM</b>	Small	<b>\$21.75/EA</b>
<b>Item #6502QLMD</b>	Medium	<b>\$21.75/EA</b>
<b>Item #6503QLLG</b>	Large	<b>\$21.75/EA</b>

## 3M™ 6000 Series Cartridges

### Organic Vapor

**#6001**  
**\$11.90/PR**



### Acid Gas

**#6002**  
**\$13.20/PR**



### Organic Vapor/ Acid Gas

**#6003**  
**\$11.90/PR**



### Ammonia / Methylamine

**#6004**  
**\$13.20/PR**



### Multi-Gas Vapor

**#6006**  
**\$11.90/PR**



### Mercury Vapor

**#6009**  
**\$13.20/PR**











## 3M™ 6000 Series Cartridges









Used with 3M facepieces 6000 or 7000 series with bayonet cartridge holders. Designed to protect against a variety of gases, vapors, and particulate hazards according to NIOSH approvals. When properly fitted, cartridges and filters help provide protection from most chemical contaminants. 60 per case.

	<b>Organic Vapor Cartridge</b>	Protects Against Certain Organic Vapors	<b>#6001</b> <b>\$11.90/PR</b>
	<b>Acid Gas Cartridge</b>	Acid Gases, AG (Chlorine, Hydrogen Chloride, and Sulfur Dioxide or Chlorine Dioxide or Hydrogen Sulfide)	<b>#6002</b> <b>\$13.20/PR</b>
	<b>Organic Vapor/Acid Gas Cartridge</b>	Certain Organic Vapors, Chlorine, Hydrogen Chloride, and Sulfur Dioxide or Hydrogen Sulfide or Hydrogen Fluoride	<b>#6003</b> <b>\$13.20/PR</b>
	<b>Ammonia/Methylamine Cartridge</b>	Protects against Ammonia / Methylamine	<b>#6004</b> <b>\$13.80/PR</b>
	<b>Multi-Gas Vapor Cartridge</b>	Certain Organic Vapors, Chlorine, Hydrogen Chloride, Chlorine Dioxide, Sulfur Dioxide, Hydrogen Sulfide, Ammonia/Methylamine, Formaldehyde <sup>1</sup> or Hydrogen Fluoride	<b>#6006</b> <b>\$13.50/PR</b>
	<b>Mercury Vapor Cartridge</b>	Mercury Vapor, Chlorine and Sulfur Dioxide	<b>#6009</b> <b>\$28.00/PR</b>

## 3M™ Gas and Vapor Cartridges with P100 Particulate Filters






3M 6000 Series P100 Cartridges. Recommended for respiratory protection against organic gas and vapors and various particulates. With the P100 particulate filter is 99.97% efficient against solid and liquid particles, including oil-based particles. Sold by the each, 2 per pack. 30 packs per

	<b>Organic Vapor Cartridge</b>	Protects Against Certain Organic Vapors	<b>#60921</b> <b>\$25.50/PR</b>
	<b>Acid Gas Cartridge</b>	Protects against Acid Gases, AG (chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride and chlorine dioxide) and formaldehyde cartridge	<b>#60922</b> <b>\$27.80/PR</b>
	<b>Organic Vapor / Acid Gas Cartridge</b>	Protects against organic vapors and acid gases (OV/AG) (chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride and chlorine dioxide)	<b>#60923</b> <b>\$26.00/PR</b>
	<b>Ammonia/ Methylamine Cartridge</b>	Protects against Ammonia / Methylamine	<b>#60924</b> <b>\$27.80/PR</b>
	<b>Multi-Gas Vapor Cartridge</b>	Protects against Organic vapors, ammonia, methylamine, formaldehyde and acid gases (chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide [escape], hydrogen fluoride and chlorine dioxide)	<b>#60926</b> <b>\$27.00/PR</b>
	<b>Mercury Vapor Cartridge</b>	Protects against Mercury Vapor, Chlorine and Sulfur Dioxide Includes end of service life indicator (ESLI)	<b>#60929</b> <b>\$39.00/PR</b>

## 3M™ P100 Thin HEPA Filters

3M P100 Thin Hepa Filters. NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M respirators/facepieces.






	<b>P100 Filter</b>	<b>#2040</b> <b>\$8.80/PR</b>
	<b>P100 Filter with Nuisance level AG*</b>	<b>#5N11</b> <b>\$3.20/PR</b>
	<b>P100 Filter with Nuisance level OV*</b>	<b>#5013M</b> <b>\$4.40/PR</b>

\* Nuisance level refers to concentrations not exceeding the OSHA PEL or applicable government occupational exposure limits, whichever is lower. (OV - Organic Vapor, AG - Acid Gas)

## 3M™ P100 and N95 Particulate Filters

P100 filters, NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M Respirators 5000 Series or 3M Cartridges 6000 Series with 3M Adapter 502, or 3M Facepieces 6000 Series.

N95 5000 series dust, mist, paint prefilter. NIOSH approved for environments containing certain non-oil based particles.

	<b>P100 Filter</b>	<b>#7093</b> <b>\$7.80/PR</b>
	<b>N95 Filter</b>	<b>#5N11</b> <b>\$3.20/PR</b>
	<b>Prefilter Retainer (For use with #5N11)</b>	<b>#5013M</b> <b>\$4.40/PR</b>

**3M™ Versaflo™ TR-600 Easy Clean PAPR Kit**

Ready-to-use kits offer a simple way to purchase a complete powered air system that includes everything you need to get started. For environments where it is critical for the system to be easily cleaned.

- S-433L Hood with Integrated Head Suspension
- TR-602N PAPR Unit
- TR-630 Standard Battery
- BT-30 Length Adjusting Breathing Tube
- TR-627 Easy Clean Belt
- TR-6710N High Efficiency Filter
- TR-6700 Filter Cover
- TR-641N Single Station Battery Charger Kit
- BT-922 Breathing Tube Cover
- TR-971 Airflow Indicator
- (2) TR-6600 Prefilter
- (2) TR-662 Spark Arrestor
- Order additional 3M Versaflo filters and accessories separately



**3M**

**Item #TR600ECK \$1,423.55/EA**

**3M™ Versaflo™ TR-600 Heavy Industry PAPR Kit**

Ready-to-use kits offer a simple way to purchase a complete powered air system that includes everything you need to get started. For rugged operations such as industrial, demolition, grinding, metal finishing and casting, the Heavy Industry.

- M-307 Respiratory Hard Hat Assembly
- Premium Visor and Face Seal
- TR-602N PAPR Unit
- TR-632 High Capacity Battery
- BT-30 Length Adjusting Breathing Tube
- TR-626 High Durability Belt
- TR-6530N OV/AG/HE Cartridge
- TR-6500 Filter Cover
- TR-641N Single Station Battery Charger Kit
- TR-971 Airflow Indicator
- BT-926 High Temperature Breathing Tube Cover
- (2) TR-6600 Prefilter
- (2)TR-662 Spark Arrestor
- 1 kit per case



**3M**

**Item #TR600HIK \$1,932.70/EA**

**Acid Gas/HE Cartridge**

- May be suitable for operations where the primary hazard is particulate or certain acid gases
- Mold remediation, acid cleaning, or plating operations
- NIOSH Approved
- 5 per case



**Item #TR6320N \$104.50/EA**

**Formaldehyde HEPA Cartridge**

- May be suitable for operations where the primary hazard is particulate and/or formaldehyde gas
- Preservative operations where formalin is handled
- NIOSH Approved
- 5 per case



**Item #TR6350N \$110.85/EA**

**Ammonia/Methylamine HEPA Cartridge**

- May be suitable for operations where the primary hazard is particulate and/or ammonia or methylamine gas
- Refrigeration, pharmaceutical synthesis or fertilizer manufacturing operations
- NIOSH Approved
- 5 per case



**Item #TR6360N \$126.70/EA**

**Organic Vapor HEPA Cartridge**

- May be suitable for operations where the primary hazard is particulate and/or certain organic vapors or gases
- Pharmaceutical manufacturing or painting operations
- NIOSH Approved
- 5 per case



**Item #TR6510N \$101.35/EA**

**Organic Vapor/Acid Gas HEPA Cartridge**

- May be suitable for operations where the primary hazard is particulate and/or certain organic vapors or acid gases
- Pharmaceutical manufacturing or mold remediation
- NIOSH Approved
- 5 per case



**Item #TR6530N \$101.35/EA**

**Versaflo™ Prefilter**

- The TR-6600 prefilter can extend the service life of the particulate (HE) element of TR-600 series filters and cartridges by capturing large particles that may otherwise clog the HE filter
- Frequent prefilter changeout may help optimize PAPR system performance
- NIOSH approved
- 50 per case



**Item #TR6600 \$7.50/EA**

**3M™ Versaflo™ TR-300 Easy Clean PAPR Kit**

- Complete, ready to use High Efficiency PAPR system
- Easy to clean and maintain
- Designed for optimal user ability and provides reliable protection
- Easy-to-use one button operation
- 2 built-in alarms to notify you when either the battery or airflow is low
- Air inlet design will not compromise the airflow intake
- LED lights on battery indicate charge status
- Battery and filter can be changed quickly and easily by hand
- S655 hood
- TR307N PAPR with easy clean belt
- TR3710N filter and prefilter
- BT30 breathing tube
- Battery charger



**Item #TR300ECK \$1,217.40/EA**

**3M™ Versaflo™ TR-300 Heavy Industry PAPR Kit**

- Easy to use, versatile PAPR (Powered Air Purifying Respirator) system for particulate environments
- Compact, well balanced and slim design
- Includes M307 respiratory hard hat
- TR306N PAPR with high durability leather belt
- BT40 heavy duty breathing tube
- Battery charger
- TR3710N filter
- TR362 spark arrestor
- Prefilter included as part of (TR306N)
- ANSI Z89, Type 1, Class 6 approved



**Item #TR300HIK \$1,610.45/EA**

**3M™ Versaflo™ Healthcare PAPR Kit**

- A complete, ready to use High Efficiency PAPR
- Suggested industries include healthcare and pharmaceutical manufacturing
- TR-307N PAPR Assembly (including battery, vinyl belt, charger, and filter)
- Headcover, available in: Small/Medium (#TR300HKS) Medium/Large (#TR300HKL)
- BT-30 Breathing Tube
- BT-922 Breathing Tube Cover
- Carrying/storage bag



**Item #TR300HKS SM/MD \$1,217.40/EA**  
**Item #TR300HKL MD/LG \$1,217.40/EA**

**3M™ High Efficiency Filter for Versaflo™ TR-300 PAPR**



- For use with TR-300 Series PAPRs
- Compatible with both filter covers
- Convenient package size
- Easy to install

**Item #TR3712N40 40/Case \$1,782.00/CS**  
**Item #TR3710N5 5/Case \$38.80/EA**

**3M™ Prefilter for Versaflo™ TR-300 PAPR**



When installed inside the filter cover of a TR-300 PAPR, the TR-3600 prefilter can extend the life of the HE filter by capturing large particles that would otherwise clog the HE filter. 2/case.

**Item #TR3600 \$204.80/CS**



**3M**

**3M™ Full-Face Respirator with DIN Port Adapter**

- 3M provides reliable convenient and versatile respiratory protection
- Respirator includes DIN Port Adapter, which allows use to utilize 3M PAPR or Supplied Air Systems
- When not using DIN port, simply plug up and use as an air purifying respirator with approved 3M 6000 Series cartridges and filters

**Item #6700DIN** SM **\$204.75/EA**  
**Item #6800DIN** MD **\$204.75/EA**  
**Item #6900DIN** LG **\$204.75/EA**

**3M™ Versaflo™ S-Series Premium Hoods**

Provides head, face, neck and shoulder coverage. Features a premium head suspension. Approved for use with certain 3M™ powered and supplied air respirators. Two types available, #S655 and #S657.



**3M**

- #S655 with inner collar. Equipped with a knit inner collar for respiratory seal. Made of general purpose fabric.
- #S657 with inner shroud. Equipped with a double shroud design for respiratory seal.

**Item #S655** Inner Collar **\$77.45/EA**  
**Item #S657** Double Shroud **\$80.85/EA**

**3M™ GVP PAPR Assembly**

- 3M GVP Series Powered Air Purifying Respirator (PAPR) motor blower system
- Compact size and low profile design
- Keeps unit close to the hip and distributes weight evenly
- Includes motor blower, battery, charger, belt, flow indicator, power cord and plugs
- Choose hood, hard hat, face piece, hose and filters to complete NIOSH approval system
- NiCad battery provides up to 8 hours of use
- Unit shown is intrinsically safe - Class1 Div1

**Item #GVP1** **\$845.00/EA**



**3M**

**3M**



**3M™ Versaflo™ Breathing Tubes**

The 3M™ Versaflo™ Powered Air Purifying Respirator (PAPR) breathing tubes connect to any Versaflo Headtop and any Versaflo air source.

**Item #BT20S** 28" (Standard) **\$49.55**  
**Item #BT20L** 38" (Standard) **\$49.55**  
**Item #BT30** 33" (Standard) **\$65.70**  
**Item #BT40** 33" (Heavy Duty) **\$116.35**

**3M GVP PAPR Cartridges**

**Organic Vapor**  
**#GVP401** **\$62.50/EA**



**Acid Gas**  
**#GVP402** **\$60.00/EA**



**HEPA**  
**#GVP440** **\$41.00/EA**



**Organic Vapor HEPA**  
**#GVP441** **\$89.75/EA**




**Organic Vapor/Acid Gas**  
**#GVP403** **\$60.00/EA**



**Ammonia**  
**#GVP404** **\$72.50/EA**



**Ammonia, HEPA**  
**#GVP444** **\$121.60/EA**



**Acid Gas, HEPA**  
**#GVP442** **\$91.00/EA**





**3M**

**Powerflow Face Mounted PAPR**

- Lightweight Powered Air Purifying Respirator
- Uses a single high efficiency filter for protection against dusts, mists, fumes and radionuclides
- Ideal for lead, asbestos and other hazardous particulates
- Complete system includes the popular 6000 Series full facepiece, motor blower unit, battery pack, flow meter and (SP3) high efficiency filter
- Powerflow System delivers a minimum of 4 cfm when used with the filter
- Face shield meets impact and penetration requirements of ANSI Z87.1-2003

**Item #6700PF** *Small* **\$575.00/EA**  
**Item #6800PF** *Medium* **\$575.00/EA**  
**Item #6900PF** *Large* **\$575.00/EA**



**3M**

**Powerflow HEPA Filter**

- Protection against high efficiency particulates

**Item #SP3** **\$11.60/EA**

**BP17IS Battery**

- Intrinsically safe, rechargeable NiCad battery pack - NIOSH approved with A, AE, E, K, P3, SP3 cartridges only



**Item #5200117R01** **\$290.00/EA**

**3M Battery Charger**

- Used on the battery (#5200117R01) or (#BP17IS) on the 3M Powerflow and 3M Breathe Easy Systems



**Item #5210143R01** **\$56.75/EA**



**3M**

**3M™ Air-Mate™ Light Duty Breathing Tube**

- Replacement light duty breathing tube assembly
- Use with 3M™ Air-Mate™ PAPR

**Item #BE224** **\$42.50/EA**



#BE224

**3M™ PAPR Hood**

- Tychem QC • White • 3 per pack

**Item #BE103** **\$118.00/PK**



#BE103

**3M™ Air-Mate™ Filter**

- Particulate filter helps provide high efficiency respiratory protection against dust, mist, fumes, asbestos, radionuclides and radon daughters
- NIOSH approved
- Filter should be used with 3M™ Air-Mate™ PAPR systems

**Item #4510201R01** **\$39.75/EA**



#4510201R01

**3M Smart Battery Chargers**

- Allows the battery to be charged outside of the PAPR Unit
- Automatically switches over to trickle rate mode to prevent overcharging
- #5200372 can fully charge up to 5 discharged batteries in approximately 8 hours
- #5200161 can fully charge up to 10 discharged batteries in approximately 8 hours

**Item #5200373** *1 Unit Charger* **\$215.00/EA**  
**Item #5200372** *5 Unit Charger* **\$980.00/EA**



#5200373



#5200372

**3M**

**MSA Advantage 3100 OptimAir® MM2K PAPR**



The OptimAir MM 2K Powered Air-Purifying Respirator (PAPR) is especially suited for use by workers in abatement, nuclear, lead, and other industries that have hazardous particulate environments.

- Lightweight, compact design
- Rechargeable Nickel Metal Hydride (NiMH) battery for 8 hours of continuous use
- Water-resistant battery
- Standard dual-rate smart charger
- Designed for easy decontamination
- Water-resistant HEPA filter
- Please order filter (#10042346) separately



<b>Item #10034152</b>	<i>Small</i>	<b>\$555.00/EA</b>
<b>Item #10034150</b>	<i>Medium</i>	<b>\$555.00/EA</b>
<b>Item #10034151</b>	<i>Large</i>	<b>\$555.00/EA</b>

**MSA OptimAir® Mask-Mounted PAPR w/ Advantage® 3100 Mask**

- The OptimAir® MM2K powered air-purifying respirator (PAPR) is precision-crafted to offer long life, high performance, and low maintenance
- Uses a rechargeable NiMH battery for 8 hours of continuous use
- Compact, easy-to-decontaminate model
- Dual-rate smart charger fully powers a discharged battery in less than three hours
- Water-resistant HEPA filter helps protect against particulate contaminants
- Light blower attaches to the facepiece
- Type HE Optifilter® Cartridges remove particulates



<b>Item #10095181</b>	<i>Small</i>	<b>\$745.00/EA</b>
<b>Item #10095182</b>	<i>Medium</i>	<b>\$745.00/EA</b>
<b>Item #10095183</b>	<i>Large</i>	<b>\$745.00/EA</b>

**MSA OptimAir® MM2K Repl. Parts**

*The Safety Company*

**MSA OptimAir® PAPR High Efficiency Optifilter® Cartridge Filter**

**Item #10042346 \$10.75/EA**



**MSA OptimAir® MM2K PAPR Battery Pack**

**Item #10023481 \$240.00/EA**



**MSA OptimAir® MM2K PAPR Cable Assembly**

**Item #10023480 \$92.00/EA**



**MSA OptimAir® MM2K PAPR Motor/Blower w/o Cable**

**Item #10023482 \$195.00/EA**



**MSA OptimAir® MM2K PAPR Charger, Dual-Rate**

**Item #10023483 \$127.00/EA**



**MSA OptimAir® Replacement Parts**

*The Safety Company*

**MSA OptimAir® PAPR High Efficiency Optifilter® Cartridge Filter**

**Item #10042346 \$10.75/EA**



**MSA OptimAir® Mask-Mounted PAPR Battery Pack Assembly, Packaged**

**Item #10095162 \$280.00/EA**



**MSA OptimAir® Mask-Mounted PAPR Motor/Blower Assembly**

**Item #10095163 \$220.00/EA**



**MSA OptimAir® Mask-Mounted PAPR Cable Assembly, Packaged**

**Item #10095164 \$94.00/EA**



**MSA OptimAir® Mask-Mounted PAPR Charger, Packaged**

**Item #10095165 \$140.00/EA**



## 3M Fit Test Hoods

- Designed to be used with 3M Qualitative Fit Test Apparatus FT-10 and FT-30
- Use also with 3M Training and Fit Testing Case FT-20 as the test environment for sweet and bitter solution



**Item #FT14** 2 Hoods per Pack

**\$42.50/PK**

## 3M Bitrex Sensitivity and Fit Test Solution

### 3M Bitrex Sensitivity Fit Test Solution (55 ML Bottle)

- Test the sensitivity of the respirator wearer to a bitter solution
- Use before testing is done with 3M Bitrex Fit Test Solution (#FT32)
- Solution is used with the 3M Qualitative Fit Test Apparatus

### 3M Bitrex Fit Test Solution (55 ML Bottle)

- Indicates a breakthrough in the respirator fit
- Use after testing is done 3M Bitrex Sensitivity Solution (#FT31)
- Used with the 3M Qualitative Fit Test Apparatus



**Item#FT31** Sensitivity Solution

**\$15.75/EA**

**Item#FT32** Fit Test Solution

**\$15.75/EA**

## 3M Sweet Sensitivity and Fit Test Solution

### 3M Sweet Sensitivity Fit Test Solution (55ML Bottle)

- Used to test the sensitivity of the respirator wearer to a saccharin solution
- Used before testing is done with 3M Fit Test Solution (#FT12)
- Replacement part for the 3M Qualitative Fit Test Apparatus FT-10 and 3M Training and Fit Testing Case FT-20

### 3M Sweet Fit Test Solution (55ML Bottle)

- Indicates a breakthrough in the respirator fit
- Used after testing is done with 3M Sweet Fit Test Sensitivity Solution (#FT11)
- Replacement part for the 3M Qualitative Fit Test Apparatus FT-10



**Item#FT11** Sensitivity Solution

**\$15.75/EA**

**Item#FT12** Fit Test Solution

**\$15.75/EA**

## Allegro® Bitrex Fit Test Kit

- Offers qualitative OSHA-compliant fit testing for disposable and reusable dust and mist respirators
- Bitrex creates a bitter taste that indicates break through in the respirator fit
- Bitrex has been found safer than saccharin tests while producing identical results
- Disposable glass ampules

**ALLEGRO®**  
INDUSTRIES



**Item #2041**

**\$150.00/EA**

## Bitrex Sensitivity and Fit Test Solution

### Allegro® Bitrex Sensitivity Solution Ampules, 6/box

- Bitrex creates an unmistakable bitter taste that indicates breakthrough in the respirator fit
- Disposable glass ampules make pouring solution easier and reduce the chance of contamination
- Used before using Allegro Bitrex test Solution (#204112K) in actual test

**ALLEGRO®**  
INDUSTRIES



### Allegro® Bitrex Test Solution Ampules, 6/box

- Test solution reveals whether breakthrough in respirator fit is present
- Use after respirator wearer has been tested with Allegro Bitrex Sensitivity Solution. (#204111K)



**Item#204111K** Sensitivity Solution

**\$12.50/BX**

**Item#204112K** Fit Test Solution

**\$12.50/BX**

## Saccharin Sensitivity and Fit Test Solution

### Allegro® Saccharin Sensitivity Solution

- Glass ampules with a pre-drilled plastic cup for easy pouring
- Used in hood without respirator to establish wearer's ability to detect the solution
- One time use ampules
- 2.5cc of solution (ave. 3-5 fit tests)

**ALLEGRO®**  
INDUSTRIES



### Allegro® Saccharin Fit Test Solution

- Glass ampules with a pre-drilled plastic cup for easy pouring.
- Allows testing of seal quality between the wearer's face and respirator
- One time use ampules
- 2.5cc of solution (ave. 3-5 fit tests)



**Item#204011K** Sensitivity Solution

**\$13.10/BX**

**Item#204012K** Fit Test Solution

**\$13.10/BX**

## Alcohol Free Respirator Wipes

- For use on respirator facepieces where the manufacturer recommends using a non-alcoholic cleaning wipe
- 100 towelettes per box
- Active ingredient is benzalkonium chloride
- Will not harm even the most sensitive rubber facepieces

**Item #3001AF \$12.60/BX**



## Alcohol Free Respirator Wipes

- Alcohol free
- Used to clean 3M elastomeric facepiece respirators
- 8" x 10" towelettes
- Will not damage the facepiece materials
- Individually packaged
- 100 per box
- 5 boxes per case

**Item #5043M \$42.60/BX**



## Arsenal® 5080L SCBA Mask Bag

- 1000D nylon main material
- Drawstring closure with hi-vis loop opening for one-handed operation
- Reflective stripe for better visibility
- Spring loaded steel clasp attaches to gear or belt
- ID window for user identification
- Storm drain ventilation on the bottom of bag
- Brushed polyester fleece lining
- 8.5" x 8.5" x 12"

**Item # 13081 \$25.75/EA**



## Full Mask Storage Bag

- Drawstring closure with added locking device
- Clear plastic window pocket which allows for personal identification
- Cotton outer fabric
- Fleece inside to protect mask
- Easy to store
- Special hook to allow bag to hang when being stored
- Size: 16" x 14", will fit all full facemask respirators

**#2025ALLEGRO \$17.25/EA**



## Smoke Fit Test Kit

DiVal's very own Irritant Smoke Tube Kits are quick, simple, and economical to use for respirator fit testing and airflow indication. The kits contain everything needed to perform multiple fit tests without the cost of extra equipment.

- Each aspiration bulb pump and Gastec irritant smoke tube is pre-calibrated and ready for immediate use
- No special sensitivity test chemical mixtures to prepare in advance

**Item #ASK1 \$46.00/EA**



Kit Contents:

- (1) Smoke tube
- (1) Tube protector
- (1) Tube tip breaker pin
- (1) Aspirator bulb pump
- (1) Carrying case

## Fit Test Banana Oil Ampoules

- Provides a fast, safe and easy method to perform qualitative respirator fit check
- When activated, the ampoules give off a non-irritating odor of banana oil (Iso Amyl Acetate)
- If banana odor is detected by the wearer, the respirator must be adjusted or replaced
- 10 ampoules per box

**Item #ABO10 \$9.60/BX**



## Replacement Smoke Tubes

- Irritant smoke is the only OSHA-accepted qualitative fit testing method that does not rely on the test subjects subjective response
- For use with #ASK1 smoke fit test kit
- Six tubes per box

**Item #501 \$33.60/BX**



## Respirator Storage Bag

- Bag for respirator and equipment
- Made of durable polyester on PVC
- Water resistant
- Heavy duty belt loops for fast access
- Velcro® closure

**Item #RUBF \$9.50/EA**  
Full Face Bag Size: 11.5" x 7.5" x 5.5"  
**Item #RUBH \$7.50/EA**  
Half Face Bag Size: 8.5" x 7.5" x 3.5"





Need help with your required annual Respiratory  
Fit Testing and Employee Training?

Need help with air sampling and reporting?

Why Should You Call DiVal for All Your Safety Training and Compliance Needs?



Call: 1.800.343.1354 ext: 3153 or email: [jtrent@divalsafety.com](mailto:jtrent@divalsafety.com)

- You can put your full trust in a safety company that does “whatever it takes” to keep you safe through safety products, safety training, and safety compliance services
- You can depend on DiVal’s expert Certified NSC Trainers and CIH Technicians to provide you with the highest quality training and support
- Nobody knows safety training and compliance requirements like DiVal
- Call or email Judy Trent in our Training and Compliance Division



## Respiratory Fit Test (Quantitative Method)

- Our Quantitative fit test assesses the adequacy of respirator fit by numerically measuring the amount of leakage into the respirator
- All testing materials are provided by DiVal
- All you need is your full or half face respiratory mask
- Fit test takes approximately 15 minutes to complete
- All fit testing and results are done in accordance with 29 CFR 1910.134

*\*\*Note: must be clean shaven and no smoking for 1 hour before for proper testing\*\**

Item #PCTEST

Call For Pricing

## Respiratory Fit Test (Irritant Smoke Method)

- Our qualitative irritant smoke fit test is a pass, fail fit test
- It assesses the adequacy of a respirator fit by relying on the wearer’s response to the test agent
- All testing materials are provided by DiVal
- All you need is your full or half face respirator mask and two P100 cartridges
- Fit test takes approximately 5 minutes to complete
- All fit testing and results are done in accordance with 29 CFR 1910.134



*\*\*Note: must be clean shaven for proper testing\*\**

Item #SMTEST

Call For Pricing

## Respiratory Fit Test (Qualitative Bitrex Method)

- Our qualitative bitrex fit test is a pass, fail fit test
- It assesses the adequacy of a respirator fit by relying on the wearer’s response to the test agent
- All testing materials are provided by DiVal
- All you need is your full or half face respirator mask and two P100 cartridges
- Fit test takes approximately 5 minutes to complete
- All fit testing and results are done in accordance with 29 CFR 1910.134



*\*\*Note: must be clean shaven for proper testing\*\**

Item #BFTEST

Call For Pricing

## ZIPWALL®

### ZipWall® Spring Loaded Barrier Kit

- Kit includes: Two spring loaded poles, two heads, two plates, and two Grip Disks™
- Plastic sold separately
- Plastic used can be up to 8 mil thick



**Item #SLP2** Extends from 4'7" to 12' **\$119.00/EA**  
**Item #KIT20** Extends from 5'2" to 20' **\$215.00/KT**

### ZipWall® FoamRail Tapeless Seals

- Once a dust barrier with ZipWall® poles is erected, this 4' bar, with its soft, spongy edge is attached to a ZipWall pole and jack and lifted into place pressing the plastic sheeting to the ceiling
- Creates an extremely tight seal without the need for tape




## ZIPWALL®

**Item #FR2** **\$71.00/BX**

### Poly Hangers 1-4

- Hanger 1 slips behind wall molding and is supported by the vertical leg of the molding
- Support poly in front of masonry or paneling by nailing into a joint
- Hanger 2 clips over the horizontal leg of acoustic ceiling wall molding
- Prong makes hanging poly faster and ensures it will stay up during the length of the job
- Hanger 3 supports poly from ceiling grid and other overhead objects
- Poly is installed over the pin and is held in place by a removable retainer
- Supports poly horizontally and vertically
- Hanger 4 includes a 10" releasable cable tie so it can attach to many different components



**#PH1** Slip Behind Wall Molding **\$2.20/EA**  
**#PH2** Clips Over Horizontal Leg of Wall **\$2.30/EA**  
**#PH3PH** Supports Poly from Over Head **\$3.45/EA**  
**#PH4** Includes 10" Releasable Cable Ties **\$3.35/EA**



### Task® Quick Support Rods



- EVA (Ethylene Vinyl Acetate) Foam grip enables better hold on rod under wet working conditions
- Patented built-in push-lock pin system on extension tubes which is proven and secured for safety measures
- Versatile tiltable rubber pads adjust to different applications at home or job sites
- Supports 132 lbs and can be used for more than dust barriers, such as drywall installation, crown moldings, HVAC, and many more applications
- Clamp dust barrier to rod
- Use pins to secure dust barrier to top foot



**Item #T74490** Range 6'9"-13'3" **\$39.70/EA**  
**Item #T74500** Range 5'3" - 10' **\$24.50/EA**  
**Item #T74529** (2) Clamps & (2) Pins **\$2.50/EA**

### ZIPWALL® ZipWall® Adhesive Zipper



- Durable zipper accessory provides easy access in and out of the ZipWall dust barrier (HDAZ2)
- Improved zipper features 2-sided pulls, a very smooth glide action and easy press-on application
- 7' long • 2 per box
- HDAZ2 includes a double-bladed ZipperKnife™ sheeting cutter that prevents jams



**Item #AZ2** **\$16.90/BX**  
**Item #HDAZ2** **\$24.90/BX**

### Zip-Up Quick Support Poles



- Spring loaded telescoping poles with twist lock adjustment
- Top and bottom pads attach on universal swivel mounts
- High strength construction can support up to 80 lbs
- Adjusts from 4½' up to 12' in length
- Patented ratchet action secures pole firmly in place



**Item #QS40** **\$50.00/EA**

### Zip-Up Twin Zipper Door, 2/pk



- The original patented peel and stick Twin Zipper Door makes a dust barrier door in minutes
- Zippers made with heavy duty blue reinforced woven poly backing and special high tack adhesive
- (2) 84" L x 3" W zippers in each box
- Use 1 zipper to make a single opening or 2 zippers to make a roll-up door
- Double pull zipper slider allows door to be opened from both sides



**Item #ZIP73TWB** **\$13.50/PK**

## Surface Shields® Carpet Shield®

- Self-adhering protective film
- Clear film that offers temporary protection for all types of carpeting
- Its non-slip surface is highly resistant to tears and punctures
- Reverse wound for easy un-rolling



<b>Item #CS24200L</b>	24" x 200"	6 lbs	<b>\$49.75/RL</b>
<b>Item #CS36200</b>	36" x 200"	11 lbs	<b>\$75.00/RL</b>
<b>Item #CS24500</b>	24" x 500"	17 lbs	<b>\$142.75/RL</b>
<b>Item #CS36500</b>	36" x 500"	25 lbs	<b>\$168.00/RL</b>

## Surface Shields® Duct Cover Shield

- Self-adhering protective film for HVAC ducts
- Very high adhesion for all types of ductwork
- Will not leave a residue on metal after removal
- Highly resistant to tears and punctures



<b>Item #DCR324200</b>	24" x 200"	3 mil	<b>\$27.30/RL</b>
------------------------	------------	-------	-------------------

## Surface Shields® Window Shield


- Self-adhering protective film for windows and glass
- Protects against over-sprays, mortar stains, stucco residue and more
- No more scraping and cleaning damage to the glass surface
- Saves time, labor and money



<b>Item #W4B24330</b>			<b>\$83.50/RL</b>
-----------------------	--	--	-------------------

## Global Window Film


- Protect windows with global window film
- 21" x 600"
- 45 day UV protection
- Blue



<b>Item #WT15B21600UV</b>			<b>\$27.30/RL</b>
---------------------------	--	--	-------------------

## Surface Shields® Multi Surface Protection Film

- Durable, self-adhering protective film for hard surfaces, such as tile, marble, granite, vinyl, VCT, laminates and factory finished hardwood
- It's not only great for floor protection but it can be used to prevent damage to most counter tops, tubs, sinks, doors and more
- Ideal for remodeling, painting, moving, model home tours and parties, it is a true multi-purpose product



<b>Item #FS36200</b>	36" x 200'	<b>\$79.75/RL</b>
<b>Item #FS24500</b>	24" x 500'	<b>\$175.60/RL</b>

## Surface Shields® Builder Board™ with Liquid Shield™

- True Density™ rating of 3.3 and thickness of 45 mil
- Builder Board™ replaces the need for large, bulky sheets of masonite and rolls out fast and flat
- Spill proof
- 100% recyclable
- 38" x 100' roll



<b>Item #BLDLS38100</b>		<b>\$54.65/RL</b>
-------------------------	--	-------------------

## Surface Shields® Zip N Close® Self-Adhesive Zippers


- Creates instant access to tarps or plastic enclosures
- Pressure sensitive adhesive backing
- Can be opened from either side
- Use 1 zipper for a flap or 2 for a wider opening



<b>Item #ZC02</b>		<b>\$14.50/BX</b>
-------------------	--	-------------------

## Tacky Mats

- Disposable tacky mats pull grime and dirt off shoes and equipment
- Each sheet is tabbed for quick and easy removal, exposing a fresh new sheet
- 30 sheets per pack
- 4 packs per case



<b>Item #93183634B</b>	36" x 18"	Blue	<b>\$16.00/PK</b>
<b>Item #93363634B</b>	36" x 36"	Blue	<b>\$28.50/PK</b>
<b>Item #93243634</b>	24" x 36"	White	<b>\$19.50/PK</b>
<b>Item #58003M</b>	36" x 18"	White	<b>\$16.50/PK</b>
<b>Item #5802</b>	45" x 26"	White	<b>\$25.00/PK</b>

# Heavy Duty Poly Sheeting



## Clear Poly

<b>Item #10100045</b>	10' x 100'	4 mil	<b>\$26.70/RL</b>
<b>Item #12100045</b>	12' x 100'	4 mil	<b>\$32.50/RL</b>
<b>Item #20100045</b>	20' x 100'	4 mil	<b>\$53.35/RL</b>
<b>Item #10100006</b>	10' x 100'	6 mil	<b>\$41.70/RL</b>
<b>Item #12100006</b>	12' x 100'	6 mil	<b>\$50.85/RL</b>
<b>Item #20100006</b>	20' x 100'	6 mil	<b>\$82.95/RL</b>
<b>Item #40100006</b>	40' x 100'	6 mil	<b>\$169.75/RL</b>



## Black Poly

<b>Item #10100045B</b>	10' x 100'	4 mil	<b>\$26.70/RL</b>
<b>Item #20100045B</b>	20' x 100'	4 mil	<b>\$53.35/RL</b>
<b>Item #10100006B</b>	10' x 100'	6 mil	<b>\$41.70/RL</b>
<b>Item #12100006B</b>	12' x 100'	6 mil	<b>\$50.85/RL</b>
<b>Item #20100006B</b>	20' x 100'	6 mil	<b>\$82.95/RL</b>
<b>Item #40100006B</b>	40' x 100'	6 mil	<b>\$169.75/RL</b>



## Standard Flame Retardant Poly

<b>Item #20100045FR</b>	20' x 100'	4 mil	<b>\$72.50/RL</b>
<b>Item #20100005FR</b>	20' x 100'	5 mil	<b>\$89.20/RL</b>
<b>Item #20100006FR</b>	20' x 100'	6 mil	<b>\$104.60/RL</b>



## Clear Polyethylene Sheeting

- Plastic Sheeting can be used for a variety of DIY (Do-It-Yourself) and commercial projects
- Use this film to protect surfaces from water, dirt, dust and paint overspray
- Can also be used as a temporary cover for equipment and supplies
- Clear
- Made of Polyethylene



<b>Item #8200002</b>	8' x 200'	2 mil	<b>\$23.75/RL</b>
<b>Item #12200002</b>	12' x 200'	2 mil	<b>\$36.00/RL</b>
<b>Item #202000015</b>	20' x 200'	1.5 mil	<b>\$44.00/RL</b>

## Anti-Static Flame Retardant Poly

<b>Item #20100ASFR</b>	20' x 100'	6 mil	<b>\$159.00/RL</b>
------------------------	------------	-------	--------------------

## Extra Thick 10 Mil Poly

- Plastic Sheeting can be used for a variety of DIY (Do-It-Yourself) and commercial projects
- Use this film to protect surfaces from water, dirt, dust and paint overspray
- Can also be used as a temporary cover for equipment and supplies
- Made of Polyethylene

**Poly-America**

<b>Item #2010010</b>	20' x 100'	10 mil	<b>\$146.70/RL</b>
----------------------	------------	--------	--------------------



## Husky® Painters Plastic

- Painter's Plastic is a multi-purpose sheeting that features high-density yet lightweight construction
- Excellent tape adhesion
- High-density polyethylene
- Easy to open roll
- For use as an overspray shield, paint drape, or multi-purpose cover
- .31 mil, 9' x 400' (3600 sq. ft.)



<b>Item #1619337H</b>	<b>\$16.90/RL</b>
-----------------------	-------------------



## Husky Brand Plastic Sheeting

<b>Item #10100045H</b>	10' x 100'	4 mil	<b>\$28.45/RL</b>
<b>Item #12100045H</b>	12' x 100'	4 mil	<b>\$33.60/RL</b>
<b>Item #20100045H</b>	20' x 100'	4 mil	<b>\$56.00/RL</b>
<b>Item #10100006H</b>	10' x 100'	6 mil	<b>\$42.70/RL</b>
<b>Item #12100006H</b>	12' x 100'	6 mil	<b>\$51.20/RL</b>
<b>Item #20100006H</b>	20' x 100'	6 mil	<b>\$90.75/RL</b>



## Keeper Rubber Bungee Tarp Straps

- Molded rubber bungee tarp strap
- Special EPDM compound will not crack, rot or lose rebound qualities
- Corrosive resistant
- Low temperature resistant
- Non brittle to 40°F, sunlight
- Ozone and weather resistant

<b>Item #RS10</b>	10"	<b>\$1.25/EA</b>
<b>Item #RS15</b>	14"	<b>\$1.60/EA</b>
<b>Item #RS20</b>	19"	<b>\$1.85/EA</b>
<b>Item #RS24K</b>	24"	<b>\$1.95/EA</b>
<b>Item #RS31</b>	35"	<b>\$2.30/EA</b>
<b>Item #RS41</b>	45"	<b>\$3.60/EA</b>

## Heavy-Duty 12 x 12 Cross Weave Reversible Green/Silver Poly Tarp

- Fabric Weave: 12X12
- 8-mil thickness
- Woven & coated polyethylene
- Strong UV Protection: Silver side reflects UV rays, offering more sun protection
- All four edges heat-sealed and reinforced with polyethylene rope in hem
- Rust-proof aluminum grommets every 1.5 ft and on each corner
- Corners reinforced with solid plastic bar
- 40' x 60'



**Item #TGS4060**  
**\$159.00/EA**



## Blue Poly Tarp Extra Strength Weave


- Woven reinforced poly fabric coated with UV resistant poly on both sides, water and mildew resistant, built-in UV protection
- General purpose blue tarps for everyday all-weather use outdoors, popular for roof tarps, camping, farm and machinery covers
- Heat sealed seams, poly rope reinforced hems around the edge for reinforcement
- Rust-resistant grommets approximately every 3 feet for easy tie-down
- Reusable and recyclable

<b>Item #MT1012</b>	10" x 12"	<b>\$7.25/EA</b>
<b>Item #MT1020</b>	10" x 20"	<b>\$10.75/EA</b>
<b>Item #MT1216</b>	12" x 16"	<b>\$10.60/EA</b>
<b>Item #MT1620</b>	16" x 20"	<b>\$17.20/EA</b>
<b>Item #MT2020</b>	20" x 20"	<b>\$21.75/EA</b>
<b>Item #MT2030</b>	20" x 30"	<b>\$35.00/EA</b>
<b>Item #MT2040</b>	20" x 40"	<b>\$42.00/EA</b>
<b>Item #MT3040</b>	30" x 40"	<b>\$59.00/EA</b>
<b>Item #MT3050</b>	30" x 50"	<b>\$68.75/EA</b>
<b>Item #MT4060</b>	40" x 60"	<b>\$120.00/EA</b>
<b>Item #MT50100</b>	50" x 100"	<b>\$248.00/EA</b>

## **IPG® Blue Painter's Tape with BLOC-IT™ Clean Line Technology**



- Specially formulated pressure-sensitive, synthetic rubber adhesive designed for exposure to sunlight for up to 14 days
- Exhibits easy, clean removal from most surfaces
- Excellent conformability as well as smooth backing for superior paint lines and reduced fingertip abrasion
- Consistent, easy unwind and resistant to humidity and paint bleed-through
- Secure adhesion and is stain-resistant
- Strong enough to hang plastic sheeting and masking paper
- Can be used on polyurethane-coated, lacquer and unfinished wood surfaces



- 24 rolls per case
- 2" x 180'

**Item #PT14-48 \$8.40/RL**

## **Poly Tape**



- 7.0 mil blended density HD/LD
- The blended polyethylene offers more rigidity for ease of application
- Low residue adhesive tape is commonly used in asbestos abatement and stucco tape applications
- 180' Rolls



**Item #PE133R48SE 2" \$8.45/RL**

**Item #PE133R72SE 3" \$10.50/RL**



## **Painter's Grade Blue Tape**

- Quick and easy application
- Extra heavy paper resists tears
- 14 day UV protection
- Medium tack / residue free
- Moisture resistant
- 2" x 180'

**Item #PT260 \$4.50/RL**

## **ScotchBlue™ Painter's Multi-Use Tape**

- Delivers sharp paint lines
- Can be used on a variety of surfaces
- Removes cleanly for up to 14 days and does not cause surface damage, even when exposed to direct sunlight
- 2" x 180'

**Item #209048A \$7.50/RL**

## **Super77™ Spray Adhesive**

- High tack, high coverage and fast drying adhesive
- Bonds quickly in 15 seconds
- For use with lightweight materials
- Low soak-in for long lasting bond
- Permanently attaches foils, carpeting, lightweight foams, paper, cardboard, felt and cloth to painted or unpainted metals, wood or hardboard
- 16.75 can



**Item #21210 \$17.45/CN**



- Item #T501/4** 1/4" **\$2.70/BX**
- Item #T505/16** 5/16" **\$2.75/BX**
- Item #T503/8** 3/8" **\$3.25/BX**
- Item #T501/2** 1/2" **\$3.35/BX**
- Item #T509/16** 9/16" **\$3.60/BX**



## **Arrow Staples**

- Zinc plated steel staples
- 1250 staples per box
- Made in the USA

## **Poly Tape with Pinked Edges**



- Woven cloth coated with an ultra aggressive rubber adhesive
- Tightly woven cotton/polyester blend
- White high performance D/C cloth tape
- Sticks to a wide variety of surfaces
- Secures polyethylene film to brick and cinder block walls
- Used for splicing polysheeting during fabrication of pressurized environments
- 1 3/4" x 75'



**Item #DF642 \$10.90/RL**

## **Arrow Heavy Duty Plier Stapler**



- Arrow extra heavy duty plier-type stapler is widely used in stores, workshops and shipping rooms
- Ideal for stapling boxes, bags, and tags in professional environments
- Features a comfortable loop handle grip
- Order staples separately



**Item #P35 \$26.50/EA**



## **Heavy Duty Staple Gun**

- All steel construction
- Jam resistant mechanism
- Hardened steel working parts
- Classic rear load magazine
- Visual staple refill window
- #T50M - Molded plastic handle stop and safety lock

**Item #T50M \$23.75/EA**

**Item #ART50M \$28.50/EA**



## **Hammer Stapler**

- All steel construction
- High carbon hardened steel working parts
- Jam resistant mechanism
- Precision locked rear loading
- Retractable striking edge
- Specially designed power grip handle
- Durable chrome finish

**Item #HT50A \$44.00/EA**

## CORE Heavy Duty Spray Adhesive



- CORE all purpose heavy duty spray adhesive
- Provides quick and aggressive tack
- High strength, water resistant and low odor
- Contains no chlorinated solvents
- Intended use for industrial applications on metal, wood, plastics, fabrics and more
- 10 oz aerosol can

**Item #SA398B \$5.75/CN**

## CD™ 757 Heavy-Duty Citrus Degreaser



- Heavy duty, multi-purpose degreaser, adhesive and graffiti remover
- This non-chlorinated formula has the cleaning power of solvents to remove grime, dirt, grease and oil
- Ideal as a cleaner prior to painting
- Leaves a refreshing, pleasant scent
- An outstanding bio-degradable cleaner
- For use in general maintenance, public buildings, transit systems, restrooms, locker rooms and schools
- Shake well before using
- 16 oz aerosol can

**Item #AS175 \$9.35/CN**



## Nashua® 398 Professional Grade Duct Tape

- Excellent for varied uses: sealing insulation and color coding
- HVAC industry for duct and equipment applications
- High quality maintenance tape in a variety of manufacturing environments
- Broad range of applications in the construction industry
- High quality polyethylene coated cloth tape conforms well to irregular surfaces
- Asbestos removal and polyethylene hanging
- Adheres to a wide variety of surfaces
- Tears straight, hangs straight, curl resistant
- Easy unwinding
- 11 mil thick
- Sold by the roll

**Item #3982(color) 2" x 180' \$9.25/RL**  
**Item #3983 3" x 180' \$13.80/RL**

## Nashua Spray Adhesive



- Nashua deluxe spray adhesive designed for temporary and permanent bonding
- Low VOC for compliance with state regulations

### Features & benefits include:

- Fast skin, fast grab
- Low soak in spray adhesive
- Formulated to bond polyethylene to concrete block, wood and many other hard-to-bond pieces
- May be used to bond carpet and is ideal for label applications
- May be used for either permanent or temporary bonds
- Low VOC. Certifications, LEED - Complies with VOC requirements under Credit 4.1 of LEED NC

**Item #357 \$7.15/CN**



## Nashua Spray Adhesive



- Nashua aggressive spray adhesive designed for temporary and permanent bonding
- Excellent for label applications
- 17 fl oz, 12 oz net weight
- Ideal for bonding carpet, paper, cardboard, fabric, urethane foam, foil to metal, wood to themselves and a variety of other substrates

### Features & benefits include:

- Very quick aggressive tack
- High shear
- Low VOC. Certifications, LEED - Complies with VOC requirements under Credit 4.1 of LEED NC
- Contains no Methylene Chloride
- Designed to bond polyethylene to itself, concrete block, wood, and other hard to bond places

**Item #SA398 \$5.75/CN**



## Nashua Contractor Grade Silver Duct Tape



- 10 mil poly-coated cloth
- Excellent for general and home repair, bundling, patching and mending, conformable with excellent adhesion
- Versatile polyethylene coated cloth tape
- Conforms well to irregular surfaces
- Tears straight, hangs straight, curl resistant

**Item #3002 2" x 60 yds \$8.10/RL**  
**Item #3003DT 3" x 60 yds \$12.15/RL**




## IPG® Silver Duct Tape



- 8 mil poly coated
- Cloth backing with a very aggressive adhesive that bonds to almost any surface bundling and exterminators
- Good conformability
- For general maintenance, packaging, wrapping, sealing, binding and

**Item #AC152 48mm x 54.8m \$6.90/RL**  
**Item #AC153 72mm x 54.8m \$10.35/RL**





## Extended Run Inline Glove Bags



- Extended run inline glove bags increase productivity by eliminating multiple bag set-up over traditional glove bags
- Perforations between bags
- Tool pouch
- Ports for HEPA vacuum and misting

1 set of arms (Ideal for pipe diameter up to 8")  
**Item #MARS** 44" x 60" 25/case **\$7.50/EA**

1 set of arms (Ideal for pipe diameter up to 14")  
**Item #H6072EXT** 60" x 72" 20/case **\$14.80/EA**



## Horizontal Glove Bags

- The traditional, single-use individual glove bags provide an easy and convenient way to contain waste for quick maintenance
- Quick attach collars
- Tool pouch
- Ports for HEPA vacuum and misting

1 set of arms (Ideal for pipe diameters 8")  
**Item #H4460** 44" x 60" 25/case **\$7.35/EA**

1 set of arms (Ideal for pipe diameters 10")  
**Item #H6060** 60" x 60" 20/case **\$8.25/EA**

1 set of arms (Ideal for pipe diameters 14")  
**Item #H6072** 60" x 72" 20/case **\$10.90/EA**

2 sets of arms (Ideal for pipe diameters 14" to 18")  
**Item #H6684** 66" x 84" 10/case **\$21.50/EA**

2 sets of arms (Ideal for pipe diameters 18" to 30")  
**Item #H72120** 72" x 120" 25/case **\$22.60/EA**

## Therm Equip High Temperature Glove Bags



Designed for the removal of asbestos containing insulation from high temperature pipes and ducts



- PC300 is designed for removal of asbestos and ducts up to 300° F
- Clear high-temperature plastic body is double stitched with leather gloves that are sealed air-tight to the sleeves
- Designed for low pressure steam lines and hot water heating systems
- Maximum load-50 pounds

- The PC400 and PC700 are designed for removal of insulation at high temperature up to 400° and 700° F respectively
- The construction is impregnated woven opaque high temperature fabric with full stitched and sealed seams

- Insulated leather work gloves are sealed to high temperature resistant sleeves
- Workers view the work area through a translucent window above the glove sleeve assembly
- Maximum load-1000 pounds

<b>Item #PC3006060</b>	PC300	60" x 60"	<b>\$360.00/EA</b>
<b>Item #PC3006072</b>	PC300	60" x 72"	<b>\$415.00/EA</b>
<b>Item #PC4006060</b>	PC400	60" x 60"	<b>\$735.00/EA</b>
<b>Item #PC4006072</b>	PC400	60" x 72"	<b>\$778.00/EA</b>
<b>Item #PC7006060</b>	PC700	60" x 60"	<b>\$1,395.00/EA</b>
<b>Item #PC7006072</b>	PC700	60" x 72"	<b>\$1,480.00/EA</b>



## Grayling AVAIL Vertical Pipe Glove Bags



- Offset debris area moves the weight and bulk away from the work area and allows for easy and safe debris chamber removal

- 6-mil construction
- 72" x 84" bag

Creates a 3' vertical work area (Ideal for pipe diameters up to 10")

**Item #V10** 20/case **\$15.90/EA**

Creates a 4' vertical work area (Ideal for pipe diameters 10" to 24")

**Item #V24** 15/case **\$33.20/EA**



## QuickTwist Glove Bags

- AVAIL QuickTwist model glove bags incorporate all the safety and labor saving features
- Removes 20% more insulation than comparable glove bags
- Plus a radical new debris chamber design that makes it safer and easier for workers to twist off the waste area



1 set of arms (Ideal for pipe diameters up to 10")

**Item #QT10** 20/case **\$12.50/EA**

1 set of arms (Ideal for pipe diameters 10" to 14")

**Item #QT14** 15/case **\$13.90/EA**

2 sets of arms (Ideal for pipe diameters 14" to 18")

**Item #QT18** 10/case **\$23.50/EA**

3 sets of arms (Ideal for pipe diameters 18" to 30")

**Item #QT30** 5/case **\$35.00/EA**



## Total Control™ 6 Cubic Foot Wheelbarrow



- Total Control™ handles make dumping much easier
- 6 cubic foot seamless steel tray and undercarriage
- Patented "Cleat" leg stabilizers
- 16" tire
- Tough steel handles with comfort grips



**Item #M6TC** Regular Tire **\$109.00/EA**  
**Item #M6TCFF** Flat Free Tire **\$119.00/EA**

## 6 Cubic Foot Wheelbarrow



- 6 cubic foot capacity
- Heavy-duty folded steel tray
- Patented leg stabilizers make wheelbarrow 40% more tip-resistant
- 16" tire
- 60" heavy-duty wooden handles



**Item #M11T22** **\$99.00/EA**

## Contractor Wheelbarrow



- Heavy duty corrosion proof poly tray
- Includes H braces for support
- 16" wheel assembly with pneumatic 2-ply tire
- Ball bearings and greased fittings



**Item #MP575P22**  
**\$169.60/EA**

## Flat Free Knob Tire Wheelbarrow



- Extra large, full tray provides maximum strength, cross supports and leg brace add extra strength and stability
- Fully balanced to prevent accidental tipping and spillage
- Includes flat-free knobby tire
- Solid polyurethane tire can run over sharp objects



**Item #M6FFKB**  
**\$126.75/EA**

## Landscape Cart with Drop Down Sides



- All steel construction
- 13" large pneumatic wheel
- 12" rail height
- 24" x 48" deck size
- 28 1/4" deck height
- Capacity: 1,000 lbs
- 95 lbs



**Item #LSC24484SD**  
**\$196.00/EA**

## 6 Cubic Foot Wheelbarrow



- 6 cubic foot capacity
- 16" sport flat-free tire, never needs air
- Tough steel handles with comfort grips
- Heavy-duty undercarriage



**Item #C6GSTPFF**  
**\$87.75/EA**

## Vestil Steel Landscape Cart



- Rugged and easy to maneuver
- Steel construction with mesh bottom grate
- 10" pneumatic wheels
- 24" x 48" deck size
- 12 3/4" deck height
- Capacity: 500 lbs
- 55 lbs



**Item #LSC2448PT**  
**\$129.00/EA**

## Heavy Duty Big Wheel Cart



- One-piece smooth seamless body construction for strength and durability
- Carries up to 300 lbs
- 7.5 cubic feet level and 11 cubic feet heaped
- Resistant to most farm and lawn/garden chemicals and substances and its large radius interior allows for easy cleaning
- Large 20" x 2-1/8" pneumatic wheels roll smoothly over any surface
- Size: 58" L x 32-3/4" W x 28 1/4" H



**Item #564200BLA** **\$245.00/EA**

## Standard Duty Foam Tilt Trucks



### Tilt Trucks

- HDPE construction allows you to handle heavy loads with ease
- Fits through standard commercial and onto elevators easily
- Non-marking casters reduce touch up cleaning
- Constant force design allows for controlled dumping by one person
- Easy to clean and virtually maintenance free
- Unique steering wheel handle provides excellent maneuvering capability
- Order optional lid separately

### Lids

- Domed, hinged lids provide convenient access to contents
- Helps conceal loads without reducing capacity



#9T23



#9T22



#9T16

		<u>Length</u>	<u>Width</u>	<u>Height</u>	<u>Mass Cap.</u>	<u>Vol. Cap.</u>	
<b>Item #9T14</b>	Tilt Truck	57 <sup>3</sup> / <sub>8</sub> "	26 <sup>7</sup> / <sub>8</sub> "	33 <sup>3</sup> / <sub>8</sub> "	850 lbs	½ cubic yard	<b>\$490.00/EA</b>
<b>Item #9T22</b>	Lid for 9T14	52"	27 <sup>7</sup> / <sub>8</sub> "	9"			<b>\$125.00/EA</b>
<b>Item #9T16</b>	Tilt Truck	70 <sup>3</sup> / <sub>4</sub> "	33 <sup>1</sup> / <sub>2</sub> "	42 <sup>1</sup> / <sub>4</sub> "	2100 lbs	1 cubic yard	<b>\$875.00/EA</b>
<b>Item #9T23</b>	Lid for 9T16	66 <sup>7</sup> / <sub>8</sub> "	34 <sup>1</sup> / <sub>2</sub> "	9"			<b>\$155.00/EA</b>

## Heavy Duty Utility Carts

- Rubbermaid 2-shelf heavy duty utility cart with lipped shelf
- Features a sturdy structural foam construction that won't rust, dent, chip or peel
- Rounded corners protect walls and furniture
- Lightweight and maneuverable
- Large 4" non-marking swivel casters
- Ergonomically designed push handle provides optimum hand placement and push height improving control and worker safety
- Molded-in customizable fittings
- High density structural resin construction
- Easy-access bottom shelf
- Mass Capacity 500 lbs



#450088BEIGE



#452088BLA



#450089BLA



	<u>Handle</u>	<u>Length</u>	<u>Width</u>	<u>Height</u>	
<b>Item #450088BEIGE</b>	Round	39"	17 <sup>7</sup> / <sub>8</sub> "	33 <sup>1</sup> / <sub>4</sub> "	<b>\$176.00/EA</b>
<b>Item #450088BLACK</b>	Round	39"	17 <sup>7</sup> / <sub>8</sub> "	33 <sup>1</sup> / <sub>4</sub> "	<b>\$215.00/EA</b>
<b>Item #452088BLA</b>	Round	45 <sup>1</sup> / <sub>4</sub> "	25 <sup>7</sup> / <sub>8</sub> "	33 <sup>1</sup> / <sub>4</sub> "	<b>\$196.00/EA</b>
<b>Item #450089BLA</b>	Flat	39"	17 <sup>7</sup> / <sub>8</sub> "	33 <sup>1</sup> / <sub>4</sub> "	<b>\$192.50/EA</b>
<b>Item #452089BLA</b>	Flat	45 <sup>1</sup> / <sub>4</sub> "	25 <sup>7</sup> / <sub>8</sub> "	33 <sup>1</sup> / <sub>4</sub> "	<b>\$214.00/EA</b>

## Wesco Plastic Box Truck



- Ideal for transporting waste, materials and supplies through buildings, elevators and construction sites
- Easy to clean and sanitize
- Casters mounted on 5-ply plywood base for extra rigidity
- 5" Polyurethane casters, two swivel, two rigid mounted



#272524



#272514

	<u>Length</u>	<u>Width</u>	<u>Height</u>	<u>Mass Cap.</u>	
<b>Item #272514</b>	38"	28"	28 <sup>3</sup> / <sub>4</sub> "	550 lbs	<b>\$285.00/EA</b>
<b>Item #272524</b>	34"	46"	33"	600 lbs	<b>\$330.00/EA</b>

## Nylon Multi-Purpose Hand Truck Dolly Cart



- Lightweight frames composed of glass filled nylon
- The frame is as strong as steel or aluminum
- All parts of the frame snap together without the use of hardware or tools
- Stair glides are built into the frame to help ease movement up and down stairs and over curbs
- Handles and base plate are made of steel
- Features a 3-Position handle, adjusts up to 60"
- 5" heavy duty swivel casters, 10" Pneumatic all-terrain tires
- Converts from a 2 wheel hand truck into a 4 wheel cart
- Weighs 30% less than steel, and won't rust
- Made in USA
- Base Plate: 7" X 14 1/2"
- Wheel to Wheel Width: 21"
- 2 Wheel Height: 49 1/2" to 60"
- 4 Wheel Deck Space: 40"
- 2 Wheel Frame Cap: 600 lbs
- 4 Wheel Frame Cap: 700 lbs



Item #PGDK1935P **\$99.50/EA**

## Morse® Economical 2-Wheel Drum Truck



- Easy to use
- All steel welded construction
- Handles 30, 55, or 85 gallon drums
- 1,000 lb capacity
- 10" MORTUF polyolefin wheels
- Dimensions: 61 1/4" tall x 25 1/4" wide



Item #153DT **\$340.00/EA**

## Morse® Multi-Purpose 4 Wheel Drum Truck



- Designed and built for safety
- Carries the full weight of drum during transport
- 8" MORTUF polyolefin wheels
- Handles 30, 55 or 85 gallon steel drums and most rimmed plastic and fiber drums
- Forged steel toe prongs are wide and rounded to protect drum and specially sloped for easy pickup of drum
- 63 lbs
- 1,000 lb capacity



Item #160DT **\$410.00/EA**

## Super Steel™ 600 Hand Truck



- Features a unique P-handle for easy one or two hand control
- Curved, tall frame for round and tall loads
- UV resistant powder coat paint resists rust and fading
- Hi-gloss
- 8" x 2-1/4" non-marring TPR balloon cushion wheels
- 48" total height
- 600 lbs weight capacity

**While Supplies Last**



Item #BKTA55UP **\$46.00/EA**

## American Power Pull 3400 Hand Truck



- 800 lb load capacity
- 10" ball bearing wheels
- Vertical or horizontal loading
- Dimensions: 51 1/2" x 18" x 21"
- Nose plate: 8-1/2" x 14"
- Loop handle style
- Weighs 22 lbs



Item #3400HT **\$64.00/EA**

## American Power Pull 3500 Appliance Dolly



- 550 lb load capacity
- Built for moving bulky appliances
- Tubular construction
- Includes securing strap to prevent slipping
- Dimensions: 60" x 12" x 24"
- Nose plate: 4" x 24"
- 6" ball bearing wheels
- Contoured handle style
- Weighs 39 lbs



Item #3500HT **\$150.00/EA**

## JET Open Hardwood Dollies



- Kiln dried oak used to prevent warping or shrinkage
- Counter-sunk bolt holes to provide a smooth working surface
- Oak is sealed with varnish for moisture protection
- Heavy-duty zinc plated casters feature double race bearings
- Non-marking tread that resists oil, water and impact
- 1,000 lbs maximum capacity for evenly distributed load



30" x 18" Dolly with 3" solid polypropylene tread

Item #140106 **\$37.75/EA**

36" x 24" Dolly with 4" x 1-1/4" polyolefin tread

Item #140107 **\$43.50/EA**

## Drum Dollies



### Specs for #140120

- Welded steel frame
- Designed for 30 gallon drum
- Supports up to 700 lbs
- Non-marking 3" polyolefin treads resist oil
- 19 lbs, 19 3/4" inside diameter



### Specs for #140121

- Welded steel frame
- Designed for 55 gallon drum
- Supports up to 900 lbs
- Non-marking 3" polyolefin treads resist oil
- 28 lbs, 23-3/4" inside diameter



**Item #140120** **\$69.00/EA**

**Item #140121** **\$78.00/EA**



## Drum Lifter JUSTRITE®

- Tong-style lifter
- Grips the drum chime
- Allows a 55 gallon drum to be lifted and moved with a forklift truck

**Item #08801JUST** **\$186.00/EA**

## EcoPolyBlend™ Spill Containment Caddy



- Portable indoor/outdoor caddy with 10" wheels allows one person to easily transport a full 55 gallon drum
- Ergonomic design with tilt/stop feature minimizes back strain
- Two tension straps hold a drum securely in place
- A 66 gallon spill sump contains chemical spills, eliminating hazards and hassles
- Exclusive open-view sump design makes cleanup simple and quick
- EPA, SPCC compliant



- Durable 90% recycled polyethylene construction provides maximum corrosion resistance and leakproof protection
- Meets NFPA standards

**Item #28665** **\$602.05/EA**



## Reconditioned Steel Drum, 55 Gallon

- Reconditioned open head steel drum
- Ideal for jobsite trash
- Open top with retaining ring and bolt

**Item #55GLOPEN** **\$42.50/EA**



## Below-Hook Drum Carrier, 800 lbs Capacity

- You control drum tilting with chain loop, 360 degrees in either direction
- Full drum up to 800 lbs
- Half-full drum\* up to 500 lbs
- These below-hook drum carriers have a pull chain to control the drum tilt with a 30:1 gear and sprocket ratio for pouring drums
- Rated load markings and unit identification
- Minimum design safety factor of 3, based on yield strength, for load bearing structural components
- All welding is in accordance with ANSI/AWS D14.1 and ASME BTH-1



- Welding is performed by certified welders who have passed the ANSI/AWS D14.1 welding qualification test

**Item #185A** **\$737.20/EA**



## Drum Handling Sling

- Provides an easy, inexpensive way to handle steel drums
- Lift standing drums for transport
- Tilt suspended drums to pour from open top or spigot
- Designed for use with steel ribbed 55 gallon drums with 24" standard diameter
- 2" heavyweight sling with wear pad is rated for 850 lbs

**Item #DSV602X24** **\$51.00/EA**

## #52 Drum Clamp Lifter

- Lifts steel drums with or without heads removed
- Drums can be lifted from either a horizontal or vertical position and then reversed
- 1/2 ton working load limit
- Not suitable for lifting plates of sheets

**Item #6410101** **\$315.00/EA**



## Horizontal Drum Sling



- Ideal for the quick and easy moving of steel drums
- 1" polyester sling webbing is rated at 1,500 lbs
- Uses 1/2" oblong link at top for easy connections to hoist hook



**Item #DSH601** **\$126.00/EA**

## Little Mule Model 300A Lineman's Hoist



- Lightweight and rugged strap hoist puller
- Includes regular hooks
- Overload protection handle bends to warn of hazardous condition and prevents dangerous overload
- 360° swiveling hooks equipped with latches for positive load engagement
- Positive load holding in all environments
- Double, interlocking pawl mechanism assures one pawl is engaged at all times
- 1500 lb capacity
- Lightweight and rugged cast aluminum and zinc alloy housings
- Corrosion resistant stainless steel springs and shafts
- Reduced wear through rotating shafts are mounted on bronze bushings
- Meets minimum 4:1 design factor and all requirements of ASME/ANSI Standard B-30.21
- All units tested at 125% of rated load
- 9' lift and hook



**Item #300A** **\$462.40/EA**

## Little Mule Nylon Ratcheting Hoist



- This lightweight and rugged lineman's hoist is easy to operate with an extra measure of reliability
- Durable and portable, corrosion resistant
- Has fiberglass handle and polyester webbing
- The hot stick hook and gate latch have rings on the latch and the hook for use on energized lines
- Holding sticks easily maneuver the latch and hooks
- 22" and 26" hook to hook



**Item #322DHB** **\$514.25/EA**



## Side Opening Block w/ Swivel Hook & Safety Snap

- Block and sheave constructed of rugged nylon fiberglass reinforced high dielectric material
- Reinforced 1/2" diameter axle and swivel bearings
- Blocks are rated with 3-1 safety factor
- 3" sheaves - block can accommodate rope up to 5/8" diameter
- Working load limit 1,000 lbs



**Item #3550BLOCK** **\$128.10/EA**

## Crosby Painter's Block



- HS130B 6" painter's supply blocks for 3/4" manila rope
- Single sheave blocks
- Meets or exceeds all requirements of ASME B30.26 including identification, ductility, design factor, proof load and temperature requirements
- Latch hook fitting
- Self lubricating bronze bushed bearings
- Made with galvanized steel
- These blocks meet other critical performance requirements including fatigue life, impact properties and material traceability, not addressed by ASME B30.26



**Item #601236** **\$129.45/EA**

## 1 Ton Coil Chain Hoist



- The handle and sheave housings on this hoist are made of lightweight high-strength heat-treated aluminum
- All working parts are fully enclosed in the housing unit to protect the hoist mechanism and to cover the gearing for worker safety
- The handle swings to either side allowing operator to reach overhead or below chest level to operate hoist
- Chain is high-strength alloy steel
- Load hooks are forged steel with gate type latches
- Both top and bottom hooks swivel 360°
- Allows for unwinding action of rope or stranded cable under tension
- Lift: 5-1/2'
- Weight: 14 lbs



**Item #3011S** **\$598.45/EA**



## Block and Tackle

- Made of light galvanized steel and aluminum alloy
- Sheaves have bronze bushings



*Block / Tackle, Self-Locking*

**Item #H267** **\$46.35/EA**

*Block / Tackle w/o Ropes and Hooks*

**Item #267** **\$42.60/EA**

*Block / Tackle w/o Ropes & Hooks, w/ Eye*

**Item #268KL** **\$53.75/EA**

*Block / Tackle Self-Locking with Eye*

**Item #H268** **\$55.65/EA**

## Klein Grip-Cleaning Brush Set

- Set of four stiff wire-bristle brushes
- Designed for cleaning Klein wire and cable pulling grips
- Available in round and square shapes and two lengths for efficient cleaning of different jaw configurations
- Semi-flexible steel shafts set into comfortable wooden handles



**Item #25450K** **\$62.10/ST**



## We repair:

- Power tools: electric and battery powered
- Pneumatic tools: staplers, nailers, rivet busters, pavement breakers
- Hydraulic tools: crimpers, cutters, chain saws, breaker hammers
- Gas equipment: generators, compressors, pressure washers, water pumps, trash pumps
- Gas & powder actuated tools: framing nailers, .25/.27 caliber powder actuated tools



## We service:

- All brands and makes with a Quick Turnaround!
- Milwaukee, Hitachi, and STIHL as a factory authorized warranty repair center

## Premium Polypropylene Rope

- Premium grade U.V. stabilized polypropylene fiber
- Versatile, economical, and lightweight
- Floats in water

### #80025EVANS Specs

- 3/8" in diameter
- 600' in length
- Minimum break strength of 2,440 lbs
- Approximate density 3 lbs/100'

### #80030EVANS Specs

- 1/2" in diameter
- 600' in length
- Minimum break strength of 3,780 lbs
- Approximate density 5 lbs/100'



**Item #80025EVANS** 3/8" x 600' **\$25.00/SP**  
**Item #80030EVANS** 1/2" x 600' **\$72.75/SP**

## Nylon Small Rope

- Multifilament nylon
- Balanced construction
- Medium soft lay
- High strength/good energy absorption
- Good abrasion resistance
- Natural white
- Standard tensile is 1,650 lbs
- Minimum tensile is 1,485 lbs
- Density is 1.12



**Item #46306** 1/4" Diameter, 600' **\$47.15/SP**  
**Item #300461** 3/8" Diameter, 600' **\$0.29/FT**  
**Item #300462** 1/2" Diameter, 600' **\$0.34/FT**  
**Item #300463** 3/4" Diameter, 600' **\$0.75/FT**  
**Item #200460** 1/8" Diameter, 1000' **\$0.06/FT**  
**Item #200461** 1/4" Diameter, 1000' **\$0.09/FT**  
**Item #200462** 3/8" Diameter, 500' **\$0.30/FT**  
**Item #200463** 1/2" Diameter, 250' **\$0.38/FT**



## Orion® EXTRA-LENE® Combination Rope

- 3/8" x 600' spool
- 3-Strand twisted
- White with orange tracer

**Item #05462** **\$87.95/SP**



## Liftall® Load Hugger Ratchet Strap Assembly

- 1" wide x 15'
- Polyester assembly
- PE coated open hook end
- Ultimate strength is 2,100 lbs
- Working load limit is 700 lbs

**Item #60103** **\$13.95/EA**



## Rescue & Descent Kernmantle Rope, Both Ends Finished w/ Thimble

- Ideal for use in a wide variety of rescue and industrial applications requiring the added safety and performance
- High performance rope that is less likely to fray or snag
- High strength and hard wearing
- The protective outer sheath delivers greater resistance to minor cuts, abrasions, chemicals and grime, as well as heat resistance
- Integral tracer thread for easy identification and traceability

**Item #8705115** .44" (11mm) Diameter, 50' **\$110.00/SP**  
**Item #8705116** .44" (11mm) Diameter, 100' **\$165.00/SP**  
**Item #8705117** .44" (11mm) Diameter, 200' **\$295.00/SP**  
**Item #8705118** .44" (11mm) Diameter, 325' **\$455.00/SP**  
**Item #8705119** .44" (11mm) Diameter, 410' **\$550.00/SP**  
**Item #8705120** .44" (11mm) Diameter, 650' **\$830.00/SP**  
**Item #8705122** .50" (13mm) Diameter, 50' **\$130.00/SP**  
**Item #8705123** .50" (13mm) Diameter, 100' **\$207.15/SP**  
**Item #8705124** .50" (13mm) Diameter, 200' **\$375.00/SP**  
**Item #8705125** .50" (13mm) Diameter, 325' **\$567.45/SP**  
**Item #8705126** .50" (13mm) Diameter, 410' **\$688.70/SP**  
**Item #8705127** .50" (13mm) Diameter, 650' **\$1,057.30/SP**

## 3-Strand Natural Fiber Manila Rope

- Strongest of all natural fiber ropes
- Premium grade with 36 minimum becker value
- Packaged in easy-dispense carton
- Size and length of spool vary



**Item #16012** 1/4" Diameter, 600' **\$25.25/SP**  
**Item #16015** 1/4" Diameter, 1200' **\$52.50/SP**  
**Item #16020ER** 1/2" Diameter, 600' **\$101.30/SP**  
**Item #16046** 1/2" Diameter, 1200' **\$142.70/SP**  
**Item #16022** 1" Diameter, 600' **\$196.00/SP**

## EXTRA-LENE® Combination Rope

- Blends the compatible and unique characteristics of Polyester and Polyolefin synthetic fibers
- Outer jacket yarns are made of Polyolefin filaments with a covering sheath of Polyester in a single yarn construction
- These yarns give superior resistance to abrasive or frictional wear
- Inner yarns are made of Polyolefin fiber for good strength and low weight
- Good strength, low stretch, with good ability to handle repeated loadings

**Item #R9142** 1/4" x 1,200' **\$78.15/SP**  
**Item #05470** 3/4" x 600' **\$335.00/SP**




- Holds knots well making it a great marine rope



### CMC Rescue Static-Pro Rope

- An extremely low-stretch kernmantle rescue lifeline constructed of 100% high-tenacity polyester fiber
- Excellent choice for high lines, long rappels and many mechanical advantage haul systems
- Its low electrical conductivity has advantages when working on towers or charged electrical equipment
- Polyester fibers will not absorb fibers and have better resistance to acid
- These ropes are favored for their excellent hand, knotability and UV resistance
- UL Classified to NFPA Standards
- Made in the U.S.A
- 1/2" total diameter

<b>Item #281200FT</b>	White/Blue Stripe	<b>\$1.40</b> /FT
<b>Item #281201</b>	Orange/White Stripe	<b>\$1.65</b> /FT
<b>Item #281202</b>	Blue/White Stripe	<b>\$1.65</b> /FT
<b>Item #281203</b>	Red/White Stripe	<b>\$1.65</b> /FT
<b>Item #281207</b>	Yellow/White Stripe	<b>\$1.65</b> /FT



### New England KMIII Kernmantle Ropes

- A polyester sheath with nylon core allows for an incredibly smooth sheath, higher tensile strengths, and superior handling characteristics
- NFPA and CE1891 approved and certified
- Best used in applications in rappelling, caving, rescue, top roping, fixed rope applications, hauling and life saving
- 1/2" diameter
- 300' total length

<b>Item #330016330</b>	White (330')	<b>\$313.50</b> /SP
<b>Item #33011600300</b>	Red	<b>\$282.25</b> /SP
<b>Item #33021600300</b>	Green	<b>\$282.25</b> /SP
<b>Item #33031600300</b>	Blue	<b>\$282.25</b> /SP
<b>Item #33041600300</b>	Black	<b>\$282.25</b> /SP
<b>Item #33051600300</b>	Orange	<b>\$282.25</b> /SP

### CMC Rescue Rope Bags

- Solid performer for years, these popular rope bags feature a variety of innovative elements
- Contoured backpack-style shoulder straps offer greater comfort when carrying a heavy bag
- Bag tops are made of rugged pack cloth for easier closing
- Handles, just inside the top, can be used to hold the bag open for quicker stuffing or to carry the bag from the top, haul-bag style
- A soft rubber side-carrying handle is comfortable on the hand
- The bottom of the bag has a large grommet to pass the rope through, plus sewn web loops to tie the rope end off inside or outside of the bag
- These rope bags are all CORDURA® nylon and features an external web handle



<b>Item #430201</b>	ORG	150' - 200' Cap.	<b>\$78.00</b> /EA
<b>Item #430205</b>	BLK	150' - 200' Cap.	<b>\$78.00</b> /EA
<b>Item #430302</b>	BLU	250' - 300' Cap.	<b>\$88.00</b> /EA
<b>Item #430402</b>	BLU	325' - 400' Cap.	<b>\$98.00</b> /EA



### New England MultiLine II Ropes

- New England's most popular 3-strand bull rope
- Composite rope made of polyester yarns wrapped around a core of polyolefin in each strand
- Spun polyester is added to the surface for better grip and chafe protection
- Identified by 2 orange markers on the surface strand
- Available in 150' sections, 600' spools or cut to order
- 7300-20 series is 5/8" diameter and is 8,200 tensile strength
- 7300-24 series is 3/4" diameter and is 10,500 tensile strength

<b>Item #7300-20-150</b>	5/8" Diameter, 150'	<b>\$135.00</b> /SP
<b>Item #7300-20-600</b>	5/8" Diameter, 600'	<b>\$630.00</b> /SP
<b>Item #7300-24-150</b>	3/4" Diameter, 150'	<b>\$160.00</b> /SP
<b>Item #7300-24-600</b>	3/4" Diameter, 600'	<b>\$588.00</b> /SP



### KMIII Static Kernmantle Ropes

- KMIII static rope is a balanced construction consisting of a continuous filament polyester cover braided over a unidirectional nylon core
- KMIII is designed to meet the rigorous requirements associated with rescue and rappelling operations
- KMIII is dual certified (CE and NFPA)
- Applications include vertical lifeline, rappelling, caving, canyoneering, work positioning, high lines, fall protection, and climbing
- White rope with blue tracers
- 1/2" diameter

<b>Item #3300-16-100</b>	100'	<b>\$95.00</b> /SP
<b>Item #3300-16-150</b>	150'	<b>\$142.50</b> /SP
<b>Item #3300-16-600</b>	600'	<b>\$531.75</b> /SP
<b>Item #3300-16-1200</b>	1200'	<b>\$1,062.50</b> /SP



### CMC Rescue ProSeries® Reflective RIT Rope, 5.6mm

- High visibility RIT Rope with Technora® and polyester sheath has been improved by adding a strand of highly reflective 3M™ tape
- The 100% Technora® core provides high strength in adverse conditions
- The line is supple enough to pack easily, but firm enough to feel against the floor when following it in low-visibility conditions when wearing gloves
- 5.6mm diameter

<b>Item #292005</b>	<b>\$1.25</b> /FT
---------------------	-------------------



### CMC Rescue Escape Line Kernmantle Rope

- Low-stretch kernmantle escape line rope provides outstanding performance with its polyester sheath covering a nylon case
- Large enough for easy handling, while still compact when stuffed in a bag or pocket
- Bright orange color provides high visibility
- UL certified to NFPA standards
- 8.2mm total diameter
- Made in the U.S.A.

<b>Item #K05100</b>	<b>\$1.15</b> /FT
---------------------	-------------------

## Jet® Heavy Duty J Series Pallet Truck

- High quality welded steel construction allows for capacities up to 5000 lbs
- 180° turning radius increases maneuverability
- Easy to use fingertip controls permit single handed operation
- Built to handle heavy duty lifting
- Fork width 6"
- Height: 2½" - 6¼"



Item #151009 **\$375.00/EA**

## Hilman Rollers Kit

- Kit includes 4 bull dollies, 2 steering handles, and 1 storage case
- The kit capacity is 24 tons, dolly capacity is 6 tons
- Rollers are polyurethane



Item #KBSD24P **\$1,650.00/ST**

## Triple Wall Gaylord Box

- Corrugated container, pallet and bags system for the storage and transportation of materials
- Holds up to 2500 lbs
- 36" x 36" x 36" triple walled construction
- Ships and stores flat
- Full flap top and bottom



Item #GB333 **\$38.90/EA**

## 2-Way Pallet for Gaylord Box

- Size will vary



Item #GBPALLET **\$8.85/EA**

Wood, Approx: 38" x 38"


Item #4343PLPALLET **\$19.50/EA**

Plastic, Approx: 43" x 43"



## Gaylord Box Liners

- 6 mil
- 25 per roll



Item #GB423984 **\$8.30/EA**

42" x 39" x 84"

Item #GB504284 **\$9.10/EA**

50" x 42" x 84"

## Hilman KRS-8-4S Roller Kit

- Hilman rollers equipment mover kit is great for moving small machinery and they are easy and safe to use
- Just lift the load, set the rollers, and move
- The KRS-8-4S kit includes everything you need for all kinds of heavy equipment moving, machinery installation and maintenance
- Features include 8 ton kit, 4 professional quality rollers, swivel pads, handles and case



Item #KRS84S **\$976.00/ST**

## Hilman Rollers Set

- Hilman rollers set, with swivel lock diamond pad
- Moves up to 15 tons
- Set includes four swivel locking rollers with diamond steel tops and two steering handles
- Four preload pads are also included
- Set weight is 203 lbs



Item #KRS15SLD **\$1,550.00/ST**



## Hilman Rollers Kit

- Hilman roller set with swivel lock diamond pad
- Will move up to 40 tons
- Set includes 4 swivel locking diamond steel tops and 2 steering handles
- Four preload pads are also included
- Set weight 219 lbs



Item #KRS40SLD **\$1,785.00/ST**



## Hilman Tri-Glide Rollers

- Low profile, 3 point load moving system
- Kit is comprised of a front steering unit and two rear adjustable units
- 12 ton capacity, 24 nylon wheels, front unit has swivel padded top, padded hand grips and tow eye
- Developed in response to a growing demand for floor protection when moving heavy loads over smooth, painted, finished or specially coated floors
- Overall height is 4'



Item #KTG12N **\$2,100.00/ST**



## Poly-Overpack® 65 Salvage Drum

- Meets group 1 packaging standards, salvage drum regulations
- Designed to fit 30 gallon drums
- Nests for easy storage and transportation
- Gasketed lid for secure containment



**Item #1065YE \$185.00/EA**

## Poly-Overpack® 30 Gallon Salvage Drum

- A versatile drum that can directly contain solids and sludges with security
- With a 1/2 turn lid, this ergonomically designed drum allows for easy access, unlike traditional "hoop-ring" designs
- Accepts bottles, cans and 5 gallon pails



- Units are nestable for easy storage and transportation

**Item #1230YE \$75.00/EA**

## 50 Gallon Wheeled Poly Overpack Drum

- The first mobile one-piece Overpacks, designed for 30 gallon drums
- UN rated salvage drums have built in handles
- 6" polyolefin wheels eliminate the need for a drum dolly and allow for easy steering through doorways or around any obstacle



**Item #1259YE \$235.00/EA**

## 95 Gallon Wheeled Poly Overpack Drum

- The first mobile one-piece Overpack designed for 55 gallon drums
- UN rated salvage drums have built in handles
- 6" polyolefin wheels eliminate the need for a drum dolly and allow for easy steering through doorways or around any obstacle



**Item #1299YE \$249.00/EA**

## Poly-Overpack® 180T Drum

- Designed for utilities transporting and storing transformers
- A large 180 gallon capacity
- Tight Grip feature for a secure lid closing



**Item #1180YE \$496.00/EA**

## Poly-Overpack® 95 Gallon Salvage Drum


- Meets group 1 packaging standards and salvage drum regulations
- Secure and leak free container closing lid
- Safely contains a wide range of hazardous materials, including acids, corrosives and damaged parts that are already in 55 gallon drums
- Meet performance orientated packaging requirements of U.S. DOT and UN regulations



**Item #1237YE \$205.00/EA**

## 4-Drum In-Line Poly Spillpallet™ 3000

- Holds up to 4 55-gallon drums
- Store drums in-line near the wall or between columns
- Holds up to 3,000 lbs UDL weight
- Raised edge on back and sides
- Non-Skid, removable grates
- Large, 66 gallon sump meets EPA 40 CFR 264.175
- 100% polyethylene
- 98" x 25¼" x 12"
- Weighs 78 lbs
- Optional drain



**Item #5102YE \$355.00/EA**

## Tarp For 4-Drum Spillpallet™ 3000

- ENPAC Tarp is designed for 5102YE 4 drum in-line Poly-spillpallet



**Item #5102TARP \$210.00/EA**



## Poly Overpack® 20 Salvage Drum

- Versatile drum that can directly contain solids and sludges
- With a 1/2 turn lid, this ergonomically designed drum allows for easy access, unlike traditional "hoop-ring" designs
- Accepts bottles, cans and 5 gallon pails
- Units are nestable for easy storage and transportation



**Item #1220YE \$60.00/EA**

## Poly-Overpack® 110 Gallon Salvage Drum

- Ideal for distorted or bowed 55 gallon drums
- Same features as Poly Overpack 95 but built taller



**Item #1240YE \$290.00/EA**

## Spill Pallet Workstations

- Easy to load with low profile design and optional ramp
- Designed for stand alone use or combines with other workstations
- Tough one-piece polyethylene construction will not rust or corrode
- Large sump capacity catches incidental spills
- Optional tarps available
- Multi-purpose ramp hooks onto any Workstation for easy loading
- Heavy-duty removable structural foam gates for easy cleaning
- Rolled-edge design helps resist cracking and warpage



**Item #5117YE \$240.00/EA**

- Holds 2 Drums
- 53" x 28½" x 6"
- 34 lbs
- 22 gallon sump

**Item #5116YE \$325.00/EA**

- Holds 4 Drums
- 53" x 53" x 6"
- 69 lbs
- 40 gallon sump

**Item #5115YE \$380.00/EA**

- Holds 6 Drums
- 77" x 53" x 6"
- 102 lbs
- 61 gallon sump

**Item #5110YE \$665.00/EA**

- Holds 8 Drums
- 100" x 53¼" x 6"
- 145 lbs
- 77 gallon sump

## Emergency Spill Kit Sack



Universal Spill Kit includes:

- (3) Universal sorbent socks, 4' x 3"
- (20) Universal sorbent pads, 16" x 18"
- (6) Unprinted bags, clear, 32" x 47"
- (10) 7" Black cable ties
- (2) Green flock-lined 13" nitrile gloves
- (1) Anti-fog chemical splash goggle
- (1) Non-woven drawstring bag

Oil Spill Kit includes:

- (4) Xorb oil sorbent mini booms, 4' x 3"
- (20) Spilfyter oil sorbent pads, 16" x 18"
- (6) Unprinted bags, clear, 32" x 47"
- (10) 7" black cable ties
- (2) Green flock-lined 13" nitrile glove
- (1) Anti-fog chemical splash goggle
- (1) Non-woven drawstring bag

**Item #SKMATK** Universal Spill Kit

**Item #SKOATK** Oil Spill Kit



**\$49.90**

**\$49.90**

## Hazmat Spill Kit



Quick response to hazardous substances or damaged/leaking container spills.

**30 65 95 Gal. Kit Content:**

- (3) (20) (20) Spilfyter 4' x 3" haz-mat socks
- (1) (10) (10) Spilfyter 10' x 3" haz-mat socks
- (3) (6) (6) Spilfyter haz-mat sorbent pillows
- (40) (75) (75) Spilfyter 16" x 18" haz-mat pads
- (5) (10) (10) Unprinted bags, clear, 34" x 47"
- (5) (10) (10) 7" black cable ties
- (1) (2) (2) Green flock-lined 13" nitrile gloves
- (1) (1) (1) Anti-fog chemical splash goggle
- (1) (1) (1) Emergency response book
- (1) (1) (1) Yellow polypropylene drum

\*\*95 gal. also includes (50) KC 9.1" x 16.8" Wypall X80 wipers

**Item #SKH30G** 30 gallon drum

**Item #SKH65G** 65 gallon drum

**Item #SKH95G\*\*** 95 gallon drum

**\$195.00**

**\$365.00**

**\$515.00**



## Mercury Spill Kit

- One-time use kit helps you easily collect mercury vapor emissions and minor spills for safe disposal
- Kit only collects mercury and won't neutralize or alter the mercury's toxicity
- Features a mercury indicator powder to help indicate if mercury residue remains after cleaning
- Kit Contains: 270 grams - Amalgamation Powder, 250 grams - Indicator Powder, 1 - Waste Collector Bottle, 1 lb - Vapor Suppressor, 1 - Aspirator Bottle, 1 - Mixing Tub with Spatula, 1 pair - Nitrile Gloves, 1 - Chemical Sponge, 1 - Disposal Bag, 1 - Wisk on Pan



**Item #520250 \$140.00**

## ENPAC Poly-Spillpad™ Portable Spill Pallet, 2 Gallon Spill Capacity



- Designed to keep your floor clean and safe
- Sturdy inner polyethylene grate provides protection
- Vinyl berm keeps incidental spills contained
- Removable grate
- 31.25" x 31.25" x 2.25", 2 gallon sump
- Additional sizes available



**Item #5600YE \$249.00**

## Petroleum Spill Kit



Quick response to soak up only petroleum-based industrial spills.

**30 65 95 Gal. Kit Content:**

- (6) (20) (20) Xorb oil sorbent mini booms, 4' x 3"
- (1) (10) (10) Green Stuff absorbent socks, 10' x 3"
- (3) (6) (6) Spilfyter MRO oil sorbent pillows
- (40) (75) (75) ESP 15" x 18" heavy wtg. oil pads
- (5) (10) (10) Unprinted bags, clear, 37" x 47"
- (5) (10) (10) 7" black cable ties
- (1) (2) (2) Green flock-lined 13" nitrile gloves
- (1) (1) (1) Anti-fog chemical splash goggle
- (1) (1) (1) Emergency response book
- (1) (1) (1) Yellow polypropylene drum

\*\*95 gal. also includes (50) KC 9.1" x 16.8" Wypall X80 wipers

**Item #SKO30G** 30 gallon drum

**Item #SKO65G** 65 gallon drum

**Item #SKO95G\*\*** 95 gallon drum



**\$165.00**

**\$365.00**

**\$445.00**

## Universal Spill Kit



Universal spill kit is designed to help clean up oil coolants, solvents, water-based chemicals and water.

**30 65 95 Gal. Kit Content:**

- (3) (12) (20) Universal sorbent tubes, 4' x 3"
- (1) (5) (10) Universal sorbent socks, 10' x 3"
- (3) (6) (6) Industrial sorbent pillows 24" x 18"
- (40) (75) (75) Universal sorbent pads, 16" x 18"
- (5) (6) (10) Unprinted bags, clear, 32" x 47"
- (5) (6) (10) 7" black cable ties
- (1) (2) (2) Green flock-lined 13" nitrile gloves
- (1) (1) (1) Anti-fog chemical splash goggle
- (1) (1) (1) Emergency response book
- (1) (1) (1) Yellow polypropylene drum

\*\*30 gal. also includes (1) Green Stuff absorbent 1 lb. bottle

\*\*95 gal. also includes (50) KC 9.1" x 16.8" Wypall X80 wipers

**Item #SKM30G\*** 30 gallon drum

**Item #SKM65G** 65 gallon drum

**Item #SKM95G\*\*** 95 gallon drum

**\$165.00**

**\$365.00**

**\$445.00**



## Mercury Spill Solidifier Kit



- Contains Green-Z solidifier to encircle and contain the mercury
- Just pour Green-Z around the spill and activate it with water, then scoop the contained mercury into the disposal bag and seal
- Kit Contains: Green-Z Solidifier, Nitrile Gloves, Wiper Pad, Scoop/Scraper (2), Absorbent Activator Bottle, Safety Shield Identification Label, Disposal Bag, Zip-Lock Disposal Bag



**Item #19105 Kit \$43.40**

**Item #19100SKT Kit Refill \$19.95**

## ENPAC 4-Drum Poly-Slim-Line™ 6000, Holds 4-55 Gallon Drums



- Liftable from all sides, this spill pallet is rated at 6,000 lbs handling capacity weight with a 66 gallon sump capacity that meets EPA 40 CFR 241.175 requirements
- 12" low profile with raised edges on back and sides to help contain the drums on the pallet
- 84 lbs, 54" x 54" x 12" • 100% polyethylene



**Item #5400YE \$355.00**



## RuptureSeal™ Seals

Deployed in less than 10 seconds to stop a leak dry for up to 10 hours. RuptureSeal™ is a revolutionary new way to safely seal ruptures in tanks, drums, transport vehicles, boats and containers of any size. The RuptureSeal™ RS-3 is a starter seal kit, ideal for plugging punctures as small as 5/32" up to 4" in diameter and 6" in length. RuptureSeal™ RS-3 contains three seals that are all temporary measures intended to last upwards of 10 hours in the rupture.

Kit includes:

- (1) 1 inch small circular seal
- (1) 2 inch medium circular seal
- (1) 2 inch x 6 inch rectangle forklift puncture seal

**Item #RS3PACK \$169.00/PK**

## RuptureSeal™ 1" Quick Response Seal

RuptureSeal™ RS-1 are 1" circular seals, ideal for plugging punctures up to 1" in diameter.

**Item #RS1RS \$42.50/EA**

## RuptureSeal™ 2" Quick Response Seal

RuptureSeal™ RS-2 are 2" medium circular seals, ideal for plugging punctures up to 2" in diameter.

**Item #RS2RS \$52.50/EA**

## RuptureSeal™ 2" x 6" Quick Response Seal

RuptureSeal™ RS-2X6 is a 2" x 6" rectangular/ forklift puncture seal, ideal for plugging punctures up to 6" in length and 1/4" to 2" wide.

**Item #RS2X6 \$86.25/EA**

## NPS Spilfyter® TidyMat Traffic Rug

- These industrial heavy weight rugs are designed for use in high traffic areas and walkways
- Needle punched construction offers extreme durability and is resistant to tearing and shredding
- Can easily absorb oil, water, solvents, and coolants
- Great to use as aisle liners, antifatigue mats, workbench liners and sorbents
- 36" x 100' roll

**Item #TR90 Heavyweight \$205.00/RL**

**Item #TR91 Mid-weight Polyback \$191.00/RL**



## Spilfyter® Gap Seal

- Gap seal quickly plugs leaks or drips
- Easy to use, just press putty over and around the puncture to stop the flow
- Pre-mixed for quick, easy application
- Gap Seal for Hydrocarbons works well on organic solvents and other water-insoluble liquids
- Gap Seal Universal is designed for a variety of liquids including acids, caustics and other water soluble liquids



**Item #780204 Hydrocarbons 1 lb \$18.25/BX**

**Item #790204 Universal 1 lb \$32.30/BX**

**Item #780150 Hydrocarbons 50 lb \$94.20/BX**

## Edwards and Cromwell

Leak Control Equipment

## Plug-N-Dike Sealer

- Unique polymer and mineral based product instantly seals leaks
- Non-toxic material that immediately forms a tight temporary seal against fuels and chemicals
- Applies directly over the leak without surface preparation
- Even sticks to dirty, rusty or greasy surfaces



- Not recommended for use with acids, caustics or oxidizers
- Pre-mix is ready to use right from the tub

**Item #1PMP 1 lb \$16.00/EA**

**Item #4PMP 4 lb tub \$59.75/EA**

**Item #8PMP 8 lb tub \$99.00/EA**

## Spilfyter® Oil Only Drum Sorbent Pad

- For use on petroleum based liquids
- Precut hole allows drum top to conform onto the drum head
- Double weight sheet, 22" diameter, 25 drum top pads per case




**Item #M76 \$75.00/CS**

## Universal Bonded Fine Fiber Sorbent Rolls

- Control oversprays and spills with excellent absorbency
- Keep floors clean, dry, and safe
- Grunge hiding gray for universal applications
- Ultrasonic weld points to keep them fully intact



- Made of meltblown polypropylene fibers
- Dimpled for added strength



**Item #UQESR150 (2)15" x 150' 39 gallon \$96.75/CS**


**Item #GFF91 (2)15" x 150' 50 gallon \$100.00/BG**

**Item #7815 (1)30" x 150' 50 gallon \$149.00/RL**

# Sorbent Pillows & Socks

## Hazmat Sorbent Sock

- Use these hazmat socks when the liquid is aggressive or unknown as a "no decision response"
- Encased in a polyester casing which allows for stretching around equipment
- Great to wrap around leaky drums, tanks, sinks, and even around machine bases for leak protection
- They surround spills to prevent spreading; containment makes clean-up quick and easy
- High durability allows for extended use and the yellow color is highly recognized as the universal "caution" color



<b>Item #S234</b>	3" x 4'	40/case	<b>\$224.00/CS</b>
<b>Item #S230</b>	3" x 4'	15/case	<b>\$74.10/CS</b>
<b>Item #S237</b>	3" x 10'	6/case	<b>\$106.50/CS</b>

## Maintenance Sorbent Socks, 3" x 4'

- Sock absorbs oil, water, coolants and solvents
- Perfect moldable application for continuous maintenance leaks
- The recycled fiber fillers are BTU rich for multiple disposal options
- No messy cleanup - product is self-containing



<b>Item #2440</b>	Tube	<b>\$2.90/EA</b>
<b>Item #2540</b>	Corn Cob	<b>\$3.05/EA</b>

## Oil Only Sorbent Sock

- Designed to selectively pick up oils and any liquid that will float on water
- Works on land as well as on water
- Made of polypropylene and will repel water and float
- Ideal for use around machinery, keeps floors slip-resistant
- Polyester casing allows for stretching and shaping
- Indoor/outdoor use
- Absorbs over 15 times its own weight in petroleum based liquids



<b>Item #3404</b>	3" x 4'	12 per case	<b>\$3.25/EA</b>
<b>Item #300308</b>	3" x 10'	6 per case	<b>\$16.70/EA</b>

## Hazmat Sorbent Pillow

- Hazmat pillows are great to use when the liquid is aggressive or unknown as a "no decision" response
- Covers a large surface area with high capacity and fast wicking filler
- Its compact design absorbs spills in tight spaces
- Great to use under leaks and machines
- High durability allows for extended use
- Helps contain spills and prevent migration, which can make cleanup quick and easy



<b>Item #S266</b>	8.5" x 17"	<b>\$5.75/EA</b>
<b>Item #S262</b>	18" x 18"	<b>\$9.25/EA</b>
<b>Item #S261</b>	10" x 10"	<b>\$4.90/EA</b>

## Oil Only Sock in Net Sorbent Boom

- Sorbent booms are contained in a white fish netting sleeve which enables greater oil penetration and easy saturation
- The strategically placed hooks allow you to form a boom chain of any length
- When in use the boom forms a floating migration barrier to contain oil spills on water
- These booms absorb any oil and hydrocarbon while repelling water
- Will continue to float while fully saturated and the contained absorbent makes clean-up quick and easy
- These premium sorbents allow for extended use with high durability and low lint



<b>Item #SN510</b>	5" x 10'	<b>\$19.50/EA</b>
<b>Item #SN810</b>	8" x 10'	<b>\$29.60/EA</b>

## Specialty Spill Control, Dry Base Neutralizer

- Effectively neutralizes and adsorbs: sulfuric hydrochloric, phosphoric and nitric acids spills
- Not recommended for hydrofluoric acid
- Please see DiValSafety.com for more info



<b>Item #450040</b>	<b>\$220.00/BX</b>
<b>Item #440040</b>	<b>\$121.45/BX</b>

## Brady® Bilge Boom, 8" x 18", 10/Bale

- Chemical resistant
- Lint-free sorbent, large bilge boom
- Used for spills of oil base or solvent base liquids
- Suitable for applications such as outfalls and discharge ponds
- 28 gallons per bale absorbency
- 10 per bale
- Sold by the bale



<b>Item #SPC818</b>	<b>\$120.45/BL</b>
---------------------	--------------------

## Oil Absorbent Pan Pillows

- Designed for leak-prone equipment
- Replacement pillow part number M61
- 12 pans and 24 pillows per case
- Pillows and pans measure 10" x 10"
- Plastic pan contains liquids



<b>Item #M111</b>	<b>\$139.80/CS</b>
-------------------	--------------------



## Green Stuff® Absorbent

- Offers a new level of efficiency and cost effectiveness for the quick cleanup of spills, leaks and for the removal of waste
- Compatible with virtually any chemical
- Green Stuff® Absorbent's phenolic foam granules provide far greater absorption capacity than clay vermiculite and other granular materials
- This is a light material that sticks to the product and absorbs up to 15 times its weight
- Independent testing also proves it offers the fastest absorbency for pick up of gasoline, diesel fuel and motor oil spills when compared to competitive granular products
- Green Stuff® has proven to be a multi-purpose product that is particularly well suited to household, garden and automotive spills
- Nontoxic and non-biodegradable, it passes tests for hazardous waste disposal at approved landfills and for approved incineration operations

<b>Item #GS200</b>	1 lb bottle	<b>\$23.00/BT</b>
<b>Item #GS201</b>	2.5 lb bag	<b>\$21.50/BG</b>
<b>Item #GS205</b>	44 lb box	<b>\$260.00/EA</b>
<b>Item #GS210</b>	55 gal drum	<b>\$315.00/EA</b>



## 3M™ Petroleum High Capacity Folded Sorbent



- For use in oil only applications
- These four folded petroleum sorbents in one can be used as a boom, pillow, pad or roll which means fewer products need to be stocked to meet your sorbent needs
- Each folded sorbent is perforated every 16 inches to allow you to select the length required, so there's less waste
- Each perforated sheet unfolds to approximately 18" x 16"
- 50 foot length
- Absorbs up to 10½ gallons per box
- 31½ gallons per case
- These sorbents do not soak up water
- High capacity petroleum folded sorbent
- Packaged in a handy dispenser box
- 3 boxes per case



**Item #PFL550DD \$111.00/CS**

## 3M™ Maintenance Sorbent Mini-Boom



- Can be placed around the base of equipment to help contain fluids that may leak or spill
- Prevent spread of liquids to adjacent work areas
- 12 per case
- For use on most non-aggressive liquids



**Item #MMB304 \$5.70/EA**

## Green Stuff® Absorbent Socks & Pillows



- Offers a new level of efficiency and cost effectiveness for the quick cleanup of spills, leaks and for the removal of waste
- Green Stuff® Absorbent's phenolic foam granules provide far greater absorption capacity than clay vermiculite and other granular materials
- This is a light material that sticks to the product and absorbs up to 15 times its weight
- Independent testing also proves it offers the fastest absorbency for pick up of gasoline, diesel fuel and motor oil spills when compared to competitive granular products
- Nontoxic and non-biodegradable, it passes tests for hazardous waste disposal at approved landfills and for approved incineration operations
- Compatible with virtually any chemical
- Green Stuff® has proven to be a multi-purpose product that is particularly well suited to household, garden and automotive spills



## Sorbent Pads



- Scrim on two sides to increase strength and reduce linting
- Twice as thick as standard pads



### Medium Capacity

- Medium capacity pads feature a light weight design
- Over 50% recycled content
- 100 pads per bale

### High Capacity

- High capacity, low profile design
- Conveniently sized and may be re-used
- 50 pads per bale

### Medium Capacity (17" x 15")

<b>#70071659273</b>	Oil Only	<b>\$65.00/EA</b>
<b>#70071659265</b>	Non-Aggressive Liquids	<b>\$64.00/EA</b>

### High Capacity


<b>#HP255</b>	17" x 19" Oil Only	<b>\$1.40/EA</b>
<b>#HP157</b>	34" x 38" Oil Only	<b>\$2.80/EA</b>

<b>Item #GS211</b>	16, 4' x 3" Socks	<b>\$147.55/CS</b>
<b>Item #GS214</b>	25, 12" x 12" Pillows	<b>\$7.40/EA</b>
<b>Item #GS212</b>	6, 10' x 3" Socks	<b>\$20.00/EA</b>

## NPS Spilfyter® Hazmat Sorbent Roll



- Sorbent pads are great to use when the liquid is aggressive or unknown as a "no decision response"
- Its abrasive resistant spunbond layer gives added strength and excellent durability to allow for extended use
- Perforated horizontally every 12" and down the center for customized fit
- The yellow color is highly recognized as the universal "caution color"



- Place under leaks and around machines to keep floors non-slip or simply use as a rag for quick wipe-ups

**Item #S291** 16" x 150' Single Weight **\$91.75/RL**  
**Item #S290** 32" x 150' Double Weight **\$171.00/RL**

## 3M™ Maintenance Sorbent Folded Roll, 3/case



- For use with most non-aggressive liquids
- These versatile folded sorbents can be used as a boom, pillow, pad or roll
- Allows the user to quickly spread sorbent on and in the path of a spill
- Perfect for placing in, under and around machines to catch drips
- For use on most non-aggressive liquids
- High capacity maintenance folded sorbent
- 100 per case, absorbs 37½ gallons



**Item #MPD1520DD** 15½" x 20½" **\$1.35/EA**  
**Item #MPD720GG** 7½" x 20½" **\$1.20/EA**

## Hazmat Universal Absorbent Pad

- Hazmat pads are for use with aggressive and non-aggressive leaks and spills
- Premium pads are bonded every 4" to eliminate tearing
- Perforated vertically down the center of the roll
- 16" x 18"



**Item #S270** 16" x 18" Light Weight **\$0.72/EA**  
**Item #S275** 16" x 18" Double Weight **\$1.02/EA**

## Oil Only Sorbent Pads

- Standard use applications, these oil only sorbents are great for any oil or hydrocarbon spills
- Absorbs oil from water and land while repelling water, and can even float on water to absorb oil
- Place these under oil leaks and around machines to keep floors non-slip, or simply use as a rag for quick simple wipe-ups
- Center perforated for a customized fit
- Absorbs up to 32 gallons per bale
- 15" x 19"



**Item #3706** Single Weight 200 per Bale **\$0.35/EA**  
**Item #3712** Double Weight 100 per Bale **\$0.55/EA**

## Oil Only Sorbent Pad Single Weight



- Use indoors or outdoors
- Absorbs up to 16 times its own weight
- Perforated horizontally every 12" and vertically down the center of the roll
- Offer the ability to shape the roll for a customized fit
- Oil-Only Sorbents float, absorbing oil and other hydrocarbons and repelling water



**Item #Z96** 16" x 300' **\$96.00/RL**  
**Item #Z95** 32" x 300' **\$116.75/RL**

## Oil Only Sorbent Pad Double Weight



- For standard use applications, these oil only sorbents are great for any oil or hydrocarbon spills
- Double weight and dimple bonded for strength, these sorbents will absorb oil while repelling water
- Place these under oil leaks and around machines to keep floors non-slip in walkways and high traffic areas
- Horizontally and vertically perforated every 12" for a custom fit



**Item #Z91** 16" x 150' (2 RL/BG) **\$91.00/BG**  
**Item #Z90** 32" x 150' **\$121.60/RL**

## Petroleum Absorbent Sweep



- Spilfyter® Oil-Only on water sorbents provide an immediate solution to unexpected oil spills on water
- 16" x 100' oil sweep removes thin slicks and rainbow sheens off water
- Nylon rope runs through grommets placed along the length of the sweep




**Item #M80** **\$107.75/BG**

- Use with SN810 or SN510 booms for greater containment
- Does not absorb water

## Universal Sorbent Pads

- These premium sorbents have a double weight, dimple bonded construction for added strength and durability which allows for extended use of the pad
- Utilizes meltblown coverstock on two sides, resulting in low linting
- These pads can absorb and retain oil, water, solvents and coolants
- Center perforated for a customized fit
- Place these pads under and around machinery to keep floors clean and dry or use as a rag for quick wipe ups for clean up applications
- These sorbent pads aid in compliance with OSHA standards



**Item #DB70** Single Weight **\$0.25/EA**  
**Item #7708** Double Weight **\$0.55/EA**



## Threaded Garage Broom Head

- Ideal for surfaces other than polished floors
- Long lasting bristles are designed to remove heavy dirt and debris
- Available in a variety of head widths (18", 24", 36")
- Handle brace (#BRC1) sold separately



<b>Item #62318</b>	18"	<b>\$10.50</b>
<b>Item #623</b>	24"	<b>\$14.25</b>
<b>Item #62336</b>	36"	<b>\$26.10</b>



## Threaded Fine Bristle Broom Head

- Tampico full bristles are ideal for general purpose sweeping on semi-smooth surfaces
- 3" bristle length
- Available in a variety of head widths (18", 24", 30, 36")
- Handle brace (#BRC1) sold separately



<b>Item #120118</b>	18"	<b>\$11.60</b>
<b>Item #120124</b>	24"	<b>\$15.45</b>
<b>Item #120130</b>	30"	<b>\$24.15</b>
<b>Item #120136</b>	36"	<b>\$33.00</b>



## Threaded Fine Sweep Floor Broom Head

- Flagged silver polystyrene bristles are ideal for sweeping dust and fine dirt on smooth surfaces
- 3" bristle length
- Available in a variety of head widths (18", 24", 30, 36")
- Handle brace (#BRC1) sold separately



<b>Item #32518</b>	18"	<b>\$13.75</b>
<b>Item #32524</b>	24"	<b>\$17.50</b>
<b>Item #32530</b>	30"	<b>\$26.10</b>
<b>Item #32536</b>	36"	<b>\$35.75</b>



## Tapered Street Broom

- Ideal for heavy-duty wet or dry sweeping close to curbs and walls
- Brown polypropylene fill material
- 6" bristle length
- 16" broom head width
- Handle brace (#BRC1) sold separately



<b>Item #119616</b>	<b>\$16.60</b>
---------------------	----------------



## Tapered Coarse Sweeping Street Broom

- Ideal for heavy-duty wet or dry sweeping close to curbs and walls
- Brown polypropylene fill material
- 6" bristle length
- 16" broom head width
- Handle brace (#BRC1) sold separately



<b>Item #1136HB</b>	<b>\$14.70</b>
---------------------	----------------



## Heavy Duty Metal Handle Brace

- Wraps around the handle and attaches to the block with wood screws
- 2 wood screws are included, other screws are required to use with squeegees
- Increases the life of the brush by providing extra support for the broom head



<b>Item #BRC1</b>	<b>\$6.10</b>
-------------------	---------------



## Tapered Wooden Tip Broom Handle

- Sanded tapered wooded handle
- 15/16" diameter
- 60" length
- Made from durable hardwood
- Designed to fit multiple products



<b>Item #CHUCK5</b>	<b>\$5.50</b>
---------------------	---------------



## Metal Tipped ACME Threaded Broom Handle

- Quality hardwood handle
- 15/16" diameter
- 60" length
- Clear lacquer finish
- Heavy-duty threaded metal ACME tip



<b>Item #5K</b>	<b>\$5.10</b>
-----------------	---------------



## Fiberglass 2-in-1 Broom Handle

- Hollow core, fiberglass handle
- 1" diameter, 60" length
- Stronger than wood or metal - virtually indestructible
- Can be used with both tapered and ACME threaded sockets



<b>Item #44561</b>	<b>\$12.50</b>
--------------------	----------------

## Poly Snow Scoop Shovel



- Deep blade removes large quantities of snow
- Made from high density poly
- Withstands extremely cold temperatures
- Can also be used in the garden to move heavy, loose material, top soil, or debris
- 14.25" x 17.75" scoop blade
- North American hardwood handle
- Poly D-grip for added leverage and control
- Scoop blade won't scratch surfaces
- 46" H x 3" L x 13" W



<b>Item #79722</b>	<b>\$17.80</b>
--------------------	----------------

## Aluminum Scoop Shovel



- Perfect for moving and scooping grain, seed, feed, fertilizers, and other granulated materials
- Great for clean-ups or for moving mulch or snow
- Aluminum blade, size #12, is lightweight, and naturally rust proof
- North American hardwood handle
- D-grip for added leverage and control
- Dura-Torque crimp collar for superior head-to-handle connection
- 45" H x 3" L x 14" W




<b>Item #53132</b>	<b>\$44.40</b>
--------------------	----------------

## Heavy Duty Tapered Head Curved Floor Squeegee

- Ideal for moving large volumes of water, mud, and debris
- EPDM rubber which is ideal for use with mastic removers and other oil based compounds
- 14 gauge galvanized steel construction

Item #324 24" Squeegee

**\$21.75/EA**



## CORE Mastasorb Mastic Absorbent, 30 lb Bale

- Absorbs asbestos floor mastic that has been chemically liquefied
- Fiberized wood based product absorbs up to ten times its weight
- One bale of Mastasorb can solidify up to 2500 square feet of liquid mastic



Item #MA30 **\$24.50/BL**



## Aqua Dozer Heavy Duty Squeegees

- 14 gauge powder-coated steel frame
- Move large volumes of water, mud, debris, waste, scraps, slush or snow and flood clean-up
- Reinforced zinc alloy handle socket
- Use on coated and uncoated smooth concrete floors, asphalt and other smooth surfaces

Item #FN900 36" Straight

**\$49.75/EA**

Item #FN90C 36" Curved

**\$49.75/EA**



## Cleaning Rags

- Convenient size
- For a variety of uses in the plant, garage or maintenance shop
- Disposable or launderable



Item #104W 50 lbs **\$37.50/BX**

## WaterWand™ Heavy Duty Floor Squeegees

- Ideal for uneven floor surfaces such as grouted tile, non-slip and broadcast grid floors
- 20 gauge galvanized steel frame
- Twin foam rubber blades offer good abrasion resistance and are designed for water applications

Item #HM550 22" Tapered Clamp

**\$21.50/EA**

Item #HM750 30" Tapered Clamp

**\$26.10/EA**

Item #HM22A 22" Threaded Clamp

**\$18.90/EA**

Item #HM30A 30" Threaded Clamp

**\$21.60/EA**



## Thrifty-Sorb® Multi-Purpose Absorbent, 40 lb Bag

- 100% all natural multi-purpose absorbent
- Naturally cleans up spills
- Highly absorbent and fast acting
- Absorbs liquids including most oils, water, mixture of soluble oils, water, grease, gas, acids, inks, and paints
- Works on concrete surface
- Easy to use and transport
- 40 lb bag



Item #9767013 **\$9.60/EA**

## Aluminum Handles

- Taper tip allows you to connect the handle to various clamp-style socket squeegees
- No-slip end grip for added control
- Zinc alloy Acme threaded tip allows you to connect the handle to Acme thread-style socket squeegees
- Compatible with all WaterWand Squeegees

Item #AL140 56" Tapered Handle

**\$21.90/EA**

Item #AL14A 58" Threaded Handle

**\$29.75/EA**

Item #AL14T 61" 2-in-1, Tapered Threaded Handle

**\$24.60/EA**



## AquaDozer Acme Threaded Insert Adapter

- Easily change your tapered floor squeegee socket from tapered to Acme threaded
- Compatible so you may use either kind of handle
- Strong nylon unit easily snaps in and out of all sockets to add maximum versatility
- Threaded insert ensures a secure socket fit without screws

Item #FAA10 **\$2.90/EA**



**Multi-Color T-Shirt Rags**

- Made of reclaimed material
- Low lint and metal scanned
- Light to medium duty usage, with excellent absorbency
- Great for use in the shop, bar rags, or as mechanic rag
- Approximate size 20" x 20"
- 7-9 rags per lb



#107NP10



**Item #107NP10** 10 lbs  
**Item #107NP25** 25 lbs

**\$10.50**  
**\$26.25**

**Multi-Color Recycled Sweatshirt Rags**

- Convenient sized rags
- Use in and around the plant, garage or maintenance shop
- Affordable enough to dispose of and strong enough for laundering
- Medium duty usage



**Item #104WB10** 10 lbs Multi-Colored  
**Item #104W25** 25 lbs Multi-Colored  
**Item #104W** 50 lbs Multi-Colored  
**Item #104WHITE** 50 lbs White

**\$9.00**  
**\$18.75**  
**\$37.50**  
**\$60.00**

**Rubbermaid Lobby Pro Dust Pan**

- Vinyl-coated, metal handle
- Built-in recess on the back of the pan allows emptying without touching the pan bottom
- Yoke and handle assembly features larger, quieter hinge pins
- Wheels and wear pads on the back of the pan provide a long product life



- Lightweight plastic construction reduces the risk of back strain
- 37" overall height
- 12½" wide dust bin



**Item #2531 \$21.90/EA**

**Wood Handle Counter Brush**

- Duster for cleaning fine particles or heavy debris
- Flagged polystyrene fill material
- 2½" bristle length
- 10" overall length


**Item #358 \$5.90/EA**



**Plastic Dust Pan**

- Heavy-duty injection-molded plastic
- Great for large jobs and quick clean-up
- 12¼" x 8¼"

**Item #700D \$4.90/EA**



**Hand Held Wisk Broom**

- Wire wound for strength
- #1 quality broom corn
- 7¼" bristle length
- Sturdy metal hand up feature
- Reinforced nylon stitching

**Item #3008 \$2.50/EA**



**Rubbermaid® WaveBrake® Mop Bucket & Wringer Combo**

- High-performance side press mop bucket with wringer system
- 35 quart capacity
- WaveBrake design reduces splashing
- Allows for cleaner floors and improved productivity
- 3" casters



**Item #336310YW \$89.00/EA**

**Spring Loaded Saddle Style Mop Handle**

- Jaws easily open for quick and easy installation of mop
- 54" metal handle head



**Item #54 \$12.75/EA**

**MaxiCotton™ Saddle Type Mop Head**

- Saddle type Cut-End cotton mop head
- General purpose cleaning
- 8 ply construction
- 12 per case



**Item #16800 \$5.20/EA**



**Warehouse Corn Broom**

- 6 rows of stitching with metal band
- Long lasting polypropylene and tampico bristles
- Removes heavier dirt and debris
- 6 per case



**Item #JANITOR \$11.15/EA**



## Husky Contractor Clean-Up Bags

- Selected as the strongest bag for yard clean up
- Heavy duty
- Great for home, contractor, and commercial use
- Tear and puncture resistant
- 42 gallon bags
- 33" x 48"



**Item #PA3242HD** 20 per case **\$16.99/CS**  
**Item #HK42WC032B** 32 per case **\$24.50/CS**

## Dumpster Liners



- Disposable polyethylene container liners used in the transportation of bulk waste
- Made in USA
- High-quality polyethylene
- Strong heat seals
- Ensures dependability and customer satisfaction
- Form-fitted design
- Easy installation and proper container fit
- 6 mil thick



**Item #3272** 30 yard **\$46.50/EA**  
**Item #LBH2343** 40 yard **\$79.00/EA**



## Disposable Garbage Bags

- Plain without any printing or warning
- Ideal for general non-hazardous construction waste

	Color	Packed	Size	Capacity	Thick	
<b>Item #3350BUP</b>	Black	100 per roll	32" x 47"	35 gallon	3.5 mil	<b>\$70.00/RL</b>
<b>Item #33506BUP</b>	Black	75 per flat box	32" x 47"	35 gallon	6 mil	<b>\$78.75/RL</b>
<b>Item #3660BUP</b>	Black	50 per roll	36" x 60"	55 gallon	3.5 mil	<b>\$52.50/RL</b>
<b>Item #3350CUP</b>	Clear	100 per roll	32" x 47"	35 gallon	3.5 mil	<b>\$85.00/RL</b>
<b>Item #33506CUP</b>	Clear	75 per roll	32" x 47"	35 gallon	6 mil	<b>\$112.50/RL</b>
<b>Item #3660CUP</b>	Clear	50 per roll	36" x 60"	55 gallon	3.5 mil	<b>\$55.00/RL</b>
<b>Item #3660CUP6</b>	Clear	50 per roll	36" x 60"	55 gallon	6 mil	<b>\$85.00/RL</b>

## Printed Asbestos Disposable Bags

- Industrial standard thickness
- Perforated for easy use and limited waste
- Printed message warns "Danger contains Asbestos fibers, avoid creating dust, cancer and long disease hazard."

<b>Item #3040B</b>	Black	30" x 40"	4 mil	100/roll	<b>\$55.00/RL</b>
<b>Item #3350B</b>	Black	32" x 47"	4 mil	100/roll	<b>\$75.00/RL</b>
<b>Item #3350BFP</b>	Black	32" x 47"	4 mil	100/flatbox	<b>\$75.00/RL</b>
<b>Item #33506B</b>	Black	32" x 47"	6 mil	100/roll	<b>\$120.00/RL</b>
<b>Item #33506BFB</b>	Black	32" x 47"	6 mil	75/flatbox	<b>\$90.50/RL</b>
<b>Item #3660B</b>	Black	36" x 60"	4 mil	50/roll	<b>\$52.00/RL</b>
<b>Item #36606B</b>	Black	36" x 60"	6 mil	50/roll	<b>\$80.00/RL</b>
<b>Item #3350C</b>	Clear	32" x 47"	4 mil	100/roll	<b>\$90.00/RL</b>
<b>Item #33506C</b>	Clear	32" x 47"	6 mil	75/roll	<b>\$75.00/RL</b>
<b>Item #36606C</b>	Clear	36" x 60"	6 mil	50/roll	<b>\$60.00/RL</b>



## John Lyman New Pre-Washed 100% Cotton White Rags

- Very absorbent and sanitized at 160° F water
- Good for maintenance and cleaning applications in general
- 45 lbs per box



**Item #KNW100B45** **\$184.50/BX**

## White Cotton T-Shirt Rags

- Light to medium duty usage, with excellent absorbency
- All-purpose rags and extremely versatile
- Soft texture cloths are tough, while they are still gentle on surfaces
- Recycled wipes are made from washed and sanitized materials
- Washable and reusable which make them worth the money
- These t-shirt rags clean and shine anything from grimy automobile parts to commercial tools, and machinery, they are also great for cleaning things covered in oil, water, and solvents



**Item #108R10** 10 lbs **\$18.50**  
**Item #108T** 50 lbs **\$92.50**

## Rubbermaid Brute® Garbage Cans, Lids and Accessories

- All plastic, professional grade construction will not rust, chip, or peel, and resists dents
- Reinforced rims add strength and durability
- Built-in handles allow easy, non-slip lifting and anti-jam nesting
- Double ribbed base increases stability and dragging capacity
- Certified to NSF standard #2 and standard #21
- Snap on lids available
- Dolly with max weight capacity of 350 lbs available

<b>#2632GR</b>	32 Gal. Can, Gray	<b>\$31.15/EA</b>
<b>#2631GR</b>	Lid for 32 Gal. Can, Gray	<b>\$7.85/EA</b>
<b>#2643GR</b>	44 Gal. Can, Gray	<b>\$53.75/EA</b>
<b>#2643BLU</b>	44 Gal. Can, Blue	<b>\$61.00/EA</b>
<b>#264560GR</b>	Lid for 44 Gal. Can, Gray	<b>\$17.75/EA</b>
<b>#2655GR</b>	55 Gal. Can, Gray	<b>\$93.25/EA</b>
<b>#2655YEL</b>	55 Gal. Can, Yellow	<b>\$81.00/EA</b>
<b>#2655RED</b>	55 Gal. Can, Red	<b>\$81.00/EA</b>
<b>#2655DGRN</b>	55 Gal. Can, Green	<b>\$81.00/EA</b>
<b>#2655BLU</b>	55 Gal. Can, Blue	<b>\$81.00/EA</b>
<b>#2654GR</b>	Lid for 55 Gal. Can, Gray	<b>\$12.75/EA</b>
<b>#RCP265788GRA</b>	Dome Lid for 55 Gal. Can, Gray	<b>\$144.80/EA</b>
<b>#2640BLA</b>	Dolly, Black	<b>\$53.75/EA</b>



## Deskside Recycling Trash Can

- Rubbermaid® desk-side recycling containers are an easy and effective way to recycle paper
- Designed to be used in systems with existing office containers and accessories
- Traditionally placed next to other wastebaskets, making it easy to separate waste paper
- These containers contain Post Consumer Recycled Resin (PCR) exceeding EPA guidelines
- 28 quart volume capacity
- 14.4" x 10.2" x 15"



Item #FG295673 **\$9.25/EA**

## Rubbermaid Round Bucket

- Great for cleaning / mopping
- 10 quart capacity
- Sturdy handle
- Durable plastic
- Heavy-duty thick wall construction
- 10½" Diameter
- Spout for easy pouring
- Molded-in graduations for accurate measuring



Item #2963RED Red **\$12.99/EA**  
 Item #2963GREY Gray **\$12.99/EA**



## Can Liners

- Garbage bags
- 100/case

<b>#ILD15231039K</b>	33 gallons	1.5 mil	Black	<b>\$20.35/CS</b>
<b>#ILD15231746K</b>	45 gallons	1.5 mil	Black	<b>\$25.05/CS</b>
<b>#LB60H</b>	55 gallons	1.5 mil	Black	<b>\$31.75/CS</b>
<b>#ILD15221658N</b>	55 gallons	1.5 mil	Clear	<b>\$33.75/CS</b>
<b>#ILD20231039K</b>	33 gallons	2.0 mil	Black	<b>\$27.75/CS</b>
<b>#ILD20231746K</b>	45 gallons	2.0 mil	Black	<b>\$38.35/CS</b>
<b>#ILD20221658K</b>	55 gallons	2.0 mil	Black	<b>\$47.00/CS</b>
<b>#ILD30221658K</b>	55 gallons	3.0 mil	Black	<b>\$70.50/CS</b>



## Disposable Contractor Bags

- 3 mil thickness
- 32" x 50"
- 50/cs
- 42 gallon bags

Item #3250DISP **\$29.75/CS**

## Fiberlock Technologies Lag Kloth Wet Wrap

- Lag-Kloth is a woven fabric impregnated with an inorganic adhesive, designed to repair and/or cover existing asbestos insulation on pipes, boilers and breeching
- Areas that are repaired or re-covered with Lag-Kloth can be successfully top coated with Lag-Kote® or Lag-Kote II for complete encapsulation
- The self-contained adhesive in Lag-Kloth is water-activated and nonflammable and is heat resistant up to 600°F



#6425



#6426

- Item #6425** 5' x 15' **\$139.00**
- Item #6426** 5' x 150' **\$635.00**
- Item #6427** 4" x 150' **\$214.00**

## Fiberlock Technologies Lag-Kote

- Lag-Kote is a 100% acrylic, high-solids encasement/encapsulation coating, specifically formulated for application over a variety of asbestos containing materials
- Designed to encase spray-on fireproofing, asbestos-containing plasters and paints, transit, and asbestos-containing thermal insulation, Lag-Kote's viscous formulation minimizes dripping, cleanup and product waste
- Lag-Kote provides a smooth, washable, aesthetically superior finish that will provide years of lasting protection
- Lag-Kote has excellent resistance to alkalis and can be applied directly over galvanized metal, wood, masonry or other sound surfaces
- Lag-Kote is water-based



- UV inhibitors make Lag-Kote suitable for encasement of exterior transite siding and asbestos fortified paint systems

- Item #6424** 5 gallons **\$210.00**

## Wet Wrap

- Permanent insulation encasement and repair system
- Quickly covers pipes, breeching, valves, duct work and other fittings
- Applies quickly and easily
- Once dry, it permanently retains its strength, shape and form
- Lowest cost encasement material available
- Using Wet Wrap 'N' Seal followed by applying a bridging encapsulant satisfies procedures specified by the National Institute of Building Sciences in 1986 for the proper repair of insulation and lagging
- For a bridging encapsulant, use SerpiMastic, Lag-Kote or Lag-Kote II



- Item #WC69** 6" x 9' Roll **\$7.25**

## Fiberlock Technologies Lag-Kote II

- Thick bridging encapsulant/sealant specifically formulated for application over interior friable asbestos containing material (ACM)
- It is ideally suited to encapsulate interior pipe lagging, boiler jackets, breeching and other components of heating and ventilation systems
- Its thick body minimizes dripping, cleanup and product waste while providing a smooth, washable, aesthetically superior finish that will provide years of protection



- Item #6420** 5 gallons **\$165.00**

## Foster® Protektor® Sealant/Lockdown Encapsulant, Clear



- Single component, penetrating encapsulant for abating asbestos fiber fallout, and retention method
- Penetrates deeply into the asbestos containing materials, and then dries to form a firm, lightweight, damage-resistant surface
- Dries untinted colorless
- Extensively tested by Battelle Columbus Laboratories and is on the list of products deemed acceptable by the U.S. EPA
- Meets NFPA 90A and 90B 25/50 requirements



- Item #3222F** 5 gallons **\$58.00**

## Foster® Bridging Encapsulant, White



- Can be applied to previously painted surfaces
- Can be used over the hard, non-absorptive types of asbestos insulation that will not "accept" a penetrating type encapsulate
- Can be used with glass cloth as a lagging adhesive and coating to encapsulate asbestos containing pipe covering and boiler lagging insulation
- Extensively tested by Battelle Columbus Laboratories and is on the list of products deemed acceptable by the U.S. EPA



- Item #3232F** 5 gallons **\$208.75**

## Foster® Bridging Mastic Encapsulant Lockdown



- Forms a tough, light colored, washable, abrasion resistant, elastomeric coating that economically abates the release of asbestos fibers from both conventional and spray applied asbestos-containing materials (ACM)
- Used with glass cloth, is ideal for use over interior pipe covering and boiler lagging insulations
- Applied at 400 square feet per gallon, and cures to form a visible film effectively abating the release of remaining fibers



- Item #3280F** 5 gallons **\$113.40**



## CORE Demo-Max Yellow Mastic Remover

- Extra strength for effective use on yellow and black carpet adhesives within demolition removal jobsites
  - CARB/OTC/LADCO compliant
  - Water rinseable
- \*Cannot be used in occupied areas or areas where strong odors would be of concern



Item #DEMYLW 5 gallons

**\$122.75**



## CORE Low Odor Mastic Remover

- Quick and powerful removal with low odor
- Dissolves floor tile mastic, spray adhesive, natural pastes and glues
- Emulsifies in water
- Clean up with water and detergent



Item #L05 5 gallons

Item #L055 55 gallon drum

**\$94.25**  
**\$990.00**



## CORE Demo-Max Black Mastic Remover

- Extra strength for effective use on black mastics
  - CARB/OTC/LADCO compliant
  - Extremely powerful and fast acting
  - Water rinseable
- \*Cannot be used in occupied areas or areas where strong odors would be of concern



Item #DEMBLK 5 gallons

**\$126.00**



## CORE Odorless Mastic Remover

- Dissolves most floor tile mastics, spray adhesives, natural pastes and glues
- CARB/OTC/LADCO compliant
- Flash point >200°F
- Non DOT regulated material made to be used in areas where chemical smells are a concern
- Clean up with water



Item #N05 5 gallons

**\$102.00**



## CORE Carpet Glue Remover

- Concentrated solution
- Designed to penetrate, soften, and allow for easy scrape removal of latex, acrylic and pressure sensitive adhesives
- CARB/OTC/LADCO compliant
- Water dilutable and rinseable



Item #CGR5 5 gallons

**\$55.00**



## CORE Citrus Blend Mastic Remover

- Aggressive mastic remover
- Dissolves most types of floor tile mastic, spray adhesives, natural pastes and glues
- CARB/OTC/LADCO compliant
- Flash point >141°F
- Citrus fresh odor
- Emulsifies in water
- Clean up with water and detergent



Item #CM5 5 gallons

Item #CM55 55 gallon drum

**\$119.00**  
**\$1,250.00**



## CORE 1750 Mastic Remover

- Biodegradable solvent degreaser and mastic remover
- Flash point of >175°F
- Low odor, terpene free
- Can be used concentrated or diluted for light soiling
- Dissolves most floor tile mastics, spray adhesives, natural pastes, tars and glues



Item #NEU05 5 gallons

**\$95.00**

## CORE Soy Mastic Remover

- Natural Soybean based mastic remover with a high flash point
- Contains no petroleum distillates
- CARB/OTC/LADCO compliant
- Dissolves most types of floor tile mastic, spray adhesive, natural pastes, and glues
- Low odor with a low evaporation rate, allows for a longer active cleaning window
- Complete solubility in water
- Clean up with water and detergent
- DOT Non-Flammable and Non-Regulated



Item #BD5 5 gallons

**\$110.00**

# **+** Cleaners & Odor Blockers

## **Fiberlock Recon Smoke Odor Sealer (SOS) Solvent Free and Stain Blocker**

- Unlike typical water based coatings that “wick” smoke odors and stains out of the substrate as they dry, RECON Smoke Odor Sealer with OdorLock technology prevents smoke odors and stains from migrating through the coating
- This technology provides one coat odor control on most surfaces and continues to block odors even with seasonal changes in temperature and humidity
- SOS are the first smoke sealer that outperform shellac and solvent-based sealers that actually permit water-vapor to breathe out as demonstrated by independent laboratory testing
- Highly permeable and doesn't trap moisture



**Fiberlock**  
TECHNOLOGIES  
**\$177.00**  
**\$177.00**

**Item #30905** 5 gallons White  
**Item #30915CL** 5 gallons Clear

## **Sentinel 24-7 Interior Mold and Mildew Coating with Microban**

- Low-odor, high-performance coating with antimicrobial protection, designed to inhibit the growth of stain and odor causing mold, mildew, and other micro organisms on the coating film
- Excellent for high traffic areas, it is very durable and scrubbable
- Designed to be used on properly prepared woodwork, doors, walls, ceilings, plaster, Sheetrock, concrete and other interior surfaces, including HVAC ducting
- Not intended for exterior use, or use on doors, unprimed metal surfaces, or in highly-corrosive environments



**Sentinel**  
PRODUCTS, INC.  
BETTER SOLUTIONS FOR A CLEANER ENVIRONMENT  
**\$242.00**  
**\$242.00**

**Item #247** 5 gallons White  
**Item #247C** 5 gallons Clear

## **Mr. Clean Magic Eraser, Extra Durable**

- Looks like a sponge, cleans like magic
- Powerful cleaning with water alone
- Microscrubbers lift and remove dirt all around your home
- Sold by each, 24 per case



**Item #16903516** **\$1.45**

## **Professional Dry Cleaning Sponge**

- 6" x 2-7/8" x 1-3/8"
- Dense cellular foam cleans without water
- Removes dirt, dust, lint, and pet hair
- Can be used on walls, acoustic tile, lampshades, upholstery, blinds, and prepares walls for painting



**Item #DCS60** **\$4.25**

## **Sentinel 538 Smoke and Odor Encapsulant**

- Professional strength, low odor, fast drying sealer encapsulant used to seal and lock down odors commonly found on restoration projects
- On most surfaces a single coat of Sentinel 538 will lock down odors
- Remains consistent through seasonal changes of temperature and humidity
- Does NOT contain materials cited in 21 CFR 189 Substances Prohibited For Use in Human Food



**Item #ST5381** 1 gallon Clear  
**Item #ST538** 5 gallons Clear  
**Item #ST538W** 5 gallons White

**\$39.75**  
**\$146.50**  
**\$146.50**

## **Sentinel 805 Envirowash**

- Specifically formulated and highly concentrated
- Designed to meet both HUD Guidelines and Phosphate rules for Maryland and New York
- Can be used for lead dust and mercury clean-up and for final surface preparation of sub-floors following mastic removal on asbestos abatement jobs



**Item #805** 5 gallons **\$90.00**

## **Sentinel 357 Ultrasonic Cleaner**

- Professional strength biodegradable cleaner/ degreaser developed to remove heavy soils, soot and odors
- Designed for use in soak tanks or ultrasonic cleaning systems



**Item #ST3571** 1 gallon **\$20.50**

## **Sentinel 333 Green All-Purpose Cleaner**

- Environmentally friendly product
- Designed to clean and degrease indoors and out
- Unique surfactant package allows 333 to be as effective as other products that contain harmful glycol ethers
- Offers a variety of uses without the danger of unsafe ingredients



**Item #33341** 1 gallon **\$59.80**

## Foster® Clean, Kill & Coat Disinfectant Cleaner

- Disinfectant concentrate can be used as one-step disinfectant, cleaner, sanitizer, fungicide, mildew stat, and deodorizer
- Suitable for homes, restaurants, hospitals, institutional and industrial that helps to facilities and disinfects hard non-porous surfaces
- Formulated for use in water damage restoration situations against odor causing bacteria on porous and semi-porous materials including carpets, drywall, trim and frame lumber
- Easily removes residue and odors resulting from flood and water damage and smoke from fires



**Item #4090F** 1 gallon  
**Item #4080F** 5 gallons

**\$36.50**  
**\$74.50**

## Foster® Premium Mold Resistant Coating

- Industry's leading EPA registered, antimicrobial coating for HVAC ducts
- Formulated to effectively prevent the spread of mold and odor causing bacteria on its surface in areas, such as walls, ceilings, pipes and interior/exterior surfaces of HVAC duct systems
- Polyacrylate copolymer emulsion specifically formulated for long-term fungicidal activity, with no loss of activity on aging
- Tough, elastic, decorative finish is resistant to most industrial chemicals and it is ultra-flexible to allow for movement without splitting, which prevents lodging places for bacteria



**Item #4020F** 5 gallons

**\$360.25**

## Foster® Duct Liner Insulation Sealer

- Non-flammable when wet and fire resistive when dry
- Dry film stays flexible and moisture resistant
- Will not cause flash rusting on metal surfaces
- Formulated to maintain excellent resistance to the deteriorating effects of fungus or molds



**Item #4023F** 5 gallons

**\$184.90**

## Full Defense™ Fungicidal Protective Coating

- Helps to kill residual mold and mildew
- Suitable for protection of surfaces from mold re-growth
- Designed to provide long term fungicidal protection in residential and commercial mold remediation projects because of its high coverage, breathable coating
- Fungicidal protective coating has low viscosity, high solids formulation that allows for easy application
- Offers excellent coverage and hiding properties
- EPA registered
- Low-odor



**Item #4025F** 5 gallons

**\$315.85**

## Foster Sheer Defense™ Mold Resistant Sealer

- Low viscosity
- Easily applied by hand or with any type of airless spray system
- Works well on a wide variety of surfaces: wood, painted surfaces, wall board, masonry surfaces, metal
- White when wet, but dries to clear finish
- Highly resistant to staining caused by chemicals, mold or mildew
- Durable acrylic polymer and contains blocking agents to help protect it from UV degradation
- Excellent water resistance and will not blush once fully cured



**Item #4051F** 5 gallons

**\$356.40**

## Foster® Mold Resistant Coating

- Low viscosity mold resistant coating
- Water resistant coating
- Specially formulated with select EPA registered antimicrobial agents to provide long-term protection against odor causing bacteria, mold and mildew growth on its surface
- Can be used over a variety of surfaces such as wood studs, OSB, plywood, painted surfaces, wall board, masonry, and metal
- Covers 300 square feet per gallon
- Fast drying and low odor application
- Easy application with most airless spray equipment or by brush or roller
- Water-based formulation



**Item #4050F** 5 gallons

**\$303.65**

## Fiberlock IAQ 9000 Mold-Resistant Waterproofer

- Specially formulated to stop water from penetrating through a variety of interior and exterior surfaces including above or below grade masonry walls, cinder and concrete blocks, stucco, brick, retaining walls, basements, and foundations
- Stops 10psi of water pressure (greater than a wall of water 22 feet high)
- Fast-drying formula
- Applied easily with a brush and/or roller
- Cleans up easily with soap and water
- Contains an EPA-registered fungicide to help prevent mold from growing on the surface of the cured film

Item #8395 5 gallons

**\$212.00**

**Fiberlock**  
TECHNOLOGIES



## IAQ 8000/8500 High Build HVAC Insulation Coating

- High performance coating for duct work
- Designed to bridge and reinforce duct liner or duct board insulation materials
- Can also be used to seal unlined duct work prior to component removal
- Dries to form a durable, exible, moisture-resistant protective coating with a semi-gloss that minimizes inanimate particulate buildup
- Maximum bridging ability on insulation materials and reduces sagging and dripping when applied to the vertical and top surfaces of unlined duct
- Contains a fungistatic agent to resist mold growth on the dry coating surface
- ASTM standard C-411
- ASTM E-84 Class A rating
- Meets requirements of NFPA 90A/90B standard
- Tested in accordance with the procedures outlined in ASTM G 21 and received a No. 0 rating (No fungal growth, 0% growth on the specimens)

Item #8380 5 gallons White

**\$218.00**

Item #8385 5 gallons Black

**\$218.00**

**Fiberlock**  
TECHNOLOGIES



## Fiberlock IAQ 6000/6100 Mold Resistant Coatings

- Extremely durable coating developed to withstand moist, humid conditions
- Easy to apply, 100% acrylic coating
- Excellent mold resistance
- EPA-registered, broad-spectrum fungicide to prevent the growth of mold on the surface of the cured film
- Smooth finish minimizes dirt buildup
- Recommended for use on plaster, wallboard, Sheetrock, concrete, masonry block, wood, primed metal and galvanized metal

Item #8360 5 gallons White

**\$295.00**

Item #8361 5 gallons Clear

**\$295.00**

**Fiberlock**  
TECHNOLOGIES



## Fiberlock AfterShock Fungicidal Coating

- The first EPA-registered fungicidal coating
- Designed to kill residual mold and mildew remaining after pre-cleaning contaminated surfaces
- Inhibits future growth and spread of mold and mildew
- Extremely durable
- Easy to apply
- 100% acrylic sealant

Item #83901 1 gallon

**\$63.00**

Item #8390 5 gallons

**\$240.00**

**Fiberlock**  
TECHNOLOGIES



## IAQ 6000HD High Viscosity, Mold-Resistant Sealant

- White, tintable, high-build mold-resistant coating for professional use that contains a fungistatic agent to resist mold growth on the dry coating surface
- Durable, flexible, and permeable 100% acrylic water-based coating
- Tested by independent and certified laboratories to prove resistance to mold growth on the surface of the coating
- ASTM G-21 and ASTM D-3273 mold resistance tested
- Designed for use on non-porous and semi-porous building materials including gypsum wallboard, oriented-strand board (OSB), wood framing timbers, plywood, and many other structural surfaces

Item #8362 5 gallons

**\$295.00**

**Fiberlock**  
TECHNOLOGIES



## Fiberlock Recon Citrus Solvent Cleaner

- Advanced degreaser and deodorizer that utilizes a citrus based solvent
- This multi-purpose concentrate instantly emulsifies grease, oils and fats without the use of harsh solvents or ozone depleters
- Ready-to-use formula with an extremely powerful cleaning ability

Item#3022R 1 gallon

**\$69.00**

**Fiberlock**  
TECHNOLOGIES





## ShockWave EPA Registered Disinfectant, Sanitizer & Cleaner

**Fiberlock**  
TECHNOLOGIES

- ShockWave Concentrate is Fiberlock's signature EPA registered antimicrobial disinfectant, sanitizer and cleaner
- For over a decade, remediation professionals have made ShockWave the industry's leading product for a host of restoration challenges including mold remediation, water and fire damage restoration, crime scene/bio-recovery, catastrophe preparedness and response
- ShockWave is a powerful concentrated quaternary ammonium chloride blend that yields up to 64 gallons of usable product from every gallon of concentrate
- ShockWave has over 130 organism kill claims and remains effective in up to 791 ppm hard water
- EPA registered as a sanitizer for water damage restoration and for use on porous and non-porous material



**Item #8311** 10 oz bottle

**\$12.90**

**Item #8310** 1 gallon

**\$38.70**

## Fiberlock IAQ 1000 Mold Stain Remover

**Fiberlock**  
TECHNOLOGIES

- Hydrogen peroxide based mold stain remover
- IAQ 1000 is pH-neutral, and contains an agent that will whiten and brighten while cleaning, but does not contain sodium hypochlorite (bleach)
- Suitable for use in water damage restoration situations to remove odor causing mold, mildew, bacteria, and other microbial growth on porous and semi-porous, and non-porous materials
- Contains no dyes or perfumes, and is not corrosive like many industrial cleaners
- Specifically designed for cleaning after water damage, sewer backups and floods
- Supplied in a powerful, ready-to-use formula that can be applied directly from the container



**Item #8315** 5 gallons

**\$69.75**

## Fiberlock IAQ Advanced Peroxide Cleaner

**Fiberlock**  
TECHNOLOGIES

- Specifically for use on mold remediation and water damage restoration projects
- Aggressively removes stains caused by mold and mildew on porous, semi-porous and non-porous materials
- Penetrates deep into the substrate
- React instantly with stained surfaces through an oxidation process that produces a high foaming action that lifts soil and debris to the surface
- Does not leave any chemical residues
- After the oxidation process is complete it simply breaks down into water and oxygen



**Item #8314** 2.5 gallons

**\$147.50**

**Item #8313** 1 qt. HydroBoost Additive

**\$11.05**

**Item #8312** 1.65 lbs HydroBrite Additive

**\$14.00**

## ShockWave Hydrogen Peroxide Disinfectant/Cleaner

**Fiberlock**  
TECHNOLOGIES

- EPA Category IV disinfectant and cleaner that is ideal for use in all restoration and remediation applications, including mold remediation, water damage restoration and biohazard decontamination
- One-step hospital-use germicidal cleaner and odor neutralizer designed for general cleaning, and disinfecting of hard, non-porous environmental surfaces
- It cleans quickly by removing dirt, grime, mold, mildew, and other common soils found in hospitals, nursing homes, schools, and colleges
- Active ingredient is hydrogen peroxide
- Fragrance and dye free



**Item #8318** 1 gallon **\$30.50**

## Shockwave Disinfectant, Sanitizer & Cleaner

**Fiberlock**  
TECHNOLOGIES

- Is an EPA registered disinfectant, sanitizer and cleaner designed specifically for mold remediation contractors
- Designed to meet all your disinfecting, sanitizing, cleaning, and deodorizing needs
- Strong enough to be used in a hospital or medical environment, and has been specifically formulated to be used on both porous and non-porous materials
- Is a powerful ready-to-use quaternary ammonium chloride blend, which is ideal for use when clean water is not readily available or for any situation where a ready-to-use formula is required
- Has over 120 organism kill claims including Aspergillus niger, Penicillium spinulosum, E. coli, Salmonella, HIV, Hepatitis-B, Herpes, Poliovirus, and many other pathogenic and environmental microbial organisms



**Item #8316** 1 gallon **\$33.20**

## Fiberlock IAQ 2000 Disinfectant Concentrate

**Fiberlock**  
TECHNOLOGIES

- Phosphate-free, quaternary ammonium chloride formulation
- Designed for use in both residential and commercial buildings
- Concentrated formula
- Will disinfect hard, nonporous inanimate environmental surfaces
- Clean and disinfect mold-contaminated surfaces as part of all mold-remediation projects
- EPA-registered product



**Item #8320** 1 gallon **\$25.50**

## Fiberlock IAQ 2500 Disinfectant Cleaner

**Fiberlock**  
TECHNOLOGIES

- Specifically designed as a general non-acid cleaner
- Fungicide and disinfectant for use in residential and commercial facilities
- Formulated as a disinfectant for hard, non-porous, inanimate environmental surfaces
- Pre-mixed, ready to use formula that can be applied straight from the container
- EPA-registered product



**Item #8325FT** 5 gallons **\$127.50**

## Simple Green® All-Purpose Cleaner

- This Simple Green all-purpose cleaner/ degreaser removes oil, grease and dirt from virtually any washable surface
- It works fast to save you the hassle of strenuous scrubbing and brushing
- Multipurpose liquid concentrate is environmentally friendly
- Ideal for walls, floors, carpets, glass, tools, machinery, dip tanks and general plant maintenance
- Authorized by USDA for use in federally inspected meat and poultry plants
- Meets Montreal Protocol Guidelines and FDA requirements for cleaning in cosmetics, medical and pharmaceutical environments

<b>Item #13012SG</b>	24 oz	<b>\$6.55</b>
<b>Item #13005</b>	1 gallon	<b>\$14.90</b>
<b>Item #13006S</b>	5 gallons	<b>\$68.00</b>
<b>Item #13008SG</b>	55 gallon drum	<b>\$565.00</b>



## Windex Glass Cleaner

- Fast, easy cleaning with Ammonia-D
- Cleans glass, chrome, stainless steel, Plexiglas® and other hard surfaces
- Won't streak or leave a film
- No-phosphorous formula

<b>Item #15200928</b>	20 oz can	<b>\$5.75</b>
<b>Item #38998</b>	32 oz bottle	<b>\$6.65</b>
<b>Item #39004</b>	1 gallon	<b>\$15.75</b>
<b>Item #90122W</b>	5 gallons	<b>\$51.50</b>

## Benefect Botanical Broad Spectrum Disinfectant



- Kills over 99.99% of germs
- Virucidal (HIV-1)
- Bactericidal (Including MRSA)
- Fungicidal, tuberculocidal
- Made from plant extracts
- Pleasant aromatherapeutic vapors
- No synthetic fragrances, dyes or bleach
- No cautions/warnings on the label or MSDS Sheets
- No rinse or wipe required
- No mixing required



**Item #20475** 1 gallon **\$39.90**

## Sporicidin Disinfectant



- EPA registered and FDA compliant disinfectant recommended for use in hospitals, and medical, dental, and veterinary clinics
- OSHA compliant disinfectant is ideal for cleaning/restoration and IAQ applications, such as mold, water, fire, and sewage remediation, air duct cleaning, trauma clean-up, misting and dust suppression
- Trusted by healthcare professionals and used in hospitals since 1978
- Cleans, deodorizes, and disinfects your equipment, target surfaces, and personal protective equipment (PPE)



**Item #RE1284F** 1 gallon **\$35.40**

## Benefect Botanical Multi-Purpose Cleaner



- General daily cleaning
- Large dilution range from heavy to light-duty tasks
- Botanical ingredients
- Neutral pH, no skin irritation
- Solvent-free, no VOCs
- No resoiling
- No fragrances, dyes, petrochemicals, phosphates, EDTA, NTA or other hazardous or unnecessary ingredients



**Item #30475** 1 gallon **\$39.75**

## Benefect Impact Botanical Carpet Cleaner



- Efficacy: the ability to remove stains
- Resoiling: whether the product attracts soil at an accelerated rate
- pH: excessively acid or alkaline products can affect dyes and fibers
- Optical Brighteners: can adversely affect color, appearance and performance
- Color fastness to light: residues on pile yarn can accelerate color change



**Item #60475** 1 gallon **\$34.25**

## CD™ 757 Heavy-Duty Citrus Degreaser

- Heavy duty, multi-purpose degreaser, adhesive and graffiti remover
- Non-chlorinated formula
- Cleaning power of solvents to remove grime, dirt, grease and oil
- Biodegradable cleaner for use in general
- Maintenance, public buildings, transit systems, restrooms, locker rooms and schools
- Shake well before using
- 16 oz
- 12 cans per case

Item #AS175

**\$9.35/CN**



## LPS G-49 Orange Degreaser Low VOC

- Reduced VOCs (Volatile Organic Compounds)
- Conforms to the VOC regulations of CARB (California Air Resources Board), OTC (Ozone Transport Commission) and LADCO (Lake Michigan Air Directors Consortium)
- Instant cleaning action, no residue
- Excellent for removing grease, grime, oil, and adhesives
- High solvent strength
- Excellent alternative to Methyl Ethyl Ketone (MEK)
- Ideal for cleaning equipment
- Not a Hazardous Air Pollutant (HAP)
- No ozone depleting compounds (ODC)
- NSF® registered category code C1, registration #142147
- Inverta Spray Valve
- 15 oz can

Item #06420

**\$15.20/CN**



## Microban® X-590 Institutional Spray

- X-590 kills nuisance insects, mold, mildew and bacteria odors
- Water-based bactericide, fungicide, deodorant, insecticide for use on furniture, mattresses, and carpet
- Includes a tracer, which is especially important when proving compliance with local regulations for mattress treatment
- EPA-registered for spray application
- Transparent yellow liquid
- pH: 6.5-7.5

Item #221552000 1 gal **\$62.20/EA**



## Lysol All-Purpose 4-in-1 Cleaner, 32 oz

- Kills germs, cuts grease and deodorizes
- For use on hard surfaces such as walls, garbage cans, floors and washable wallpaper
- Ideal for washrooms and kitchens
- EPA registered
- 32 oz spray bottle

Item #75352

**\$3.90/EA**



## Microban® Disinfectant Spray Plus

- Protects against germs and odors on virtually any surface
- Antimicrobial action kills allergy and disease-causing germs, bacteria, fungi, mold, and mildew
- Suitable for use on carpets, upholstery and mattresses
- Used for decontamination applications including sewage backups, removal of carcasses, and more
- Ready-to-use formula

Item #221522000 1 gal **\$39.75/EA**

Item #221523000 5 gal **\$102.70/EA**



## Lysol® Disinfectant Cleaner, Lemon Scent

- Great for cleaning and disinfecting most nonporous surfaces
- Works well on walls, floors, restroom fixtures and surfaces, garbage cans, cabinets, glazed tile, enamel and glazed porcelain
- Concentrated formula can be diluted to make up to 64 gallons of cleaner
- (4) 1 gallon bottles, per case

Item #REC76334 **\$74.75/CS**



## Microban® BotaniClean Antimicrobial Cleaner

- No PPE required
- Clean, disinfect and deodorize hard surfaces in one easy step
- Suitable for use in trauma scene cleanup
- EPA Category IV rating, which means no "warning" or "danger" labels required
- No additional rinsing or wiping required\*
- Approved for use on food contact surfaces\*
- Mild, pleasant fragrance without harsh fumes

Item #224002000 1 gal **\$33.25/EA**



## Mr. Clean Multi-Surface Antibacterial Cleaner

- Cleaner removes soils with ease and kills 99 percent of bacteria
- Effective cleaner for finished floors, walls, appliances, sinks, counter-tops, toilets and fiberglass
- Especially useful for trouble spots like pet areas and diaper pails
- Easy-to-grip, pour bottle
- Summer citrus, 28 oz

Item #80573

**\$3.60/BT**



## Phoenix FireBird Compact 20 Heater



FireBird Compact 20 can provide up to 20,000 BTUs of instant heat and, with its 13" x 12.5" x 26" durable stainless steel cabinet, can operate virtually anywhere on the jobsite that heat is needed to speed up the drying process.

- Compact size, lightweight
- Double-walled, screened enclosure for heating elements
- Automatic internal 140°F safety thermal cutout
- Phoenix thermostat with 25' connecting wire included with the unit
- Listed by ETL to UL Safety Standards
- Stainless steel cabinet
- Stackable for easy storage and transportation
- Power: 4, 12 Amp; 120 VAC circuits
- Heat output: 5,000–20,000 BTU



- Blower: 250 CFM
- Temperature rise: 17°F to 70°F
- 13" x 12.5" x 26"
- Weight: 35 lbs

**Item #4033450      \$2,148.00**

## Phoenix D850 Desiccant Dehumidifier



The Phoenix D850 provides the perfect blend of portability, versatility, and performance the restoration industry has been seeking in a medium-capacity desiccant dehumidifier. The included remote humidistat and process blower speed control allow you to tailor the drying to the task at hand. The D850 operates both vertically or horizontally and is perfect for low clearance applications, fitting inside most crawlspaces.

- 370 pints per day at AHAM (80°F, 60% RH)
- 850 CFM process airflow
- Wide operating range
- Operates vertically or horizontally
- True four-hole configuration
- High or low power (50A or 30A)
- Two 8' power cords (1 dryer, 1 range) included with unit
- Power cords can be stored on-board
- Remote humidistat (with 25' connecting cable) included with unit
- Multiple ducting options
- Rugged stainless steel cabinet
- Power: 208-240VAC, 50/60Hz, Single phase 30A or 50A branch circuit protection
- Water removal: 370 pints/day at AHAM, 92.5 gal/day at saturation
- Blower: 850 CFM



- Weight: 153 lbs
- Operating Range: -10°F to 120°F
- 20" x 41" x 23.25"

**Item #4034000      \$8,999.00**

## Phoenix D385 Desiccant Dehumidifier



The Phoenix D385 provides the perfect combination of features and performance the restoration industry has been craving in a desiccant dehumidifier. Ingeniously designed to operate vertically or horizontally, the Phoenix D385 provides the wide operating range and ultra-low grains of a desiccant with the water removal capacity of the largest LGRs.

- Operates vertically or horizontally
- Wide operating range
- Process airflow 385 CFM
- Reactivation airflow 75 CFM
- 116 pints water removal per day at AHAM
- Ultra low grains
- Two 23' power cords: Each 115 Volt/60 Hz; 11 Amps per cord
- 22 Amps/115 Volts total
- Unlimited ducting possibilities
- Legendary stainless construction
- Power: 2, 11 Amp; 115 VAC circuits
- Water removal: 116 pints/day at AHAM
- Blower: 385 CFM
- Operating range: -10°F to 140°F
- 24.25" x 40" x 21.375"
- Weight: 105 lbs



**Item #4026700      \$3,279.00**

## Phoenix™ 250 Max LGR Dehumidifier



Phoenix has engineered high efficiency and high temperature operation into one amazingly effective drying machine: the 250 MAX. A top-level professional dehumidifier, the Phoenix 250 MAX gives you outstanding low grain operation coupled with exceptional high temperature performance.

- Powerful, stainless steel, professional look
- Large 12" recessed wheels, hemmed metal edges, and chamfered corners
- Hinged lid swings open for easy filter change
- Uses electro-mechanical controls (no electronic panel) and features a beefy 1/8" skid plate with optimized axle position to reduce impact going down stairs
- Efficient layout provides easy access to quality components such as our industry-leading coated evaporator coils providing extended life even in the harshest environments
- Heavy-duty long life condensate pumps are also standard
- Offers multiple ducting options for simple and easy inlet/outlet ducting
- Power: 8.2 Amps
- Water removal: 145 pints/day at AHAM (80°F, 60%)
- Blower: 365 CFM



- Operating range: 33°F to 125°F
- W x H x D: 20" x 40" x 2"
- Weight: 119 lbs

**Item #4030010      \$2,650.00**

## Phoenix R175 LGR Dehumidifier, 230 CFM



Efficient design results in the R175 removing 30% more water than competitive LGR units of similar size, while drawing only 6.3 amps of power. The Phoenix reputation for performance is continued in the R175's excellent grain depression and operating range. The R175 features effective air filtration with a pleated media MERV-7 filter standard. Multiple ducting options are available with 12-inch intake duct tabs on the lid and a wire duct collar for 10-inch lay-flat duct.



- Power: 6.3 Amps, 110-120 VAC
- Water removal: 92 pints/day at AHAM; 21 gal/day at saturation
- Blower: 230 CFM
- Operating Range: 33°F to 110°F
- W x H x D: 20" x 33.5" x 20"
- Weight: 105 lbs

**Item #4029200 \$1,999.00**

## Phoenix R125 LGR Dehumidifier, 170 CFM



The Phoenix R125 combines Phoenix innovation, technical expertise, and proven durability into a small, portable, and durable roto-mold housing. In addition to the R125's compact size and superior performance, the unit features high energy efficiency, front cord and hose storage, a ductable outlet, a pleated media filter, and a rotating handle for stacking, transport and storage.



- Power: 5.0 Amps, 110-120 VAC
- Water removal: 65 pints/day at AHAM; 16 gal/day at saturation
- Blower: 170 CFM
- Operating range: 33°F to 110°F
- W x H x D: 20" x 30" x 17"
- Weight: 79 lbs

**Item #4032350 \$1,570.00**

## Phoenix Dry Max LGR Dehumidifier, 170 CFM



The Phoenix Dry Max is 6% smaller than the closest restoration dehumidifier in its class and yet it still has an integrated retractable handle and wheels, as well as onboard storage for the power cord and condensate hose! The ultra-compact design of the Phoenix Dry Max makes it the smallest "Large Category" LGR on the market today.



- Customizable 4-line digital display, which shows all the information you will need right on the home screen
- Status indicator light on the control panel, which allows you to confirm at a glance that your drying job is proceeding as planned
- Power: 5.7 Amps, 110-120 VAC
- Water removal: 80 pints/day at AHAM; 10 gal/day at saturation
- Blower: 170 CFM
- Operating range: 33°F to 110°F
- W x H x D: 12" x 17.5" x 21"
- Weight: 63 lbs

**Item #4036000 \$1,899.00**

## Phoenix R250 LGR Dehumidifier, 310 CFM



Redesigned from the inside out to be a rugged, high-performance dehumidifier. Phoenix is leading the industry by introducing epoxy-coated coils. This new feature will extend the life of the coils, provide protection in corrosive environments, and maintain the coil's heat transfer ability. Heavy-duty condensate pump and a rugged float switch designed specifically for restoration environments.



- Outlet grill that is configured to accept a variety of thermohygrometer probes for taking accurate psychrometric readings
- Power cord and condensate hose store inside the hinged lid, while the stackable design helps maximize your storage capacity
- Superior filtration and multiple ducting options
- Power: 8.3 Amps, 110-120 VAC
- Water removal: 135 pints/day at AHAM
- Blower: 310 CFM
- Operating range: 33°F to 110°F
- W x H x D: 20" x 33.5" x 20"
- Weight: 109 lbs

**Item #4034460 \$2,395.00**

## Phoenix R150 LGR Dehumidifier, 150 CFM



Phoenix R150 LGR dehumidifier packs the performance of a "Large" dehumidifier into the smallest, lightest, and most portable chassis in the restoration market. The R150 with patent-pending GTR Technology combines Phoenix innovation, technical expertise, and proven durability into a unit that will remove more water, produce higher grain depression, and dry structures faster than competitive dehumidifiers. The R150's GTR technology will allow the restoration professional to continue to dry in higher temperatures without any manual adjustments to the unit (up to 110°F).



- Power: 5.5 Amps, 110-120 VAC
- Water removal: 75 pints/day at AHAM; 18 gal/day at saturation
- Blower: 150 CFM
- Operating range: 33°F to 110°F
- W x H x D: 20" x 30" x 17"
- Weight: 82 lbs

**Item #4031250 \$1,799.00**

## Phoenix AirMax Radial Air Mover, 925 CFM



Phoenix AirMax the most compact and portable fan in its class. Rugged molded in handle gives you the solid control required when packing and unpacking lots of air movers. Its easy-winding cord wrap and multiple securement options makes it easy to transport.



- 925 CFM
- 1.9 Amps
- Onboard circuit breaker and branch protection GFCI
- Daisy chain up to 6 fans on a single 15 Amp circuit
- Ultra secure stacking and cord wrap
- Heavy wall polypropylene housing
- Cord 20', 6" power cord
- ETL Tested to UL and CSA Standards
- 17" x 8-7/8" x 20-1/2"
- Weight: 21 lbs

**Item #4035000 \$299.00**

## **Dri-Eaz™ 1200 Refrigerant Dehumidifier**

- Removes up to 15 gallons a day
- Super convenient size
- Hot-gas bypass for fast defrost
- Rugged rotomolded housing – stackable!
- Electronic touch-pad controls
- Rigid handle – designed for rugged service
- Semi-pneumatic wheels for easy transport
- Built-in duct attachment ring
- If power is interrupted during operation, the unit will automatically restart when power is restored

**Item #F203 \$1,505.00**



## **Dri-Eaz™ Evolution™ LGR Refrigerant Dehumidifier**

- LGR technology keeps drying after humidity levels drop
- Compact size – only 92 pounds
- Draws only 5 amps – but removes 70 pints at AHAM
- Quick pump access for easy servicing
- New, rigid fold-down handle
- Improved quick-release hose wrap design
- Built-in ring for easy attachment of ducting
- If power is interrupted during operation, the unit will automatically restart when power is restored

**Item #F292 \$1,870.00**



## **Dri-Eaz™ LGR 7000XLi Dehumidifier**

- Advanced Crossflow Technology maximizes efficiency even in low grain environments
- Self-monitoring system, built-in sensors monitor performance parameters allowing for automatic fan speed adjustments
- Built-in humidistat and plain-English control panel messages
- Ergonomic design handle 2" taller for easier use on stairs, folds down for storage
- Integrated cord and hose storage
- Versatile application – standard 12" ductable outlet
- Rotomolded housing, practically indestructible
- If power is interrupted during operation, the unit will automatically restart when power is restored (115V models only)
- Power: 8.3 amps, 115V
- Water removal: 130 pints/day at AHAM; 235 pints/day at saturation
- Operating range: 33° – 100°F
- Process air (max.): 325 CFM
- Dimensions: 33.5" x 20" x 20"

**Item #F412 \$2,665.00**



## **Dri-Eaz™ Revolution™ LGR Dehumidifier, 121-180 CFM**

- Best LGR performance in its class
- Delivers "Large" dehu performance yet fits where others don't – crawlspaces, bathrooms, kitchens, etc.
- Control panel displays inlet and outlet temp and RH in real time
- Secure, compact stacking – transport multiple units on a handtruck
- Power: 115V / 60Hz
- Amps: 6.2 amps
- Air movement: 121–180 CFM
- Water Removal: 80 pints/day
- Operating Range: 33–100°F
- Dimensions: 12.5" W x 17.6" H x 21.5" D
- Weight (with cord and hose): 65 lbs

**Item #F413 \$1,870.00**



## **Dri-Eaz™ LGR 3500i Dehumidifier**

- Powerhouse dehu removes up to 30 gallons per day
- Automatic humidistat control
- Displays inlet and outlet temperature and RH for easy monitoring
- Digital control panel with plain-English system messages, not codes
- Rugged Dri-Eaz rotomolded housing is easy to maintain and won't mar furnishings
- If power is interrupted during operation, the unit will automatically restart when power is restored

**Item #F411 \$3,179.00**



## **Dri-Eaz™ LGR 2800i LGR Dehumidifier**

- Removes up to 25 gallons per day
- Operates in hot environments up to 125°F
- Built-in thermo-hygrometer monitors and displays inlet and outlet conditions
- Automatic humidistat control
- Legendary Dri-Eaz rotomolded housing resists dents and scratches – and is easy to keep looking new
- If power is interrupted during operation, the unit will automatically restart when power is restored

**Item #F410 \$2,819.00**



## Dri-Eaz™ Velo™ Pro Airmover, 500-885 CFM



- Variable speed control from 500-885 cfm
- Daisy-chain up to 10 units on a single circuit with convenient dual outlet
- Hour meter to track usage and maintenance intervals
- Patent pending outlet design ensures even, broad-path airflow for fast, consistent drying across all surfaces
- Five operating positions; Dry floors, ceilings, walls and stairways quickly and efficiently
- Half the height of snail shell dryers (bring more drying power in each truck you bring to the job)
- Easily carry 2-4 units at once (or stack up to six on a handtruck)
- Power: 185W • Weight: 21 lbs



- No more awkward lifting, no more banging up hallways and doors
- Easiest to maintain
- Simply remove fasteners and lift out impeller assembly for cleaning
- Dimensions: 9" x 18" x 24"
- Amp draw: 1.2 – 1.9 amps

Item #F505

**\$335.00**

## Dri-Eaz™ Velo™ Airmover, 885 CFM



- Patent pending outlet design ensures even, broad-path airflow for fast, consistent drying across all surfaces
- Multiple operating positions
- Dry floors, ceilings, walls and stairways quickly and efficiently
- Half the height of snail shell dryers
- Stackable for compact storage
- Easily carry 2-4 units at once (or stack up to six on a handtruck)
- No more awkward lifting, no more banging up hallways and doors
- Durable, rugged rotomolded housing with new easy-carry handle
- Use up to 6 units per 15 amp circuit for a whopping 5400 CFM of tested (not rated) airflow



- Daisy chain with GFCI outlet
- Low amp draw
- Only 1.9 amps
- Weight: 21 lbs.
- Dimensions: 9" x 18" x 24"
- Amp draw: 1.9 amps
- Air Movement: 885 CFM

Item #F504

**\$295.00**

## Dri-Eaz™ AirPath™ 2 Speed, 20" Portable Fan



- Drives an aggressive 40 MPH of directed airflow to get carpets and hard floors surfaces truly dry in just minutes, not hours
- Revolutionary, patented outlet dries in 360° pattern
- High velocity airflow stays low while drying in all directions
- Portable fan
- Down draft floor dryer
- 2 speed
- Propeller diameter 20"
- CFM high, 5500



- CFM low, 4750
- Voltage 115, Hz 60

Item #F377

**\$595.00**

## Dri-Eaz™ Sahara Pro X3 Turbodryer® Airmover



- This low amp, three-speed airmover offers everything needed for drying performance and versatility
- Legendary Dri-Eaz durability and reliability
- Remains efficient when run at all three speeds, drawing just 3, 3.5 or 4 amps in use
- Daisy chain up to three units together using built-in GFCI outlets and eliminate the need for an extension cord
- Side stackable with an easy-grip handle for transport
- Has an underside drying vent for drying under the air mover



Item #F351

**\$365.00**

## Viking Air Mover 2 Speeds, 2200 EX



- 18.5" x 16.7" x 18.5"
- 29 lbs
- 1/3 HP – 115 VAC
- 2-speeds
- Amps - 2.5 High, 2.3 Low
- 3-position rocker
- 3000 FPM
- Cord length 25'
- Stackable
- Rotomolded Polyethylene
- UL and CUL Approved
- Built-in cord wrap



- Easy grip handle
- Operating positions 3 (0°, 45°, 90°)

Item #2200EX

without GFCI

**\$209.00**

Item #2200EXGFCI

with GFCI

**\$219.00**

## Phoenix Guardian R HEPA System



The most compact, portable, true HEPA air filtration device made. Its energy-efficient rotomold design is durable, lightweight and stackable, making it the ultimate blend of portability and performance.

- Up to 500 CFM airflow; 2.4 amps
- Compact design
- Variable speed flow
- Multiple ducting options
- Tough, rotomold cabinet
- Optional carbon/potassium permanganate blend filter
- On-board duplex GFCI and circuit breaker
- Large horizontal inlet
- 30% more filter media
- Blower: 500 CFM



- True HEPA filtration with 2-stage filtration design
- 2" x 14" x 24"
- Weight: 33 lbs

Item #4031350

**\$1,045.00**

## Phoenix CAM Centrifugal Air Mover, 975 CFM

The unique 1/3 horsepower design of the Phoenix Centrifugal Air Mover coupled with a two-speed switch allows the restoration technician to deliver the most airflow using the fewest amps. Maximum amp draw on high speed is 2.8 amps. Minimum amp draw on low speed is a mere 2.4 amps. This means that it is now possible to fit as many as four centrifugal air movers onto a typical 15 amp household circuit.

- Washable, durable and chemical resistant
- \*PRO offers on-board duplex GFCI outlet and circuit breaker
- Multiple operating positions
- Molded-in runners allow for the air mover to be positioned horizontally, 45° and 90° angles

**Item #4027508** Basic  
**Item #4027550** PRO

**\$296.00**  
**\$330.00**



 **PHOENIX**  
RESTORATION EQUIPMENT



 **PHOENIX**  
RESTORATION EQUIPMENT

## Phoenix CAM Stackable Centrifugal Air Mover, 1050 CFM

The Phoenix Stackable CAM Pro utilizes an innovative stable, stackable design. With multiple contact points and interlocking side grills, the Phoenix Stackable CAM Pro can be stacked safely and securely up to 4 units high, freeing up valuable space in your trucks and warehouses. The Phoenix Stackable CAM features a unique 1/3 horsepower motor design and proprietary blower technology, that provides more airflow, higher static pressure and lower amp draw. At 1050 CFM, over 2800 FPM, and using only 2.6 amps the Phoenix Stackable CAM Pro delivers 12% more CFM, while drawing 35% less electricity than the leading competitive centrifugal on both High Speed and Low Speed (2.0 amps on low).

\*PRO offers a low amp draw and onboard GFCI, the Phoenix Stackable CAM Pro gives you maximum airflow on a circuit, allowing up to 4 CAMs on a standard 15 amp household circuit (or up to 6 on low speed).

- Durable, washable, and chemical resistant
- Multiple operating positions of horizontal, vertical, and 45 degree angles
- ETL Listed, and UL Certified
- Lightweight and properly balanced for easy handling
- Lighted plug for confirming power at the outlet and superior cord management for better, packing and storage

**Item #4030980** Basic  
**Item #4030990** PRO

**\$316.00**  
**\$352.00**

## Phoenix FOCUS™ Axial Air Mover, 3000 CFM

The Phoenix Axial Air Mover is the industry's only air mover specifically engineered with patented FOCUS Technology. FOCUS Technology revolutionizes evaporative drying by producing CFM greater than competitive products and focusing all of its CFM on hard-to-dry areas such as carpet and pad, sub-floor and walls. The Phoenix Axial Mover operator interface is conveniently located for easy access, featuring: power indicator lamp, three-position switch, hour meter, GFCI outlet, and circuit breaker, eliminating nuisance trips to the breaker box.

- Greater air velocities than competitive products
- Focused velocities 0 to over 23.5 feet
- Capable of reducing secondary damage claims stemming from the side-effects of trapped humidity like fungi, mold, mildew or structural damage
- Directs air flow towards problematic corners, where the wall meets the floor
- 3,000 CFM
- Long-life 2-speed motor
- Low noise, quiet operation

**Item #4025200**

**\$467.00**



 **PHOENIX**  
RESTORATION EQUIPMENT



## Extech MO300: Pinless Moisture Meter with Bluetooth®

- Integrated Bluetooth® connects with Android devices to transmit readings for remote viewing
- Works with free Android App to display large, easy-to-read values for: Moisture, Humidity, Temperature, Grains Per Pound (GPP)/(g/kg), Dew Point, Vapor Pressure, and condensation point, up to 10m away
- Quickly indicates the moisture content of multiple wood types and other building materials with Pinless technology without damaging the surface; Remote Pin-type probe allows for contact moisture readings
- Manually store/recall up to 20 labeled readings or datalog up to 50K readings using the Android app
- Easy to read, large dual display with automatic backlight feature and Fast Analog Bargraph
- Pinless moisture measurement depth to 0.75" (19mm) below the surface
- Programmable high/low Moisture/Humidity alarms
- Designed with an IR circuit to measure non-contact surface temperature



**EXTECH**  
INSTRUMENTS

- Automatic calculation of differential temperature (IR - DP) to determine condensation point
- Min/Max, Data Hold, and Auto power off
- Complete with pin moisture probe (MO290-P) with 3ft/0.9m cable, 9V battery and pouch case

**Item# MO300 \$679.00**

## Extech Inspector 5-In-1 Pro Moisture Meter

- Extech pinless moisture meter
- Takes contact and non contact moisture content readings of building materials
- Measures air temperature and humidity
- Calculates dew point and grains per pound (GPP)
- Features a built in IR thermometer
- Displays WME from 0-99.9, air temp from -20° to 170° F and %RH from 0 to 99%
- Includes 9 volt battery, remote probe and carrying case
- One year warranty

**EXTECH**  
INSTRUMENTS



**Item# MO290 \$529.00**

## Extech EasyView™ Digital Hygro-Thermometer

- Large LCD displays any two parameters simultaneously
- Data hold, relative, min/max, programmable power off timer
- Stores up to 99 manual readings for display recall
- Includes probe with 39" (1m) cable
- Weight: 4.4 lbs
- Dimensions: 8.2" x 4.9" x 2.3"
- 6 AAA batteries included

**EXTECH**  
INSTRUMENTS



**Item# EA20NIST \$364.99**

## Extech Pinless Moisture Meter, with Memory

**EXTECH**  
INSTRUMENTS

- Includes Pin-type probe (MO290-P) for contact moisture readings
- Manually store/recall up to 20 labeled readings
- Works on multiple wood types and other building materials
- Simultaneously displays moisture value of wood or material being tested, Air Temperature, IR Temperature, or Humidity
- Built-in humidity/temperature probe measures Relative Humidity, Air Temperature plus Grains Per Pound (GPP)/(g/kg), Dew Point (DP) and Vapor Pressure
- Temperature (IR - DP) to determine condensation point
- Programmable high/low moisture and humidity alarms



- Min/Max and Data Hold, Auto power off and low battery indication
- Automatic calculation of differential

**Item# MO295 \$579.00**

## Extech Infrared Thermometer

**EXTECH**  
INSTRUMENTS

- 12:1 compact infrared thermometer with laser pointer
- IR temperature range: -58 to 1200°F (-50 to 650°C)
- High resolution of 0.1° up to 199.9°
- High/Low setpoints with audible alarm
- 0.10 to 1.00 adjustable emissivity
- Built-in laser pointer for easy targeting
- Large backlit LCD display
- Data hold and min/max, overrange indicator, auto power off
- 9V battery and pouch case



**Item#42510A \$99.99**

**EXTECH**  
INSTRUMENTS

## Extech Moisture Detector Drywall Meter

- Pocket size moisture meter with adjustable pins for wood and building materials
- Features include unique dual LCD displays wall moisture (0 to 100) and air temperature (-32° to 122°F or 0 to 50°C) simultaneously
- Moisture content displayed on a relative scale
- Multi-position pins with safety storage of replaceable pins
- Easy to operate with selectable side switch (OFF, Test, and Calibrate)
- Data hold to freeze reading on display, and calibration adjustment for better repeatability



**Item# MO100 \$81.75**



## Phoenix HS-1 ThermoHygrometer

- Large two line color display
- Accurate measurements of temperature, relative humidity, grains per pound (m3, kg, lb) and dew point (F/C)
- Display of MAX, MIN, HOLD, AVG and ACT, easily selectable
- Easy-to-use touch operations
- USB interface for SmartGraph3 software



**Item #4036506 \$356.00**

## Phoenix HM-40 Precision ThermoHygrometer

- Range 0 to 100% relative humidity
- Accuracy ±1.5% (0 to 90% relative humidity)
- ±2.5% (90 to 100% relative humidity)
- Sensor type HUMICAP® 180R
- Range 14 to +140°F
- Accuracy .36°F (32°F to 104°F)
- .72°F (14°F to 32°F and 104°F to 140°F)
- Sensor Pt 1000 RDT class F0.1 IEC 60751
- General power-up time <3 seconds
- Calculated parameters Td, Tw, a, x, h
- Display LCD (140 x 160 pixels)
- Operation time typical 100 hours (without backlight)
- Operation temperature range 14°F to 140°F
- Storage temperature range -22°F to 158°F



**Item #4034285 Standard Unit \$513.00**  
**Item #4034345 Unit with Remote Probe \$623.00**

## Phoenix Reed LM-8000 Multi-Function Meter

- Sensor type: relative humidity HC101, temperature NTC
- Relative humidity: 5 to 95% RH
- Temperature: -4° to 122°F (-20° to 50°C)
- Dew point at 68° 5° to 66°F (-15° to 19°C)
- Mixing ratio at 68° 8.03 to 98gr/lb (1.18 to 14g/kg)
- Relative humidity ±2% RH
- Temperature ±0.7°F at 32 to 104° ±1.3°F, (±0.4°C at 0 to 40° ±0.7°C)
- Dew point at 68° ±(8.03 to 1.15°F) ±(4.46 to 0.64°C)
- Mixing ratio at 68° ±(3.08 to 3.99gr/lb) ±(0.44 to 0.57g/kg)
- 9V battery >150 hours
- Display LCD 1.8"x 1.3"
- Working temperature range 32° to 122°F (0° to 50°C)



**Item #4030115 \$159.00**

## Phoenix Psychrometric Dew Point & Grains Calculator

- Accepts input data from 3% to 100% relative humidity
- Accepts temp inputs from 20°F (-7°C) to 120°F (49°C)



**Item #4024392 \$4.25**

## FLIR E4™ Thermal Camera w/ MSX®, 3" Bright Color LCD Screen



- Fully automatic and focus-free
- Simple button navigation to on-screen settings, imaging modes, and measurement tools
- MSX adds digital camera detail to IR images for better perspective and interpretation
- Download images, create reports, and show what you've found instantly
- Wi-Fi connectivity to mobile devices via FLIR Tools Mobile app
- Rapid Wi-Fi or USB image transfer
- Analyze and edit images, and create convincing reports with FLIR Tools
- Portable and easy to use in harsh environments
- Lightweight (1.2 lb / 0.575kg) and withstands 2-meter drop test
- Hard transport case included
- Thermal sensitivity/NETD: IR resolution: 80 x 60 pixels



- 2-year warranty coverage on camera, 5 years on batteries, 10 years on detector

**Item #639060604 \$949.00**

## FLIR Spot Thermal Camera with Image Storage



- Equipped with FLIR's exclusive Lepton® micro thermal sensor
- Features FLIR's Innovative Lepton® IR Imaging Engine
- Instantly shows what's hot and where to aim
- 24:1 spot size ratio for safer distance measuring
- Easily save images and data for documentation
- Download images over USB or removable micro SD
- Built to withstand a 2 meter drop
- Covered by FLIR's exclusive 2-10 warranty
- Temperature range: -13°F to 716°F
- Image resolution: 4,800 pixels (80 x 60)



**Item# TG165 \$349.99**

## Exttech Video Borescope/ Wireless Inspection Camera



- Includes 2GB microSD memory card for capturing images (JPEG) or video (AVI) for viewing on your PC
- Detachable wireless color 3.5" color LDC display can be viewed from a remote location up to 32ft (10m) from measurement point
- 39" (1m) flexible gooseneck with waterproof camera (9mm diameter) and 4 built-in bright LED lights for illuminating dark areas
- Captured videos and images can be viewed on the wireless monitor or transferred to your PC via the microSD card or USB cable



- Menus in 10 languages
- Complete with 4AA batteries, rechargeable display battery, microSD card with adapter, USB and video cable, extension tools, 100-240V AC adapter, stand and case

**Item# BR250 \$249.99**

## FLIR Imaging Moisture Meter, 4,800 Pixels (80 x 60)

- Built-in thermal camera, the only moisture meter with the power to show you exactly where to measure
- Infrared Guided Measurement (IGM™) technology
- 80 x 60 Lepton® thermal imager powers IGM technology
- Document thermal images and moisture readings on one screen
- Review images and generate reports with free FLIR tools software
- Pinless technology for fast non-intrusive measurements
- External pin probe included for contact moisture measurements
- Easy targeting with laser pointer and display cross hairs
- Industry-leading warranty



- Internal rechargeable battery with USB

**Item# MR160 \$599.00**

## FLIR Imaging Moisture Meter w/ IGM™

- Featuring Infrared Guided Measurement (IGM) technology powered by a built-in FLIR Lepton® thermal imaging sensor
- Integrated laser and crosshair to help pinpoint the surface location of the issue
- Replaceable thermal hygrometer
- Customizable measurements
- Thermal Imaging Detector: FLIR Lepton microbolometer
- Image Calibration: automatic with manual lock scale option
- Thermal Image Resolution: 4800 pixels (80 x 60)
- Spectral Response: 8–14 m
- Field of View: 51° x 38°
- Thermal Image Palettes: Iron, Rainbow, Ice, Grayscale
- Minimum Focus Distance: 10 cm (4")



**Item# MR176 \$1,175.00**



## FLIR C2™ Compact Thermal Imaging System

- World's first full-featured, pocket-sized thermal camera designed for building industry experts and contractors
- Features MSX® real time image enhancement, high sensitivity, a wide field of view, and fully radiometric imagery to clearly show where problems are and verify the completion of repairs
- Pocket portable
- Light, slim profile fits comfortably in any work pocket
- Brilliant 3" intuitive touch screen with auto orientation for easy viewing
- Built-in LED spotlight you can use as a flashlight and for photo illumination
- Fully radiometric
- Streaming video via FLIR Tools
- Save thermal image JPEGs instantly, then conveniently adjust and analyze them later with FLIR Tools to isolate temperature measurements on any pixel and create convincing reports



- MSX-enhanced thermal images provide stunning detail to help you identify problem areas easier
- Radiometric image stores 4800 pixels capable of capturing thermal measurements from 14°F to 302°F
- A wide FOV frames what you need to see and high thermal sensitivity detects subtle temperature differences common in building applications
- FLIR Tools professional reporting software included – the industry standard in thermal image post analysis
- FLIR's unique 2-10 warranty, covering parts and labor for two years and the detector for ten

**Item# FLIRC2 \$499.00**



## FLIR C3™ Compact Thermal Imaging System

- Light, slim profile fits comfortably in any work pocket
- Brilliant 3" intuitive touch screen with auto orientation for easy viewing
- Wi-Fi enabled for instant peer-to-peer image sharing
- Area measurement box measures hottest or coldest spot (max./min.)
- Save thermal image JPEGs instantly, then conveniently adjust and analyze them later with FLIR Tools to isolate temperature measurements on any pixel and create convincing reports
- MSX® enhanced thermal images provide stunning detail to help you identify problem areas easier
- Radiometric image stores 4800 pixels capable of capturing thermal measurements from 14°F to 302°F



- High thermal sensitivity detects subtle temperature differences common in building applications
- FLIR Tools professional reporting software included – the industry standard in thermal image post analysis
- Streaming video via FLIR Tools, a feature not usually available on low-cost thermal camera systems
- Dimensions: 4.9" x 3.1" x 0.94"
- FLIR's unique 2-10 warranty, covering parts and labor for two years and the detector for ten

**Item# FLIRC3 \$699.00**

**PULLMAN-HOLT**



**Pullman-Holt Wet/Dry HEPA Vacuum with Power Tool Outlet, 120V**

- Single motor HEPA vacuum with plug for power tool
- Includes electric auto filter shaking system, and suction power is adjustable
- Wet and dry HEPA vacuum with dual, individually tested and certified HEPA filters, 99.99% at 0.3 microns
- Outlet for power tools
- Vacuum will start and stop on demand from the power tool
- 7-second delay on the vacuum shut-off ensures that all dust is emptied from the hose
- Variable speed on the vacuum motor allows the operator to adjust the amperage and suction power according to circuit breaker capacity
- Automatic filter shaking system. A sensor indicates if a filter is clogged and starts shaking the filter immediately after the vacuum shuts off
- Compact design makes it easy to transport, carry and to store in vans and trucks

**Item #200800018A** S25 7 Gallon Tank **\$631.40**  
**Item #200800094A** S50 14 Gallon Tank **\$726.95**

**Pulse-Bac® Model 1050 176 CFM, 20 Gallon Vacuum**

- Includes 1050 head, 20 gallon tank, extra filters, halo, 2" x 25' hose, dolly system, 25' extension cord
- 20 gallon tank is a great option when needing a compact and durable unit
- 10 gallon detachable, 5 caster dolly and durable 16 gallon cold-rolled steel tank are powder coated to prevent rust
- HEPA Filtration (99.97% at 0.3 microns) at a flow rate up to 176 CFM
- General cleanup of commercial properties, vacuuming hard surfaces or carpets, but is designed to collect, capture and control dust generated by hand-held power tools, surface preparation equipment and manufacturing machinery
- Revolutionary design in vacuum filtration automatically flushes the filters clear while you work, keeping the filters clean and suction consistent, using only ambient air and vacuum; stopping the filters from facing with dust or debris and clogging during operation



**Item #PB1050 \$2,875.00**



**EDCO® 200 CFM Dust Control Vacuum System with Connector & 2" x 25' Hose, 9 Gallon Capacity**

- Electric 110 volt 16 amp dual motor with 3.2 HP
- 13 sq. ft. of micro clean filter area
- 3 year filter guarantee
- Cast-composite material guaranteed for life to not crack
- 200 CFM
- Comes standard with wand kit for floor cleaning
- For indoor and outdoor working environments
- Collects dust and debris from construction equipment
- Dust control in wood shops, welding shops, drywall contractors, powder paint booth systems, etc.
- Lead paint removal
- 35" H x 20" W x 32" L
- Meets and exceeds OSHA respiratory standards

**Item #ED333125K 9 Gallon Tank \$3,125.00**